


ACCEPTED

DEC 30 1975

United States Department of Agriculture



Kills Rats (Warranty and Roof rats)

This product is a ready-to-use cereal-grain bait for controlling infested buildings and other premises. The active ingredient is Phos, an anti-metabolite which ingested by rats over a period of several days leads to internal bleeding and eventual death.

DIRECTIONS

READ THESE DIRECTIONS AND INSTRUCTIONS OF USE. USE STRICTLY IN ACCORDANCE WITH LABEL, CAUTION, WARNING AND INSTRUCTIONS.

Use—Remove all other bait packages and bait from the infested area. Pour the contents of this package into the bait box. Refill the bait box frequently and keep it supplied with fresh bait as long as it continues to be eaten. It may take three to four days of daily intake of the bait to cause death of rats. Place boxes at several locations in the infested area.

Location and Preparation of Bait Boxes

Locate bait boxes frequented by rats along walls, ceilings and in concealed locations within the infested area. Avoid placement in areas where children, pets or livestock may be present. Do not use this product in areas where children and/or pets are present.

Storage of Bait and Packaging

To avoid damage of unopened portions of bait, do not store in areas where children, pets or livestock may be present.

PRECAUTIONS

Keep out of reach of children, pets and livestock. Do not use in areas where children, pets or livestock may be present.

NOTE

This product is to be used ONLY in the original bait box packaging.

duocide
rat bait
station

duocide
rat bait
station



12-30-75
3540-468

Bait—Remove bait packages from bait station and pour contents of package (4.16 oz.) into the bottom of the bait box. Maintain a continuous supply of bait for at least ten days. Inspect bait box frequently and keep it supplied with fresh bait as long as it continues to be eaten. It may take three to four days of daily intake of the bait to cause death of rats. Place boxes at several locations in the infested area.

Note—Remove all other bait packages from bait station and pour contents of this package (4.16 oz.) into the bottom of the bait box. Maintain a continuous supply of bait for at least ten days. Inspect bait box frequently and keep it supplied with fresh bait as long as it continues to be eaten. It may take three to four days of daily intake of the bait to cause death of rats. Place boxes at several locations in the infested area.



duocide
rat bait
station

Kills Rats (Norway and Roof rats)

This product is a ready-to-use cereal-type bait for controlling infested buildings and other premises. The active ingredient is Fluorimantel, a coumatral, when ingested by rats over a period of several days, leads to internal bleeding and eventual death.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL, CAUTIONS, WARNINGS AND DIRECTIONS.

Rats — Remove both packages from bait station and pour ¼ to all of a package (4-16 oz.) into the bottom of the bait box. Maintain a continuous supply of bait for at least ten days. Inspect bait box frequently and keep it supplied with fresh bait as long as it continues to be eaten. It may take five to fourteen days of daily intake of the bait to cause death of rats. Place boxes at several locations in the infested area.

Location and Preparation of Bait Boxes

Locate bait boxes frequented by rats along walls, corners and in concealed locations where the rodents can feed unobserved. Locate bait boxes so that the bait is not accessible to children, pets or livestock. Do not use this product in areas where bait box cannot afford protection from tampering by children, pets or livestock.

Storage of Bait and Rebaiting

To ensure freshness of unused portions of bait, all bait should be stored in a dry clean location inaccessible to children, pets or livestock.

DISCLAIMER:

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NOTE:

This pesticide is to be sold ONLY in this original unbroken package.



duocide
rat bait
station

controlling infested buildings and other premises. The active ingredient is Pival, an anti-coagulant when ingested by rats over a period of several days leads to internal bleeding and eventual death.

DIRECTIONS

READ THESE ENTIRE DIRECTIONS AND DISCLAIMER OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Rats — Remove both packages from bait station and pour ¼ to all of a package (4-16 oz.) into the bottom of the bait box. Maintain a continuous supply of bait for at least ten days. Inspect bait box frequently and keep it supplied with fresh bait as long as it continues to be eaten. It may take five to fourteen days of daily intake of the bait to cause death of rats. Place boxes at several locations in the infested area.

Location and Preparation of Bait Boxes

Locate bait boxes frequented by rats along walls, corners and in concealed locations where the rodents can feed unobserved. Locate bait boxes so that the bait is not accessible to children, pets or livestock. Do not use this product in areas where bait box cannot afford protection from tampering by children, pets or livestock.

Storage of Bait and Rebaiting

To ensure freshness of unused portions of bait, all bait should be stored in a dry clean location inaccessible to children, pets or livestock.

DISCLAIMER:

Any damages arising from use of this product shall be limited to the purchase price thereof and shall not include consequential commercial damages such as loss of profits or values, etc.

NOTE:

This pesticide is to be sold ONLY in this original unbroken package.

**Agway
duocide
rat bait
station**

Agway Inc., Fertilizer-Chemical Division,
Box 1333, Syracuse, New York 13201



12-30-75
8590-460

**Agway
duocide
rat bait
station**

Contains Pivalyn

ACTIVE INGREDIENT:	% by Wt.
2-Pivalyl-1, 3-indandione	.025%
INERT INGREDIENTS:	<u>99.975%</u>
	100.000%

**CAUTION:
KEEP OUT OF REACH OF CHILDREN**

ENVIRONMENTAL CAUTIONS:

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

If swallowed by humans, domestic animals or pests, this material may reduce the clotting ability of the blood and cause bleeding.

**Agway
duocide
rat bait
station**



Agway Inc., Fertilizer-Chemical Division,
Box 1333, Syracuse, New York 13201
EPA Reg. No. 8590-460
EPA Est. No. 8590-N

ACCERTED
NEW YORK