

# AGWAY

## ZINEB-MALATHION-SEVIN 13-4-5D

### TOBACCO DUST

## FUNGICIDE — INSECTICIDE

3

RECEIVED  
 MAY 5 1966  
 U.S. Dept. of Insecticide,  
 Fungicide, Rodenticide Act  
 for the pesticide  
 No. 8590-489

BEST DOCUMENT AVAILABLE

<b>ACTIVE INGREDIENTS:</b>	
*Zineb .....	13%
**Malathion .....	4%
*Carbaryl (1-Naphthyl N-methylcarbamate) .....	5%
<b>INERT INGREDIENTS:</b> .....	78%
	100%
***Zinc ethylene bisdithiocarbamate	
Zinc expressed as metallic .....	85%
**O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate	
*Trademark of Union Carbide Corporation for the active ingredient	
1-Naphthyl N-Methyl-carbamate	

**PHYSICAL & CHEMICAL HAZARDS**

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following dusting.

**DIRECTIONS FOR USE.** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping is prohibited.

Do not reuse empty container.

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

Consult federal, state or local authorities for approved procedures.

**TOBACCO:** Blue Mold, Aphids, Flea Beetles.

**HORNWORMS — PLANT BED:** For each 100 sq. yards of plant bed, apply 2 to 3 pounds of dust depending upon size of plants. Start applications when insects or disease first appear in the vicinity. Apply at 3 to 4 day intervals until transplanting time.

**FIELD:** Use 15 to 25 pounds of dust per acre. Good coverage is essential. Repeat as needed.

If late applications are necessary, treat immediately after priming rather than before priming. Do not apply within 7 days of harvest.

Avoid excessive applications.

**DISCLAIMER:** Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

**NOTE:** This pesticide is to be sold ONLY in this original, unbroken package.

EPA Reg. No. 8590-489

EPA Est. No. 8590-PA-1

**AGWAY INC. — CHEMICAL DIVISION**  
**BOX 4933, SYRACUSE, NY 13221**

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeve work clothing. Change to clean clothing daily.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible, cholinesterase inhibitor. Malathion may cause cholinesterase inhibition. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**NET CONTENTS 50 LBS.**

26