AGWAY METHOXYCLOR CHOUSEHOLD

Under the Federal Insecticine.
For man and Rodonistian Act

Kills household use only.

Kills household insects (as listed on rear panel) that fly, crawl or walk.

ACTIVE INGREDIENTS:

Methoxychlor, Technical*	2.	5%
Pyrethrins	0	3%
Piperonyl Butoxide, Technical	1.	5%
Equivalent to 1.2% (butylcarbityl)		
(6-propylpiperonyl) ether and 0.3%	J	
related compounds.		
Petroleum Distillates	15	7%
INERT INGREDIENTS	80	<u>0%</u>
TOTAL	100	0%

 Equivalent to 2 2% 2, 2-bis (p-methoxyphenyl)-1, 1, 1-trichloroethane

EPA Reg. No. 8590 514

EPA Est No 36334 OH 2

CAUTION

See additional precautionary statements on rear panel.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL:

Storage: Store in a cool area away from heat or open flame

Disposal: Do not reuse empty container Wrap container and put in trash collection

FLYING INSECT (Flies, mosquitoes, gnats) -Shut doors and windows It is not necessary to spray directly onto the insect. Hold container upright above the head. Dispense in sweeping motions for 5 to 7 seconds per 1 000 cubic feet (an area 10 ft x 10 ft x 10 ft) Keep room closed for 10 to 20 minutes.

CRAWLING INSECTS ROACHES, SILVERFISH - Direct spray into cracks and crevices, behind sinks, cupboards, drawers, pipes, drains, etc. where insects congregate or occur.

ANTS - Same as for roaches, also treat ant trails, areas around doors and windows and nests.

FABRIC INSECTS - MOTHS, CARPET BEETLES - Holding dispenser three (3) feet from article, lightly spray especially seams and folds. Store articles in clean closets, chests, and bureaus that have been sprayed. Repeat treatment in 30 days.

FLEAS - Lightly spray infested areas such as rugs, baseboards, cracks in floor, paying particular attention to areas where animals frequent

BED BUGS - lightly spray stats, springs, cracks and crevices of bed. Spray seams and tufts of mattress. Also spray cracks and hiding places behind baseboards. Toose wallpaper, picture frames and moulding.

TO KILL RED FLOUR BEETLE, MEDITERRANEAN FLOUR MOTH, MEAL WORMS AND CONFUSED FLOUR BEETLE. Remove and destroy infested foods. Spray interior of closet or pantry paying particular attention to cracks and crevices. Keep closet/pantry closed for 20 minutes.

PRECAUTIONARY STATER Hazards To Humana And Domes

CAUTION Haumful if swallowed through skin. Avoid breathing vapor tact with skin. In case of contact, immiskin with plenty of water.

STATEMENT OPPRACTICAL TRI If swallowed, drink 1 or 2 giasse induce vomiting by touching back finger Call a physician immediately vomiting or give anything by mouth scious person.

If inhaled, remove victim to fresh at ration, if indicated

If on skin, remove contaminated confected areas with soap & water If in eyes, flush eyes for at least 15 water Call a physician immediate

Do not use in food areas of food processaurants or other areas where to cially prepared or processed. Do not areas while food is present. In the processing surfaces, exposed food us be covered during treatment, or those before use.

Remove pets, birds and cover to before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not us heat or open flame. Do not puncture container. Exposure to temperature may cause bursting.

NOTE. This pesticide is to be so di original unbroken package.

DISCLAIMER: Buyer assumes all res age or handling of this product not dance with directions given herewi



Manufactured for: AGWAY INC., CHEMIC BOX 4933, SYRACUSE

Net Contents 14

AGWAY HOXYCLOR HISEHOLD SPRAY

nrectici (e. Induida Acti Ipasticide

household use only.

Isehold insects (as listed panel) that fly, crawl or

IGRÈDIENTS:

chlor, Technical*	2.5%
is	0.3%
l Butoxide, Technical	1.5%
nt to 1.2% (butylcarbityl)	
ylpiperonyl) ether and 0.3%	, 3
compounds.	
m Distillates	15.7%
REDIENTS	80.0%
TOTAL	100.0%

t to 2.2% 2, 2-bis (p-methoxyphenyl)chloroethane

+0-514

EPA Est No 36334 OH-2

T OF REACH OF CHILDREN CAUTION

onal precautionary statements on rear panel.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL:

Storage: Store in a cool area away from heat or open flame

Disposal: Do not reu e empty container. Wrap container and put in trash collection.

FLYING INSECT (Flies mosquitoes, gnats) -Shut doors and windows. It is not necessary to spray directly onto the insect. Hold container upright above the head. Dispense in sweeping motions for 5 to 7 seconds per 1,000 cubic feet (an area 10 ft x 10 ft x 10 ft). Keep room closed for 10 to 20 minutes.

CRAWLING INSECTS ROACHES, SILVERFISH - Direct spray into cracks and crevices, behind sinks, cupboards, drawers, pipes, drains, etc., where insects congregate or occur

ANTS - Same as for roaches, also treat ant trails, areas around doors and windows and nests

FABRIC INSECTS - MOTHS. CARPET BEETLES - Holding dispenser three (3) feet from article, lightly spray especially seams and folds. Store articles in clean closets, chests, and bureaus that have been sprayed. Repeat treatment in 30 days

FLEAS - Lightly spray infested areas such as rugs, baseboards, cracks in floor, paying particular attention to areas where animals frequent

BED BUGS - lightly spray slats, springs, cracks and crevices of bed. Spray seams and tufts of mattress Also spray cracks and hiding places behind baseboards. loose wallpaper, picture frames and moulding

TO KILL RED FLOUR BEETLE MEDITERRANEAN FLOUR MOTH MEAL WORMS AND CONFUSED FLOUR BEETLE. Remove and destroy infested foods Spray interior of closet or pantry paying particular attention to cracks and crevices. Keep closet, pantry closed for 20 minutes.

PRECAUTIONARY STATEMENTS Hazards To Humana And Domestic Animals

CAUTION Hailmful if swallowed or, absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink 1 or 2 grasses of water & induce vomiting by touching back of throat with finger Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person

If inhaled, remove victim to fresh air. Apply respiration, if indicated

If on skin, remove contaminated clothing & wash affected areas with soap & water

If in eyes, flush eyes for at least 15 minutes with water Call a physician immediately

Do not use in food areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is present. In the home, all food processing surfaces, exposed food utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NOTE. This pesticide is to be sold ONLY in this original unbroken package.

DISCLAIMER Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



Manufactured for:

AGWAY INC., CHEMICAL DIVISION BOX 4933, SYRACUSE, NY 13221

Net Contents 14 oz. A 7 81