AGWAY GREEN LAWN PLUS 21-5-7 FERTILIZER WITH BROADLEAF WEED KILLER FORMULA III Contains 2, 4-D and MCPP

WEEDS AND FEEDS 465 SQUARE METERS (5,000 SQUARE FEET) 1. Kills dandelions, clover, plantain, chickweed and many other BROADLEAF WEEDS as listed. 2. Feeds and builds beautiful, thick green lawns. Ingredient statement as a Herbicide **ACTIVE INGREDIENTS:** 1.19% propionic acid (2)
INERT INGREDIENTS%: 1 20% 97.61% TOTAL 100.0% (1) Equivalent to 0.79% 2, 4-dichlorophenexyacetic acid (2) Equivalent to 0.79 % 2 - (2-methyl-4-chlorophenoxyl-propionic acid #Fertilizer - Guaranteed Analysis 21-5-7 Total Nitrogen (N) 21.00% 6.7% Insoluble Nitrogen Available Phosphone Acid (P (),) Soluble Potash (K,O) **7.00**% 0.10% CAUTION

KEEP OUT OF REACH OF CHILDREN.

See additional precautionary statements. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH

LABEL CAUTIONS AND DIRECTIONS. Keep bag closed when not in use — store in a dry place

KEEP THIS FERTILIZER-PESTICIDE MIXTURE IN ORIGINAL CONTAINER.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner incore

STORAGE & DISPOSAL: Do not reuse empty

container and put in trash collection. Agway Greenlawn Plus 21-5-7 Fertilizer with Bi oadle III rejuvinates starved and weedy lawns by:

providing a controlled feeding fertilizer with controlling unsightly broadleaf weeds such

aster buckhorn buttercress black medic burdock buttercup buttonweed chickweed chicory carpet weed cinquefoil cudweed curly dock daisy fleabane dandelion English daisy evening primrose

field bindweed filaree galınsoga ground wy heal all henbit hop clover knotweed (seedling) lambsquarters matchweed creeping charlie (meneywort) morning glory mustard oxalis pennywort pepper weed

big weed weed weed shepard s sow thistle smartweed stitchwort thyme leaf (sandwort) vetch white cloved wild radish elas tode

WHEN TO APPLY

This product should be applied in the spring or fall when weeds are young and growing vigorously. Do not use this product during hot summer months since injury may occur. To avoid injury to new growth, new lawns should not be treated until after the fourth mowing. Established lawns may be injured if treated when in need of water. Water thoroughly 3 to 4 days prior to treatment and again the day before treatment. Grass may be injured if treated in periods of high host and humidity. For this reason apply polywhen treated in periods of high heat and humidity. For this reason apply only when the daytime temperature is not expected to exceed 80°F for 48 hours. To avoid drife, apply when air is calm. Do not apply if rain is expected within 24

HOW TO APPLY:

The contents of this bag will cover an area of 5,000 sq. ft. Apply at rate of 2.25 kg/100 square meters (4.6 lbs./1,000 sq. ft.) Apply to lawn when grass is wet (after rain, sprinkling or dew) so pellets will stick to the weeds. Do not water or mow lawn for at least 2 days after tratment, then resume normal watering program Supplement with additional feeding of Greenlawn Plus Fertilizer as recommended for year round nutrition of the lawn.

SPREADER SETTING GUIDES ## RATE PER 100 Sq. Meters (2.25 kg.) (4.6 lbs.) Once Over - 41/2 Cyclone B1 Spinner Type Twice Over — 31/2 Once Over — 5 Twice Over - 21/2 Ortho Spinner Type Once Over - L Scotts Spinner Type Twice Over -Once Over - 5 Ortho Drop Type Twice Over — 31/2 Once Over - 51/4 Twice Over — 4 * *Note: These settings are furnished as a guide ONLY, age, condition of spreader, speed of operation and roughness of terrain can cause

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. In case of eye contact, flush with water for 15 minutes. Get medical attention if irritation persists. In skin contact, Wash with soap and water

ENVIRONMENTAL HAZARDS

variation in rates applied

Keep out of lakes, streams or ponds. Do not apply when weather conditions fek drift" i target area

IMPORTANT NOTICE

Since this product kills desirable as well as undesirable broadleaf plants, it may injure flowers, ornamentals and trees. Vapors from this product may injure susceptible plants in the infrnediate vicinity. Do not exceed recommended rate. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs, hose off immediately. Do not use on Bentgrass, Dichondra, Carpetgrass, St. Augustine or ground covers. Delay planting grass seed until 4 weeks after treatment. Read and follow directions

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in stract accordance with directions given herewith.

NOTE: This pesticide is to be sold ONLY in this original unbroken package. EPA (C. L., B. C.

AGWAY INC., BOX 4933, SYRACUSE, NY 13221

NET W. & IGHT 10 13 kg (23 LBS.)

A 3