ROSE AND FLORAL SPRAY — I

A special Blend of Insecticide, Fungicides and Miticides

ACTIVE INGREDIENTS:

0 026%
0.256%
0 128%
0.238%
cyclo-
0.504%
0.146%
ate
,
$0.010^{o_{0}}$
0 026%
98.666%
00 000%

- Equivalent to 0.205% (butylcarbityl) (6propylpiperonyl) ether and 0.051% related compounds
- A mixture of 1-methylf.eptyl, 1-ethylhexyl and 1-propylpentyl isomers
- + Karathane Trademark of Rohm & Haas Company

CAUTION

Harmful if swallowed or inhaled Avoid contamination of feed and foodstuffs. Avoid breathing or contact with eyes or skin

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled Avoid contamination of feed and foodstuffs. Avoid breathing or contact with eyes or skin. Wash thoroughly after use

ENVIRONMENTAL HAZARDS:

Do not apply directly to lakes, streams or ponds

PHYSICAL OR CHEMICAL HAZARDS:

Flammable! Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

DISPOSAL: Do not reuse empty can. Wrap can and put in trash collection.

Hold can at least 18 inches from plant, with orifice directed away from you. Press actuator button to release in short bursts. Contact both upper and lower leaf surfaces. Avoid visibly wetting foliage. Spray before infestation becomes severe and repeat at 7 to 10 day intervals or as necessary.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens and for spot treatment of incipient insect infestations to prever spreading in large gardens

DO NOT USE ON MAIDEMHAIR FERN.

FOR CONTROL OF GARDEN INSECTS:

For use on roses, daniias, asters and other ornamentals to kill Japanece beetles hit by spray, as well as aphids, exposed thrips and spider mites. Also effective against lace bugs, pavement ants, clover mites and armyworms.

This spray may be used on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Euonymus, fuschia, geraniums, crassuia, ornamental grape vine, Kentia palm laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, Wandering Jew and zinnias.

AS A FUNGICIDE, spray before infestation occurs for the prevention of **powdery mildew** and **black spot** on roses Spray at 5 to 7 day intervals while danger of fungus infection persists.

DISCLAIMER: Buyer assumes all risks of use, storage, or handling of this product not in strict accordance with directions given herewith

NOTE: This pesticide is to be sold ONLY in this original unbroken package

EPA Rea No. 8590-525

Manufactured for:

ACCEPTED



AGWAY NC., GHEMIGAG SIVISION BOX 4938, SYRACUSE, NY 13221

rangial fe, and Rodenhard as one, de l. for the pestion of Contents of A. C.