

Agway Liquid Fruit Tree Spray

A water soluble concentrate containing insecticide, fungicide, aphicide, miticide, scabicide and spreader-sticker.

ACTIVE INGREDIENTS:

Captan N-((trichloromethyl) thio)-4-cyclohexene-1, 2-dicarboximide.....	11.35%
Related Compounds.....	0.65%
Malathion (0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate).....	6.00%
*Methoxychlor, technical.....	12.00%
Carbaryl (1-naphthyl N-methylcarbamate).....	3.00%
Xylene range aromatic solvent.....	59.83%
INSERT INGREDIENTS.....	7.17%
TOTAL	100.00%

*Equivalent to 10.56% 2,2-bis (p-methoxyphenyl) - 1,1,1-trichloroethane and 1.44% of other isomers and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements

Net Contents 1 Qt. (.95 liter)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION: Harmful if swallowed or inhaled. Avoid breathing spray mist or contact with skin, eyes or clothing. May be absorbed through skin. Do not use on household pets or humans. Wash hands and contaminated clothing after use. Do not smoke while applying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Remove residue on edible fruit by wiping or washing before canning or eating. Avoid contamination of foodstuffs, feed or feeding troughs and water receptacles or pets or animals, outdoor fish ponds, streams and water supplies.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as recommended on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

EASY TO USE: Mixes with water instantly. No plugged nozzles, no messy powders to handle, measure or mix, no pre-mixing or straining necessary. Designed especially for home orchards to protect apples, cherries, grapes, peaches, pears, plums and prunes from the ravages of insects and diseases listed on spray chart below.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE PRODUCT THOROUGHLY BEFORE USE. Agway contains micron particles which settle upon standing and require reblending by agitation to insure a uniform mixture. Preferably, early morning or evening when trees will not be subjected to direct rays of the sun. Do not spray if rains are expected before leaf surfaces dry. It is most effective in preventing disease and scale damage than cure same; therefore, a preventative 10-14 day spray schedule is recommended. When insects are present, use maximum dilution. When active disease spots are present, with humid days, shorten spray intervals to 5-7 days at maximum dilution.

Apply spray to leaves, fruit branches, trunk and soil. Spray thoroughly, including shaded areas. Use a high pressure spray nozzle. Spray particles should be in air during application. Follow spray schedule in the table below. Dilute with water. For detailed information on dilution rates for various water absorption and application rates, consult the label.

STORAGE & DISPOSAL

Store in a cool, dry, well-ventilated area. Do not store in a hot or freezing area. Do not store in a container which contains other pesticides.

NOTE: Do not use this product on plants which are listed on the label as being sensitive to this product.

DISCLAIMER: Agway Inc. is not responsible for the results of the use of this product. The user assumes all liability for the use of this product.



Agway Inc.
Chemical Division
Box 4933
Syracuse NY 13221

EPA Reg. No. 100-1001
EPA Est. No. 100-1001A

Green Tip	Pine Bloom	Full Pink	Bloom	Post Harvest
1 - lbs 2 - lbs 1 - lbs	2 - lbs 2 - lbs 1 - lbs	2 - lbs 2 - lbs 1 - lbs	2 - lbs 2 - lbs 1 - lbs	2 - lbs 2 - lbs 1 - lbs
Start and repeat at 10 day intervals until bloom	Start and repeat at 10 day intervals until bloom	Start and repeat at 10 day intervals until bloom	Repeat at 14 day intervals up to 14 days before harvest	Repeat at 14 day intervals up to 14 days before harvest
Green Tip: Show green tips when branch tips show full color before opening	Pine Bloom: Begin to show color when blossom buds opening	Full Pink: Full pink when blossom buds opening	Bloom: When blossoms are open for spray pollinators	Post Harvest: Post harvest to leaf drop