


Reg # 8590-503 P. 1/2  
C/M 12

BEST AVAILABLE COPY

**AGWAY**

# Liquid Fruit Tree Spray

A water soluble concentrate containing  
insecticide, fungicide, aphicide, miticide,  
scallicide and spreader-sticker.



ACCEPTED

JUN 15 1987

United States Dept. of Agriculture  
Animal and Plant Health Inspection  
Washington, D.C. 20250

8590-503

KEEP OUT OF  
REACH OF CHILDREN  
**DANGER**

Causes irreversible eye damage

Additional precautionary statements on label panel

Net Contents

1/2 gal. (1.89 liters)

ACTIVE INGREDIENTS

Caplan N-1 (trichloromethylthio)-4-cyclohexene-1,2-dicarboximide	11.35%
Related Derivative	0.65%
Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate)	3.50%
1,1-thiochloro technical	12.00%
Carbaryl (1-naphthyl N-methylcarbamate)	3.00%
Xylene range aromatic solvent	62.33%
INERT INGREDIENTS	7.17%
<b>TOTAL</b>	<b>100.00%</b>

\*Equivalent to 10.56% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 1.44% of other isomers and related compounds

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS (& DOMESTIC ANIMALS)**

**DANGER:** Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin & clothing. Remove & separately launder clothing before reuse.

**STATEMENT OF PRACTICAL TREATMENT:**

**If swallowed:** Call a physician immediately. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim 1 or 2 glasses of water & insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If on skin,** remove contaminated clothing and wash affected areas with soap and water.

**If in eyes,** flush eyes with plenty of water. Call a physician if irritation persists.

Remove residue on edible fruit by wiping or washing before canning or eating. Avoid contamination of foodstuffs, feed or feeding troughs and water receptacles or pets or animals, outdoor fish ponds, streams and water supplies.

**ENVIRONMENTAL HAZARDS:**

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift & runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**ENDANGERED SPECIES RESTRICTIONS:**

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal

law. The following endangered species and the general location of their habitats have been identified by county:

**Blackwater Darter,**  
Alabama (Lauderdale, Limestone and Madison), Tennessee (Lawrence and Wayne)

**Pecos gambusia,**  
New Mexico (Chaves and Eddy), Texas (Reeves, Jeff Davis and Pecos)

**Freshwater Mussels,**  
Tennessee (Hancock, Claiborne, Hawkins and Sullivan), Virginia (Smyth, Scott, Lee, Washington and Grayson)

**Comanche Springs Pupfish,**  
Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

**EASY TO USE:** Mixes with water instantly, no plugged nozzles, no messy powders to handle, measure or mix, no pre-mixing or straining necessary. Designed especially for home orchards to protect apples, cherries, grapes, peaches, pears, plums and prunes from the ravages of insects and diseases listed on spray chart attached.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear natural or synthetic rubber, vinyl or plastic gloves impermeable to Captan when using indoors or outdoors. When using outdoors wear long pants & long sleeves. Vent and apply with the wind to your back. Wash non-disposable gloves thoroughly with soap & water before removing. Clothing worn while handling this product must be laundered separately from other clothing before reusing.

**SHAKE PRODUCT THOROUGHLY BEFORE USING.** Contains micron particles which settle upon standing and require re-blending by agitation. Choose a cool, calm period, preferably early morning or evening, when trees will not be subject to hot direct rays of the sun. Do not apply if rain is expected before leaf surfaces dry. It is easier to prevent disease and scale damage than to cure same, therefore a preventative 10-14 day spray schedule is recommended. When insects are present, use maximum dilution. When active disease spores are present (warm, humid days) shorten spray intervals to 5-7 days at maximum dilution. Apply spray to leaves, fruit branches, trunk and base of tree until lightly dripping. Shake sprayer occasionally or agitate to keep spray particles in suspension during application. FOLLOW SPRAY SCHEDULE ATTACHED IN TABLESPOONS PER GALLON OF WATER. For larger quantities, use 1 gallon per 100 gallons of water. Observe caution statement cautions for fruit to be treated. PLEASE SEE ATTACHMENT FOR FULL DIRECTIONS FOR USE.

**STORAGE & DISPOSAL**

Protect from freezing. Store out of the reach of children, preferably in locked storage areas. Avoid contamination of food or feed. Do not reuse empty container. Wrap container and put in trash collection. NOTE: This pesticide is to be sold ONLY in its original unbroken package. DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

**AGWAY**  
Agway Inc.  
PO Box 4741, Syracuse, NY 13221  
EPA Reg. No. 8590-561 EPA Est. 8590-PA