

AGWAY FRUIT TREE SPRAY

A water soluble concentrate containing insecticide, fungicide, aphicide, miticide, scabicide and spreader-sticker.

ACTIVE INGREDIENTS:

Captan N-(trichloromethylthio)-4-cyano-1,2-dicarboximide	11.35%
Related Derivative	0.65%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	3.50%
Methoxychlor, technical	12.00%
Carbaryl (1-naphthyl N-methylcarbamate)	3.00%
Nyctotene	63.83%

INERT INGREDIENTS:

TOTAL 100.00%

*Equivalent to 10.56% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 1.44% of other isomers and related compounds.

69.5%

EASY TO USE: Mixes with water instantly; no plugged nozzles; no messy powders to handle, measure or mix; no pre-mixing or straining necessary. Designed especially for home orchards to protect apples, cherries, grapes, peaches, pears, plums and prunes from the ravages of insects and diseases listed on spray chart on back.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse.

Wear chemical resistant gloves when using. When using, wear long pants and long-sleeved shirt and apply with wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing.

SHAKE PRODUCT THOROUGHLY BEFORE USING. Contains micronized particles which settle upon standing and require reblending by agitation. Choose a cool, calm period, preferably early morning or evening, when trees will not be subject to hot direct rays of the sun. Do not apply if rain is expected before leaf surfaces dry. It is easier to prevent disease and scale damage than to cure same, therefore a preventative 10-14 day spray schedule is recommended. When insects are present, use maximum dilution. When active disease spores are present (warm, humid days) shorten spray intervals to 5-7 days at maximum dilution.

Apply spray to leaves, fruit branches, trunk and base of tree until lightly dripping. Shake sprayer occasionally or agitate to keep spray particles in suspension during application. FOLLOW SPRAY SCHEDULE GIVEN ON BACK IN TABLESPOONS PER GALLON OF WATER. For larger quantities, use 1 gallon per 100 gallons of water. Observe caution statement and cautions for fruit to be treated.

STORAGE & DISPOSAL

Protect from freezing. Store out of the reach of children, preferably in locked storage areas.

Avoid contamination of food & feed.

Do not reuse empty container. Wrap container and put in trash collection.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

EPA Reg. No. 8590-563

EPA Est. No. 6720-FL-1

KEEP OUT OF REACH OF CHILDREN.

DANGER

CAUSES IRREVERSIBLE EYE DAMAGE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

DANGER: Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin & clothing. Remove & separately launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim 1 or 2 glasses of water & insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Remove residue on edible fruit by wiping or washing before canning or eating. Avoid contamination of foodstuffs, feed or feeding troughs and water receptacles or pets or animals, outdoor fish ponds, streams and water supplies.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes) Drift & runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Reviewed. Registered Office of State Health Commissioner
SYRACUSE, N.Y.

MFG. FOR:
AGWAY INC.
PO BOX 4741
SYRACUSE, NY 13221

A 5-81

NET CONTENTS: 1/2 GAL. (1.89 LITERS)

Contains Xylene Range Solvent

PM 12 8590-563 1/2
12-6-90