


PM15 8590-570 1/2  
12-5-90



enclosed spaces, spray toward the ceiling and corners until the space is filled with a light mist. For best results, close all windows and doors prior to spraying and keep them closed for 10 to 15 minutes after spraying.

**MIST MACHINES** - To attain quick knockdown and kill of flies and as an aid in reducing populations of horse flies, houseflies, stable flies, horn flies, deer flies, and mosquitoes in barns, milking parlors and enclosed spaces, use 1 to 2 oz. per 1,000 cu. ft. Determine space volume (cu. ft.) amount of spray needed (ounces); rate of discharge to be used (0 to 4 gals. per hour); and time required to discharge required amount of spray. Consult machine's operating manual for further specific instructions. Close windows and doors as previously described. (Use a lower discharge rate and longer running time for more even distribution.)

Machine Output Rating	Amount of Spray Delivered per minute
1.0 Gal. per hour*	2.13 ounces
1.5 Gals. per hour	3.20 ounces
2.5 Gals. per hour	5.33 ounces
4.0 Gals. per hour	8.52 ounces

\*1 gal. = 128 fluid ounces  
**DO NOT APPLY IN EXCESS OF 2 OUNCES PER ANIMAL.** Avoid wetting hides of animals. Protect milk and milking utensils from contamination by spray. Do not store or spray near an open flame. Exclude animals when applying mist or space sprays.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating and smoking. Avoid contamination of feed and feedstuffs.

**STATEMENT OF PRACTICAL TREATMENT**  
If inhaled - call a physician or Poison Control Center immediately. Expectorate. If material was taken internally **DO NOT INDUCE VOMITING AS VOMITING MAY CAUSE ASPIRATION PNEUMONIA.**

If in eyes, wash with plenty of water. See a physician if irritation persists. If ingested - remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing, and wash affected areas with soap and water.

**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.


**PHYSICAL OR CHEMICAL HAZARDS**  
Do not spray or spray near heat or flame.

**REMARKS:** Buyer assumes all risks of use. Storage or handling not in strict accordance with directions given hereon.

**NOTE:** This pesticide is to be sold **ONLY** in the original unbroken package.

**AGWAY** 89g. for Agway Inc. PO Box 4741, Syracuse, NY 13221 EPA Reg No. 8590-570 EPA Est No. 1288-04-1 6-827

**AGWAY**



**Cattle Fly Spray**

**Quick Kill-High Knockdown Insecticide**

For the control of horn flies, horse flies, houseflies, deer flies and stable flies on dairy & beef cattle.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See additional precautionary statements on back panel

ACTIVE INGREDIENTS	
Permethrin distillate	98-92%
D-n-propyl sebacylmercaptate*	0.50%
N-ethyl bicycloheptene dicarbodiimide**	0.33%
2,2-bis(4-chlorophenyl) dimethyl phosphate***	0.23%
Related compounds	0.02%
Piperonyl butoxide, technical****	0.20%
Pyrethrins	0.10%
<b>TOTAL</b>	<b>100.00%</b>

- \* MGK Patent 326, U.S. Pat. No. 2,757,120
- \*\* MGK 264 Insecticide Synergist
- \*\*\* Vesper® Registered Trademark of Shell Chemical Company
- \*\*\*\* Consists of 0.18% (butylcarbitol) (8-propylperonyl) ether and 0.04% related compounds

NET CONTENTS: 1 Gallon (3.8 liters) SKU #44-2119

*Handwritten notes:*  
"THE INSECTICIDE" 08 027  
"CATTLE FLY SPRAY" 08 027

**BEST AVAILABLE COPY**

Reviewed. Registrant should be in accordance with...  
...of the...  
...of the...