

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation & Recovery Act.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State & local procedures.

This product has been formulated for use on horse and pony show stock. Do not use on meat animals. The product may be sprayed or wiped onto the animal's coat and will protect the animal from biting flies. The product will also impart a bright sheen to the animal's coat. Apply regularly during fly season. If horse is in a sweaty condition wipe dry before spraying.

#### **AS A SPRAY**

Select a hand sprayer which will apply the product in a fine mist or fog. Use one to two ounces per animal per day. Also treat adjacent stable areas for more effective fly control. Do not wet the animal's skin. After application, brush the coat to give overall coverage. Make sure that legs and ankles are treated. For face area treat as a wipe-on application.

#### **TO WIPE ON**

Rub the animal down and remove dirt. Pour a small amount (1 ounce) into a soft cloth and wipe on against the hair grain. Make sure to treat legs, belly, the neck and the facial areas as well as the back line. Do not wet skin. After this application, brush the coat to bring out a bright sheen. Repeat as needed to kill and repel biting flies. During fly time best protection will be given by treating animals 3 to 4 times each week.

#### **PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Do not contaminate feed or feeding utensils. Cover or remove feed before spraying. Do not use on meat or dairy animals.

# AGWAY WIPE & RUB—I

KILLS AND REPELS Face flies, Horse flies, Houseflies, Horn flies, stable flies, Deer flies, Mosquitoes and gnats on horses and show ponies

## ACTIVE INGREDIENTS

Pyrethrins .....	0.10%
Piperonyl Butoxide, Technical (1) .....	0.20%
N-octyl bicycloheptene dicarboximide (2) .....	0.33%
Di-n-propyl isocinchomeronate (3) .....	0.50%
Methoxychlor, Technical (4) .....	0.50%
Petroleum distillates .....	92.74%
INERT INGREDIENTS .....	5.63%
TOTAL .....	100.00%

(1) Equivalent to 0.16% (butylcarbityl) (6-propyl piperonyl) ether and 0.04% related compounds

(2) MGK 264, Insecticide Synergist

(3) MGK Repellent 326, U.S. Pat. No. 2,757,120

(4) Equivalent to 0.44% 2,2-bis(p-methoxyphenyl) 1,1,1-trichloroethane and 0.06% other isomers and related compounds

**KEEP OUT OF REACH OF CHILDREN.**

## CAUTION

See additional precautionary statements on side panel

## STATEMENT OF PRACTICAL TREATMENT

If **swallowed**, drink 1 or 2 glasses of water & induce vomiting by touching back of throat with finger. Repeat until fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If **inhaled**, remove victim to fresh air. Apply respiration, if indicated.

If **on skin**, remove contaminated clothing and wash affected areas with soap & water.


If **in eyes**, flush eyes with plenty of water. Get medical attention.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DISCLAIMER:** Buyer assumes all risks of use, storage or handling not in strict accordance with directions given here-with.

**NOTE:** This pesticide is to be sold ONLY in this original unbroken package.

EPA Reg. No. 8590-580 EPA Est. No. 8590-PA-1



AGWAY INC  
CHEMICAL DIVISION  
PO BOX 4933  
SYRACUSE, NY 13221

NET CONTENTS 1 GAL

A 3 82

2000  
2000  
2000  
2000  
2000

2000

2000  
2000  
2000  
2000  
2000

2000  
2000  
2000  
2000  
2000

2000

2000  
2000  
2000  
2000

2000

2000