

MAY 23 1989

Mr. Julius Prinsco
Agway, Inc.
Crop Services
P.O. Box 4741
Syracuse, NY 13221-4741

Dear Mr. Prinsco:

Subject: Revised Label
Woody Insecticide Spray
EPA Registration No. 8590-583
Your Submission Dated December 15, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change listed below before you release the product for shipment bearing the amended labeling.

- Change the ingredient statement to read:

ACTIVE INGREDIENTS:	
Methoxychlor: 1,1,1-trichloro-2,2-bis (4-methoxyphenyl) ethane	23.80
Malathion: O,O-dimethyl phosphorodi- thioate of diethyl mercaptosuccinate	23.80
INERT INGREDIENTS:	52.40
	<u>100.00</u>

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (R7505C)

Enclosure

FOR: AGWAY WOODY INSECTICIDE SPRAY-I

DATE: 10/27/88

((FRONT PANEL))

NET CONTENTS
qt., gal.,
2½ gal., 30 Gal.

AGWAY

WOODY INSECTICIDE SPRAY-I

An Emulsifiable Insecticide Concentrate made for dilution with water to control insects on flowers ornamentals, shade trees and shrubs. Can also be used to control mosquitoes.

ACCEPTED
with COMMENTS
by EPA Letter dated

MAY 23 1989

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

8590-583

ACTIVE INGREDIENTS:

*Methoxychlor, Technical	23.8%
Malathion: 0,0 - dimethyl phosphorodithioate of diethyl mercaptosuccinate	23.8%
Xylene range aromatic solvent	43.5%

INERT INGREDIENTS

8.9%

TOTAL 100.0%

*equivalent to 20.94% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 2.86% other isomers & reaction products.

Contains 2 lbs. active ingredient methoxychlor & 2 lbs. active ingredient malathion per gallon.

KEEP OUT OF REACH OF CHILDREN (12 pt)

CAUTION (18 pt)

See additional precautionary statements on rear panel.

EPA Reg. No. 8590-583
EPA Est. No. 8590-PA-1

Agway, Inc.
PO Box 4741
Syracuse, NY 13221

ADVERTISING AND SALES PROMOTION SERVICES

FOR: AGWAY WOODY INSECTICIDE SPRAY - I

DATE: 10/27/88

(((REAR PANEL)))

THE CHARACTERISTICS OF THE CHARACTER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not breathe spray mist. Do not get in eyes or on skin.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting, Get medical attention immediately.

If in eyes, flush with plenty of water. Call a physician.

If inhaled, remove victim to fresh air. Apply artificial respiration, if indicated.

If on skin, remove contaminated clothing. Wash affected areas with soap and water. Wash clothing before reuse.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do

not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL CHEMICAL HAZARDS

Do not use or store near heat and open flames.

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

519 P₂
COPY

FOR:

AGWAY WOODY INSECTICIDE SPRAY - I

DATE: 10/27/88

STORAGE & DISPOSAL (12 pt)

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

STORAGE: Do not store next to or transport in or on vehicles containing food or feed. Keep pesticide in original container in a cool, dry area and out of the reach of children and animals. Not for storage in or around the home. Do not store in areas where temperatures frequently exceed 100°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: (1 gal glass) Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

(5 gal, 30 gal metal) Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR PROFESSIONAL USE ONLY

This product is intended for use against insect pests on flowers, ornamentals, shade trees and shrubs.

PLA - 50 CHARACTERS
ELITE - 60 CHARACTERS

OK BY

SHEET NO.

3-7

ADVERTISING AND SALES PROMOTION SERVICES

6:4 P
COPY

FOR: AGWAY WOODY INSECTICIDE SPRAY-I

DATE: 10/27/88

Apply 2 to 3 pts. per 100 gal. of water for control of the following insects:

- | | |
|--------------------------|----------------------|
| aphids | Japanese beetles |
| bagworm | lace bug |
| birch leaf miner | leafhoppers |
| blister beetles | mealybugs |
| boxwood leaf miner | oak kermes |
| cankerworms | potato leafhoppers |
| cucumber beetles | rose chafer |
| European pine shoot moth | rose leafhopper |
| fall webworms | rose slug (sawflies) |
| flea beetles | spider mites |
| flea hoppers | tarnished plant bugs |
| four lined leaf bug | tent caterpillars |
| flower thrips | thrips |
| gypsy moth | whiteflies |

and the following scale:

- | | |
|----------------------|---------------|
| Azalea | Monterey pine |
| Black scale crawlers | oyster shell |
| Euonymus | pine leaf |
| Fletcher | pine needle |
| Florida red | Scurfy |
| Juniper | Soft brown |
| Magnolia | Wax |

PICA 50 CHARACTERS
ELITE 40 CHARACTERS

OK BY

ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: AGWAY WOODY INSECTICIDE SPRAY-I

DATE: 10/27/88

Spray thoroughly to runoff. Begin applications when insects first appear and repeat at 7 to 14 day intervals, as needed.

Injury may occur on ferns, hickory, Viburnum, lantana, Crassula and canaerti Juniper following the use of this product. Under extreme heat, drought and/or disease conditions certain ferns (Boston, pteris, Maidenhair), petunias, small-leaf spirea, white pine or maple may show slight injury.

MOSQUITO CONTROL

BEST AVAILABLE COPY

ADULT MOSQUITOES

RESIDUAL SPRAYS: Apply 4 3/4 pts. per acre in 100 gals. of water using a hydraulic sprayer. Cover trunks and stems of shrubs and trees as well as grassy vegetation, fences, outbuildings and other structures near to the ground. Sprays should be made to the point of runoff, but not excessive runoff. Repeat application weekly.

Do not spray foliage of Ferns, Hickory, Vibernum spp., Petunias, White Pine or Maples.

MIST SPRAYS: Apply 3/4 pt. per acre. The mist blower should be calibrated to deliver 1 qt. per minute at 30 psi and at a speed of 3 1/2 miles per hour. Apply early in the morning or in the evening at wind velocities of less than 10 mph. Direct fog mist just above the vegetation.

PLA - 50 CHARACTERS
DATE - 60 CHARACTERS

O'K BY

SHEET NO.

ADVERTISING AND SALES PROMOTION SERVICES

COPY

FOR: AGWAY WOODY INSECTICIDE SPRAY - I

DATE: 10/27/88

LARVAL CONTROL

This product may be mixed with water for spray application or may be applied in undiluted form to mosquito source. For aircraft application, use appropriate rate in 2-10 gals. of water per acre. Apply only to known mosquito breeding sites.

PREHATCH: Make a single application during the winter months at a rate of 1 qt. per acre.

LARVICIDE: Make one or more applications to the sources, as needed, for succeeding broods during the spring and summer. Apply at the rate of 2 pts. per acre.

BEST AVAILABLE COPY

This product forms an emulsion when diluted with water and is suitable for use in all power-operated ground and aircraft sprayers. To mix with water, add the required amount into the full amount of water while agitator is running.

With ground equipment, apply 15 to 25 gallons of water per acre. Spray when the temperature is warm, air is calm and plants are dry.

For application with aircraft, use 5 to 10 gallons of water per acre. Apply sprays when temperature is warm, air is calm and plants are dry. Do not apply when weather conditions favor drift of spray from crop target areas.

PICA - 30 CHARACTERS
ELITE - 6 CHARACTERS

O'K BY

SHEET NO.

381 14

ADVERTISING AND SALES PROMOTION SERVICES COPY

FOR: AGWAY WOODY INSECTICIDE SPRAY - I

DATE: 10/27/8

NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

LINE 50 CHARACTER
DATE - 40 CHARACTER

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

55
O'K BY