DEC 16 1983 8590-544



Mr. Julius C. Frinso Aquay, Inc. P.O. Box 4741 Syracuse, MY 13221

Dear Mr. Prinzo:

Subject: EFN F.R. Notice of September 23, 1983

EPR-4E

EPA Registration No. 8590-594

EPW-5E

BPA Registration No. 8590-608

EPH-4C

EPA Registration No. 8590-625

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Modesticide Act, as emended, is acceptable. A stamped copy is enclosed for your records.

However, final printed labels must be revised as noted below, and submitted to us prior to your releasing the product for shipment.

Note, the label for NPW-4G must be revised in the "Environmental Maxards" section to read the same as stated in the Federal Register Notice and as stated on the enclosed accepted labels for NPW-5E and NPW-4E.

Sincerely yours,

Jay S. Ellemberger Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767)

## Raclosure

DCR-28447:RD-5:12/14/83:KIM:Del.12/26/83

CONCURRENCES								
SYMBOL P	-							
SURHAME D	•	1	1		<u></u>			
DATE P	•				· · · · · · · · · · · · · · · · · · ·	• • - • - • - • • • • • • • • • •		

EPA Form 1320-1 (4-41)

GOPY 248

PICA 50 CHAMACTERS LETTE - 60 CHAMACTERS

FOR:

AGWAY EPN 4E

**DATE:** 11/9/83

((FRONT PANEL))

## RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS

OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE

USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

### **AGWAY**

### EPN 4E

An emulsifiable Insecticide for adult corn rootworm on sweet and field corn.

## ACTIVE INGREDIENTS:

O-Ethyl O-(4'-nitrophenyl) phenyl

phosphonothioate

46.00%

Xylene range aromatic solvent

36.35%

INERT INGREDIENTS:

17.65%

Contains 4 lb EPN per gallon.

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

# JEL

## DANGER-POISON

MAY BE FATAL IS SWALLOWED. POISONOUS IF INHALED.



PELIGRO: PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haga sido explicado ampliamente.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 1 6 1983

HAZARDOUS BY SKIN CONTACT. RAPIDLY ABSORBED THROUGH SKIN.
REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY
HAZARDOUS.

Do not breathe vapor. Do not get in eyes, on skin, or assured to a pay the No clothing. Use with adequate ventilation. Keep container

O'K BY

**EXTREMEL** 

•

SHEET NO. 1 of 7

COPY

FOR:	AGWAY EPN 4E	DATE: 11/9/83
	closed. See rear panel for additional precautionary statements.  AGWAY INC. CHEMICAL DIVISION P. 0. BOX 4933 SYRACUSE, NEW YORK 13221	FICA 50 CHARACTER, LLITE = 60 CHARACTER,
	EPA Reg. No. 8590-594	
	EPA Est. No. 8590-PA-1	
(	Net Contents 5 Gals.	
!		
		O.K BA
		SHEET NO. 2 Of 7

COPY

FOR:

AGWAY EPN 4E

**DATE:** 11/9/83

PLIMPORTANT

PROTECTIVE CLOTHING REQUIRED: Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when reentering fields within 24 hours of treatment. The following protective clothing must be worn; lightweight, unlined, natural rubber gloves at least midforearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a nonpermeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined natural rubber boots at least mid-calf in length; full-face respirators and goggles are required. Aerial applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application can be made by aircraft or ground power equipment by trained personnel only using approved protective equipment. Do not apply with hand equipment. For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations.

O'K BY

SHEET NO. 3 of 7

FOR:

AGWAY EPN 4E

**DATE:** 11/9/83

NDo not combine with wettable powders unless previous use of Nthe mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half the total water before adding any wettable powder.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. When using ground equipment apply the recommended dosage in at least 3 gallons of water per acre using sufficient water to give good coverage of the foliage. For aerial application use 1-10 gallon's of water per acre. The number of days between last application and harvest is indicated by the number in (following the crop).

Sweet (14) and Field Corn (14)

Apply when insects appear in sufficient number to damage silks and prevent pollination.

Do not apply this product when weather conditions favor drift from treated area.

Do not apply to corn during the pollenshed period if bees are visiting the treatment area.

Workers entering treated areas within 24 hours after application should wear protective clothing.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

O'K BY

SHEET NO. 4 of 7

, , ;

GOBA para

FOR:

AGWAY EPN 4E

**DATE:** 11/9/83

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

# DANGER-POISON E

Harmful if swallowed, inhaled. Rapidly absorbed through skin.

Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and warm water.

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE, CONSULT PHYSICIAN FOR EMERGENCY
SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN
AT ONCE IN ALL CASES OF SUSPECTED POISONING.

O'K,BY

SHEET NO. 5 of 7

GOPY To'

FOR:

AGWAY EPN 4E

DATE: 11/9/83

PICA SO CHARACTERS

STATEMENT OF PRACTICAL TREATMENT

If swallowed, CALL a physician or Poison Control Center.

Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

<u>If inhaled</u>, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respire immediately.

If in eyes, wash . .. plenty of water, get medical attention.

For external exposure, immediately remove all contaminated clothing and wash skin thoroughly with soap and warm water.

Wash contaminated clothing before reuse.

If warning symptoms appear (see WARNING SYMPTOMS below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr); thereafter, every 10 to 15 minutes take one atropine tablet (1/100 gr) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

WARNING SYMPTOMS - EPN poisoning produces effects associated with anticholinesterase activity which may include weak-ness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

O'K BY

. . . . . .

SHEET NO.6 of 7

GOPY \*\*5\*

FOR:

AGWAY EPN 4E

**DATE:** 11/9/83

Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved.

Maintain atropinization until the patient recovers.

Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. 2-PAM may be used to supplement the atropine sulfate treatment. Do not use morphine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not apply to areas where runoff will occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

O'K BY

SHEET NO. 7 of 7