



# 0.35% TRANSPARENT EMULSION SPRAY\*\*

## A SYNTHETIC PYRETHROID INSECTICIDE

Dual Action Insect Killer — Kills as Contact and Residual Spray — Kills Roaches Up To 4 Weeks

### ACTIVE INGREDIENTS

* Resmethrin (5-(phenylmethyl)-3-(4-aryloxyphenyl)-2-methyl-2,2-dimethyl-3,12-methyl-1-propenyl cyclopropanecarboxylate)	0.350
Related compounds	0.048
INERT INGREDIENTS	99.602
<b>TOTAL</b>	<b>100.000</b>

\* Cis/trans isomers ratio: max. 30% cis and min. 70% trans

+ U.S. Patent Nos. 3,465,007 and 3,542,928

\*\* U.S. Patent No. 3,683,078

**KEEP OUT OF REACH OF CHILDREN.**

### CAUTION

See side panel for additional precautionary statements

Can be used in non-food areas of food handling establishments

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### DIRECTIONS FOR USE — APPLICATION

**Instructions for Contact Space and Residual Sprays for Indoor Use** — In non-food areas of food handling establishments, commercial industrial office residential public institutional and storage buildings, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Avoid use in buses, automobiles, and non-food areas of trucks, busses and ship cargo holds. Do not use on electrical equipment or surfaces that can be harmed or stained by water. Also for use in dog kennels and horse stables. Do not use in horse stables not for application if horses will be used for food.

**Contact Spray — Kills and Reduces Infestation** — COCKROACHES, CRICKETS, SILVERFISH ANTS, CARPET BEETLES, CENTIPEDES, EARWIGS, FLOUR BEETLES, GRAY ANTS, MILLIPEDES, SOYBUGS, SPIDERS. Apply as a contact spray. Fill spray tank with product.

Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

**ANTS. To kill ants** — Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

**FLEAS:** Aids in the control of fleas on dogs and cats, on pet bedding and in horse stables. Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes or mouth of animal. To reduce reinfestation, thoroughly spray the animals bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entrance to the surface of dog houses. Repeat as necessary.

**TO KILL BEDBUGS:** Apply as a spot treatment to cracks and crevices around baseboards, floorboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

**RESIDUAL SPRAY** — Aids in the control of COCKROACHES, CRICKETS, SILVERFISH ANTS, CENTIPEDES, EARWIGS, GRAY ANTS, SOYBUGS, SPIDERS. Kills for up to 4 weeks. Spray baseboards, cracks, and crevices around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards, kitchens and bathrooms, in basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until areas are thoroughly wet but not to point of run-off. Repeat as necessary.

**FRUIT FLIES, HOUSEFLIES, MOSQUITOES, MITES, GNATS.** Apply as a space spray, close all doors and windows. Hold nozzle upward. Direct spray must to all parts of the room, especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1,000 cu. ft. of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re entry.

**OUTDOORS** — To control nuisance pests around buildings, patios and paved areas — Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

**ANTS AND FLEAS** — Same as directed for indoor use.

**WASPS, YELLOW JACKETS, HORNETS.** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

**CENTIPEDES, EARWIGS, MILLIPEDES, SOYBUGS, SPIDERS.** Apply as a contact spray as for indoor use.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION** — Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans. Do not spray where food or drink is exposed or being consumed.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used in crops, do not wash or flush freshly sprayed surfaces into adjacent waters. Do not spray on turf or plants.

#### STATEMENT OF PRACTICAL TREATMENT

**If swallowed** and no vomiting, take 15-30 cc. of syrup of ipecac. If throat or by administration of syrup of ipecac, get medical attention. **If in eyes**, flush with water. If irritation develops or persists, get medical attention. **For skin**, wash with plenty of soap and water. If irritation develops, get medical attention.

#### STORAGE AND DISPOSAL

Store at temperatures above 32° F. Do not reuse empty containers except for refilling with product. Otherwise wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed. In the home, cover or remove exposed foods. Avoid contamination of feeding utensils and food preparation surfaces.

**NOTE** — This pesticide is to be sold ONLY in this original unbroken package.

**DISCLAIMER** — Buyer assumes all risks of use, storage or handling not in strict accordance with directions given hereon.

EPA Reg. No. 6590-60-1



EPA Est. No. 4190-FA-1

AGWAY INC. — CHEMICAL DIVISION  
PO BOX 4933, SYRACUSE, NY 13221

4-82

**NET CONTENTS 1 GALLON**