FOR:

GWAY MALATHION 5 LB, EC		DATE:7/23/82
(((FRONT PANEL)))	NET CONTENTS 9 gal.	112
AGWAY		ACC TOTAL
MALATHION 5 L	B. EC	
EMULSIFIABLE CON	CENTRATE	
Insecticide For Fly and Mose	quito Control and	(See
Grain Insects.	i n	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ACTIVE INGREDIENTS:		1 3/6
Malathion*	57.0%	
Heavy Aromatic Naptha	34.0%	
INERT INGREDIENTS:	9.0	
	TOTAL 100.0%	, •}
*0,0-dimethyl dithiophospha	te of diethyl mercap	-
tosuccinate		
KEEP OUT OF REACH OF CHILDR	EN (12 pt.)	1:10
CAUTION (18 pt.)		
See side panel for addition ments.	al Precautionary Sta	to-
	•	0
'	,	
		0.K BA
AGWAY INC.	•	****
CHEMICAL DIVISION BOX 4933 EP	A Reg. No. 8590	
1	A Est. No. 8590-PA-1	
A.		
·		, ,
	•	SHEET NO. 1 - 5
· · · · · · · · · · · · · · · · · · ·	· ·	•

1 €

DATE:7/23/92

FOR:

AGWAY MALATHION 5 LB. EC

(((REAR PANEL)))

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLY & MOSQUITO CONTROL

Mosquito Larvae in standing water (intermittently flooded areas, stagnant water, temporary
rainpools): Apply Malathion 5 lb. E.C. at the
rate of 13 fluid oz. (approximately 1/2 lb.) per
acre. Mix in sufficient water or oil. Apply
by air or ground equipment.

OUTDOORS - Mosquitoes, flies, and small-flying insects: As a spray dilute Malathion 5 lb. E.C. 1 part to 28 parts water, fuel oil or diesel oil. Avoid applying oil based formula to valuable ornamental plants as injury may occur.

Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

STORED GRAIN: In barley, corn, grain, sorghum, oats, rye, wheat and garden seeds for control of confused flour beetle, granary weevil, sawtoothed

D'K BY

SHEET NO 2 - 5

FOR: AGWAY MALATHION 5 LB. EC

DATE: 7/23 82

grain beetle, flat grain beetle, red flour
beetle, rusty grain beetle, lesser grain borer
and Indian meal moth apply
as follows:

Residual spray for treating surfaces prior to storage: Apply to walls, floors, machinery in grain elevators, truck beds, box cars or ships' holds using 1 gallon in 25 gallons of water. Make a complete coverage application after thoroughly cleaning the area to be sprayed. Remove and burn all sweepings and debris.

Grains going into storage: Apply 1 pint

in 2-3 gallons of water per 1,000 bushels. Apply as the grain is being loaded or being turned into final storage.

After grains are stored: To control Indian meal moth apply 1/2 pint in 1-2 gallons of water per 1,000 square feet of grain surface area. Apply evenly over the grain surface immediately after storing and repeat if necessary.

01K BY

SHEET NO 3 - 5

FOR:

AGWAY MALATHION 5 LB. EC

DATE: 7/23/82

If inhaled, remove victim to fresh air. Apply artificial respiration, if indicated.

If on skin, remove contaminated clothing \$
wash affected areas with soap & water.

If in eyes, flush eyes with plenty of water.

Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to direct treatment. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

O'K BY

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

SHEET NO 5 - 5

age or disposal.

FOR: AGWAY MALATHION 5 LB. EC

DATE: 7/23/82

STORAGE & DISPOSAL (12 pt.)

Do not contaminate water, food or feed by stor-

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state & local procedures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not breathe spray mist. Do not get in eyes or on skin.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, Drink 1 or 2 glasses of water & induce vomiting by touching back of throat with finger. Repeat until fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

O'K BY

SHEET NO 4 - 5

If these conditions are not complied with, the registration will be subject to sancellation in accordance with firms sec. 5(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your resords.

William Miller Product Manager (16) Insecticide Rodenticide Branch Registration Division (TS-76/)

Enclosures