

MOGUL S-493

Concentrated Pool Chlorinating Product

- A dry chlorinating chemical that dissolves immediately
- An effective germicide and algacide
- Will not cloud water
- Will not add scale forming minerals to the water

The control of pH is greatly simplified using MOGUL S-493. In fact, you will require from 1/2 to 1/4 times the amount of acid usually applied. MOGUL S-493 provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply MOGUL S-493 less often.

INGREDIENT

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione Dihydrate... 100%
(Available Chlorine) 56%

EPA Reg. No. 8591-22

S 493

KEEP OUT OF REACH OF CHILDREN

DANGER

Precautionary Statements

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID: In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention as soon as possible. Remove and wash contaminated clothing before reuse. If swallowed, feed gruel, cooked cereal or bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter or other chemicals, or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire.

THE MOGUL CORPORATION

AVONDALE, ILL. • WASHINGTON, D.C. • CHARLOTTE, N.C.
KANSAS CITY, MO. • MINNEAPOLIS, MN. • PHOENIX, AZ
PORTLAND, OR. • WASHINGTON, D.C.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: Mix only with water. Do not mix with other chemicals. Use only dry, clean equipment. Store in a cool, dry place. Keep out of reach of children.

When starting up a new pool, determine the chlorine demand and total alkalinity. To raise the chlorine residual from 1.0 ppm to 2.0 ppm average, add 2 oz. of MOGUL S-493 per 10,000 gallons of pool water (8.7 ppm).

MOGUL S-493 should be applied at a rate of 1/4 to 1/2 oz. per 10,000 gallons to maintain a chlorine residual of 1.0 to 2.0 ppm as determined by a standard test kit. The residual should be maintained between 7.2 and 7.8 pH.

A shock treatment should be used in hot weather or after heavy use. Shock treatments may be made at any time. For shock treatment, add 2 oz. of MOGUL S-493 per 10,000 gallons of pool water. Swim in the pool after the shock treatment. The chlorine residual has reached the 1.0 ppm level.

Keep in mind that a slight increase in pH in the event of heavy use or rain may be caused by storms or super chlorination. This may require additional dosages. Maintain a chlorine residual between 1.0 and 2.0 ppm.

STORAGE AND DISPOSAL

Keep product dry in tight container. Do not use. Store in a cool, dry place, away from heat or open flame. Do not use in an unsealed container, if possible. Do not reuse container. Rinse container thoroughly with water before discarding. Place in an approved landfill area, or as directed.

MOGUL S-493

Concentrated Pool Chlorinating Product

KEEP OUT OF REACH OF CHILDREN

DANGER

Precautionary Statements

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID: In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention as soon as possible. Remove and wash contaminated clothing before reuse. If swallowed, feed gruel, cooked cereal or bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter or other chemicals, or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool, dry place. Keep closed when not in use.

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. of MOGUL S-493 per 1,000 gallons of pool water (8.7 ppm).

MOGUL S-493 should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of MOGUL S-493 per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection, dispose in approved landfill area, or bury in a safe place.

Chemical that dissolves

algaeicide

minerals to the water

simplified using MOGUL from 1/2 to 1/4 times the MOGUL S-493 provides easier maintenance of pool water for disinfection space and maintains longer life. It is economical and stabilized, you will

ACCEPTED
5 AUG 1977
8591-22

UNDER THE FEDERAL INSTITUTE OF FUNGICIDE AND RODENTICIDE ACT OR ECONOMIC POISON REGISTER UNDER NO.

Dihydrate . . . 100%
(56%)

01-22

THE MOGUL CORPORATION

ARLINGTON, VA • CHARLOTTE, NC • CHARLOTTE, SC
LOS ANGELES, CA • MINNEAPOLIS, MN • PHOENIX, AZ
PORTLAND, OR • WINDSOR, CT

Copyright © 1977, The Mogul Corporation