

3 oz. of Swimrite California Chlor-Rite. Check daily for the chlorine level. Maintain .0 to 1.5 ppm, with the proper dose in increments of the proper chlorine re-

bathing traffic, or heavy use. Increase the daily dosage to maintain 1.0 to 1.5 ppm. 2 oz. of Swimrite California Chlor-Rite will increase the chlorine level. Signs of algae or cloudy water indicate the need for chlorination. Also keep a constant level and maintain a constant level of Swimrite California Chlor-

once each week in hot weather and once every other week in cool weather. Turn off the filter pump and add Swimrite California Chlor-Rite to the pool. Add the available chlorine. In the hot weather do not allow bathers in the pool until the chlorine level falls below 2.0 ppm.

EPA REG. NO. 8597-4
EPA EST. NO. 7616-CA-1
CALIF. STATE REG. NO. 8597-50003-AA

ACCEPTED
19 AUG 1975
8597-4
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBENTICIDE ACT
ECONOMIC POISON REGISTER
NO.



DO NOT USE IN VINYL POOLS

DANGER: Keep Out Of Reach Of Children
See First Aid Statement And Other Precautions On Right Side Panel

ACTIVE INGREDIENT:
Trichloro-s-Triazinetrione 70%
INERT INGREDIENT:
Sodium Carbonate 30%
(Available Chlorine: 60%)

NET WT. 20 lbs.

FIRST AID:
Internally -
or cooking
with cold v
ONCE!

DANGER:
Corrosive.
Wear safety
Causes bur
skin or on c
breathing d

DANGER:
Strong oxid
acids, comb
may cause
directed. Ke
cool, dry pl
Carefully
spilled Swi
Do not reus
dissolve all

CAUTION:
This produc
discharged
public wate
ment, or di
fied on this

15330 Oxna

Use 3 oz. of Swimrite California Chlor-Rite daily. Check daily for the chlorine level. Maintain 1.0 to 1.5 ppm. with the daily dose in increments of 1/2 oz. until the proper chlorine level is reached.

In the presence of heavy bathing traffic, or heavy use, increase the daily dosage to maintain 1.0 to 1.5 ppm. 2 oz. of Swimrite California Chlor-Rite in 10,000 gal. will increase the chlorine level. Signs of algae or cloudy water indicate the need for chlorination. Also keep a record of chlorine and maintain a constant level of Swimrite California Chlor-Rite.

Use once each week in hot weather and every other week in cool weather. Turn off the filter pump and allow bathers in the pool. Add Swimrite California Chlor-Rite until the available chlorine is 2.0 ppm. Do not allow bathers in the pool until the chlorine level falls below 2.0 ppm.


**DO NOT USE IN
VINYL POOLS**

for diamond clear
pool water

See First Aid Statement And Other Precautions On Right Side Panel

NET WT. 20 lbs.

FIRST AID



DANGER

CAUTION
This product should not be discharged into public waterways, streams, or rivers. Do not use in residential areas. See label for more information.

15330 0x

8597-50003-AA

ACCEPTED
9 AUG 1975
 8597-4
 BY THE FEDERAL INSECTICIDE
 AND ROBOENTICIDE ACT
 ECONOMIC POISON REGISTER
 NO.

ACTIVE INGREDIENT:
 Chloro-s-Triazinetrione 70%
OTHER INGREDIENT:
 Sodium Bicarbonate 30%
 Available Chlorine: 60%)

NET WT. 20 lbs.

FIRST AID:

Internally — Feed gruel or cooked cereal followed by olive oil or cooking oil. Externally or in the eyes — Immediately flood with cold water for at least 15 minutes. CALL PHYSICIAN AT ONCE!

DANGER:

Corrosive. Causes eye damage. Protect eyes when handling. Wear safety goggles, dust respirator, and protective clothing. Causes burns to moist or broken skin. Do not get in eyes, on skin or on clothing. Causes irritation to nose and throat. Avoid breathing dust. May be fatal or harmful if swallowed.

DANGER:

Strong oxidizing agent. Do not allow to come into contact with acids, combustible or oxidizable materials. If contaminated, may cause fire and release toxic gases. Mix only with water as directed. Keep tightly closed when not in use, and store in a cool, dry place. USE ONLY DRY, CLEAN MEASURING DEVICE.

Carefully remove and dispose of any spillage. DO NOT put spilled Swimrite California Chlor-Rite® back into container. Do not reuse empty container. Wash thoroughly with water to dissolve all material before discarding.

CAUTION:

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

SWIMRITE®, INC.

15330 Oxnard Street/P.O. Box 553/Van Nuys, California 91408

Printed in U.S.A.

Part No. 6-000-158

lot no.

Add Directly To Pool Water

Swimrite California Chlor-Rite® helps you have a sanitary pool in the easiest possible way. It maintains a long disinfectant life and it is extremely simple to handle and economical to use. While taking up practically no space, it maintains high strength regardless of storage time.

After your pool water has been conditioned and stabilized, you add only 3 oz. per 20,000 gallons of water per day for chlorination.

IMPORTANT:

1. When mixing with water, always add chemical slowly to water. Never add water to the chemical.
2. Do not mix more than one chemical together.
3. Do not mix stronger than 3% solution.

DIRECTIONS FOR USE

CONDITIONING A NEWLY-FILLED POOL:

For most effective and economical results, filter the pool continuously according to the recommendations of the filter manufacturer. Test pool for pH. Adjust pH to 7.4-7.6 gradually, using soda ash to raise pH and sodium bisulfate or muriatic acid to lower pH. Superchlorinate by adding Swimrite California Chlor-Rite® at the rate of 40 ounces per each 20,000 gal. of water (approx. 10 parts per million (ppm) available chlorine). It is best to do this in the evening. Next morning, add Swimrite Conditioner directly to the pool at the rate of 5 lbs. per 20,000 gal. (This is equal to 30 ppm of stabilizer.) Re-adjust pH to 7.4-7.6. Bathers should not enter the pool until the above steps are completed and the available chlorine residual, as determined by the Swimrite 1-2-3-4 Test Kit, has dropped below 2.0 ppm.

NORMAL DAILY USE:

After the pool has been conditioned use 3 oz. of Swimrite California Chlor-Rite® per 20,000 gal. per day. Check daily for the proper available chlorine residual of 1.0 to 1.5 ppm, with the Test Kit, and if needed change the daily dose in increments of 1/10 of the recommended dose until the proper chlorine residual is maintained.

VARIATIONS IN DAILY USE:

On exceptionally hot days, with heavy bathing traffic, or heavy rains, it may be necessary to repeat the daily dosage to maintain the residual chlorine level of 1.0 to 1.5 ppm. 2 oz. of Swimrite California Chlor-Rite® per 20,000 gal. will increase the chlorine residual by about 0.5 ppm. Signs of algae or cloudy water may indicate a need for more chlorination. Also keep a close check on the pH of the water and maintain a constant 7.4 pH for greatest effectiveness of Swimrite California Chlor-Rite.®

SUPERCHLORINATION:

A good precaution is to superchlorinate once each week in hot weather (above 80°F) and once every other week in cool weather (below 80°F), in the evening. Turn off the filter pump for the next 8-10 hours and allow no bathers in the pool. Add 5 to 10 times the daily dose of Swimrite California Chlor-Rite.® This is equal to about 5 to 10 ppm available chlorine. In the morning, vacuum clean the pool. Do not allow bathers in the pool until the available chlorine residual falls below 2.0 ppm.

**DO NOT USE IN
VINYL POOLS**

DANGER: Keep Out Of Reach Of Children
See First Aid Statement And Other Precautions On Right Side Panel



EPA REG. NO. 8597-4
EPA EST. NO. 7616 CA 1
CALIF. STATE REG. NO. 8597-50003-AA

ACCEPTED
19 AUG 1975
8597-4
UNDER THE FEDERAL INSECTICIDE
HERBICIDE AND ROENTICIDE ACT
ECONOMIC POISON REGISTER
EPA NO.

Swimrite

CALIFORNIA CHLOR-RITE[®]

for diamond clear
pool water

ACTIVE INGREDIENT:
Trichloro-s-Triazinetrione 70%
INERT INGREDIENT:
Sodium Carbonate 30%
(Available Chlorine: 60%)

NET WT. 20 lbs.

FIRST AID:

Internally - Feed gruel or cooked cereal followed by olive oil or cooking oil. Externally or in the eyes - Immediately flush with cold water for at least 15 minutes. CALL PHYSICIAN AT ONCE!

DANGER:

Corrosive. Causes eye damage. Protect eyes when handling. Wear safety goggles, dust respirator, and protective clothing. Causes burns to moist or broken skin. Do not get in eyes, on skin or on clothing. Causes irritation to nose and throat. Avoid breathing dust. May be fatal or harmful if swallowed.

DANGER:

Strong oxidizing agent. Do not allow to come into contact with acids, combustible or oxidizable materials. If contaminated, may cause fire and release toxic gases. Mix only with water as directed. Keep tightly closed when not in use, and store in a cool, dry place. USE ONLY DRY, CLEAN MEASURING DEVICE. Carefully remove and dispose of any spillage. DO NOT put spilled Swimrite California Chlor-Rite[®] back into container. Do not reuse empty container. Wash thoroughly with water to dissolve all material before discarding.

CAUTION:

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

SWIMRITE[®], INC.

15330 Oxnard Street/P.O. Box 553/Van Nuys, California 91408

Printed in U.S.A.

NOT USE IN
POOL POOLS

Keep Out Of Reach Of Children
And Other Precautions On Right Side Panel

39

Part No. 6-000-158

lot no.

Add Directly To Pool Water

Swimrite California Chlor-Rite® helps you have a sanitary pool in the easiest possible way. It maintains a long disinfectant life and it is extremely simple to handle and economical to use. While taking up practically no space, it maintains high strength regardless of storage time.

After your pool water has been conditioned and stabilized, you add only 3 oz. per 20,000 gallons of water per day for chlorination.

IMPORTANT:

1. When mixing with water, always add chemical slowly to water. Never add water to the chemical.
2. Do not mix more than one chemical together.
3. Do not mix stronger than 3% solution.

DIRECTIONS FOR USE

CONDITIONING A NEWLY-FILLED POOL:

For most effective and economical results, filter the pool continuously according to the recommendations of the filter manufacturer. Test pool for pH. Adjust pH to 7.4-7.6 gradually, using soda ash to raise pH and sodium bisulfate or muriatic acid to lower pH. Superchlorinate by adding Swimrite California Chlor-Rite® at the rate of 40 ounces per each 20,000 gal. of water (approx. 10 parts per million (ppm) available chlorine). It is best to do this in the evening. Next morning, add Swimrite Conditioner directly to the pool at the rate of 5 lbs. per 20,000 gal. (This is equal to 30 ppm of stabilizer.) Re-adjust pH to 7.4-7.6. Bathers should not enter the pool until the above steps are completed and the available chlorine residual, as determined by the Swimrite 1-2-3-4 Test Kit, has dropped below 2.0 ppm.

NORMAL DAILY USE:

After the pool has been conditioned use 3 oz. of Swimrite California Chlor-Rite® per 20,000 gal. per day. Check daily for the proper available chlorine residual of 1.0 to 1.5 ppm, with the Test Kit, and if needed change the daily dose in increments of 1/10 of the recommended dose until the proper chlorine residual is maintained.

VARIATIONS IN DAILY USE:

On exceptionally hot days, with heavy bathing traffic, or heavy rains, it may be necessary to repeat the daily dosage to maintain the residual chlorine level of 1.0 to 1.5 ppm. 2 oz. of Swimrite California Chlor-Rite® per 20,000 gal. will increase the chlorine residual by about 0.5 ppm. Signs of algae or cloudy water may indicate a need for more chlorination. Also keep a close check on the pH of the water and maintain a constant 7.4 pH for greatest effectiveness of Swimrite California Chlor-Rite®.

SUPERCHLORINATION:

A good precaution is to superchlorinate once each week in hot weather (above 80°F) and once every other week in cool weather (below 80°F), in the evening. Turn off the filter pump for the next 8-10 hours and allow no bathers in the pool. Add 5 to 10 times the daily dose of Swimrite California Chlor-Rite®. This is equal to about 5 to 10 ppm available chlorine. In the morning, vacuum clean the pool. Do not allow bathers in the pool until the available chlorine residual falls below 2.0 ppm.

**DO NOT USE IN
VINYL POOLS**

DANGER: Keep Out Of Reach Of Children
See First Aid Statement And Other Precautions On Right Side Panel

**SWI
CALIF
CHLC**

for di
pc

EPA EST. NO. 7616-CA-1
CALIF. STATE REG. NO. 8597 50003 AA

Swimrite

**CALIFORNIA
CHLOR-RITE[®]**

for diamond clear
pool water

ACTIVE INGREDIENT:
Trichloro-s-Triazinetrione 70%
INERT INGREDIENT:
Sodium Carbonate 30%
(Available Chlorine: 60%)

NET WT. 20 lbs.

03133

FIRST AID:

Internally - Feed gruel or cooked cereal followed by olive oil or cooking oil. Externally or in the eyes - Immediately flood with cold water for at least 15 minutes. **CALL PHYSICIAN AT ONCE!**

DANGER:

Corrosive. Causes eye damage. Protect eyes when handling. Wear safety goggles, dust respirator, and protective clothing. Causes burns to moist or broken skin. Do not get in eyes, on skin or on clothing. Causes irritation to nose and throat. Avoid breathing dust. May be fatal or harmful if swallowed.

DANGER:

Strong oxidizing agent. Do not allow to come into contact with acids, combustible or oxidizable materials. If contaminated, may cause fire and release toxic gases. Mix only with water as directed. Keep tightly closed when not in use, and store in a cool, dry place. **USE ONLY DRY, CLEAN MEASURING DEVICE.** Carefully remove and dispose of any spillage. **DO NOT** put spilled Swimrite California Chlor-Rite[®] back into container. Do not reuse empty container. Wash thoroughly with water to dissolve all material before discarding.

CAUTION:

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

SWIMRITE[®], INC.

15330 Oxnard Street / P. O. Box 553 / Van Nuys, California 91408

Printed in U.S.A.

Part No. 6-000-158

lot no.

**NOT USE IN
NYL POOLS**

**Keep Out Of Reach Of Children
And Other Precautions On Right Side Panel**

Amex
Date