ACCEPTED

001 09 1975

United the Position of Act, of a mention of the position of th

IMPORTANT: SELLERS GUAPANTEE SHALL BE LIMITED TO THE TERMS OF THE LABEL, AND SUBJECT THERETO THE BUYER ASSUMES ANY PISK TO PERSON OF PROPERTY ARISING OUT OF USE OF HANDLING AND ACCEPTS THE PRODUCT ON THESE CONDITIONS.

CAUTION: HARMFUL IF SWALLOWED BY HUMANS, DOMESTIC ANIMALS OR PETS. THIS MATERIAL REDUCES SLOTTING ABILITY OF FLOOD AND CAUSES BLEEDING. INTRAVENOUS AND ORAL ADMINISTRATION OF VITAMIN & COMBINED WITH BLOOD TRANSFUSIONS MAY BE INDICATED, AS IN CASE OF HEMORRHAGE CAUSED BY OVERDOSES OF BISHTOPOXYGOUMAPIN.

CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINER.
DESTROY IT BY PERFORATING OR CRUSHING. BUPY DO DISCARD IN SAFE PLACE. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

EISH AND WILDLIFE HAZARDS

TREATED BAITS MUST BE PLACED IN LOCATIONS NOT ACCESSIBLE TO CHILDREN, PETT, WILDLIFE AND DOMESTIC ANIMALS, OF INTAMPER PROOF BAIT BOXES. KEEP OUT OF LAKES, STREAMS, OF PONDS TO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSTED OF WASTES. APPLY THIS PRODUCT ONLY AS OFFICE FIED ON MISSIAND OF AREL



ALLRAY CONTAINS AN ANTI-COAGULANT CHEMICAL. THE MILLING FOWER DEPENDS ON IT BEING TONGLYED RE EARLY IN SMALL DOSES UP TO A PERIOD OF IS TAKE.



FOR CONTROL OF RATS and MICE

HAPE-OUTED TO THE PROPERTY OF THE MILLS OUTED TEST OF THE PROPERTY OF THE PROP

ACTIVE TRUBET OUT

3 ALPHA A CTANINGBO EV. CLOVE OF PRINCE TO 1.1.1.1

12.5.15

12.5.15

12.5.15

CAUTION: Keep Out of Reach of Children

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

MARUFACTURED EY

:PA Est. No. 8612-79 :PA Est. No. 8612-79-1.7 1 -1



LABEL # TICK-1

DALLAS, TEXAS 75220

DIRECTIONS FOR USE

PLACE ALLRAT IN A PROTECTED SPOT WHERE THE RATE AND MICE CROINARILY FEED, WATER OR TRAVEL. BAIT PLACEMENTS ARE DESIRABLE ALONG WALLS, IN CORNERS, AND IN CONCEALED LOGICATIONS WHERE RATS AND MICE CAN FEED UNOBSERVED. IF BAIT BECOMES SOUR OR MOLDY (AS MAY BE THE CASE DURING PERIODS OF HUMID WEATHER), REPLACE WITH FRESH BAIT AS NEEDED. FOR TYPICAL SITES, INCLUDING FARMS, HOMES, WAREHOUSES AND OUTBUILDINGS CONSULT THE SPECIFIC RAT AND MOUSE DIRECTIONS BELOW. FOR OTHER SITES, CONSULT BOTH THOSE AND OTHER SPECIAL DIRECTIONS BELOW.

FOR CONTROL OF RATS AND MICE

POR NORWAY AND ROOF RATA: USE 1/4 TO 1 POUND PER BATT PLACEMENT. LOOK FOR TELLTALE SIGNS OF GNAWINGS, TRACKS OR TRAILS, BURROWS, DROPPINGS, OR DAMAGE. MAINTAIN AN UNINTERRUPTED SUPPLY OF BATT FOR AT LEAST 10 DAYS.

FOR HOUSE MICE: PLACE SEASPOONFUL AMOUNTS (1/4 TO 1/2 OZ.) OF BAIT AT INTERVALS OF 8 TO 12 FEFT. MAINTAIN AN UNINTERRUPTED SUPPLY OF BAIT FOR AT LEAST 15 DAYS.

FOR RODENT CONTROL ON WHARES & BOATS

PECIAL PRECAUTIONS MUST BE TAKEN TO KEEP PODENT BALL DRY EN THESE WET, HIGH HUMID USE AREAS. PLACE BALL IN A WEATHERPROOF BALL STATION IN A DRY PROTECTED AREA WHERE PATT AND MISE CAN FEED DOBSERVED. CLEAN BALL STATION AND REPLACE BALL IS IT AFPLARS MOUNT OF SOUR.

EOR USE IN DUMPS

IN APEAS SUBJECTED TO HEAVY AND RECCOUNTING RODENT PORT LATIONS, ESTABLISH PERMANENT BAIT STATE NO OF WEATHER PROOF CONSTRUCTION AND PEPLENTSH WITH FRESH BAIT AS NEEDED.

DAIRIES, POULTRY YARDS, GRAIN ELEVATORS, FEED MILLS

OS NOT CONTAMINATE FOOD OF FEEDSTUFFS. ALL PLACEMENTS MUST BE IN TAMPERPROOF PAIT BOXES.