PRECAUTIONARY STATEMENTS **Hazards to Humans and Domestic Animals**

DANGER

Convulsive Poison! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and foodstuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Baits exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish & Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the USEPA: California condor, San Joaquin kit fox, Aleutian Canada goose, Morro Bay kangaroo rat, gray wolf and grizzly bear.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

For use against pigeons in non-agricultural areas (in and around buildings). The use to control pigeons will be prohibited in the following areas for the protection of endangered species:

SPECIES

control only)

 $\overline{\rho}$

٠

2

ΞĒ

413

14

<u>ج</u> 6.

> PROHIBITED AREAS Yellow-shouldered balckbird -· · Puerto Rican plain pigeon Peregrine tolcon (pigcon

Puerto Rico Do not use within 5 miles of aeries or critical habitats. Do not use when migratory falcons may be present. Consult with local fish and game or regional Fish & Wildlife Service.



RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicators certification.

PIGEON-9 STRYCHNINE TREATED GRAIN BAIT

ACTIVE INGREDIENTS:	
Strychnine Alkaloid.	0.60%
INCREMENT IN OREDIER (Street and the street and th	00 000
TOTAL	100.001

KEEP OUT OF REACH OF CHILDREN DANGER - POISON

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If les than 10 minutes have passed since the poison was taken, give 1 or 2 glasses of water an induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Hav patient lie down in guiet, darkened room and keep him warm and guiet. Do not induce vomitin or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated,


- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

- A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary ga exchange as possible, despite seizures,
- B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions. CAUTION: 1 may be difficult or impossible to stop the seizure activity without stopping respiration. B prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary seizures are prolonged.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS.

EPA Rep. No. 8612-32 EPA Est. No. 8612-TX-1



Under the Federal Insecticide, Fungi.ide, and Rodeoticide Act. as amended, for the pesticide registered under EPA Reg. No. Olo

ACCEPTED

OCT 1 5 1984

Puerto Rico