

2 (of 2)

DIRECTIONS FOR USE AND CONDITIONS OF SALES, WARRANTY AND LIMITATION OF DAMAGE PROVISION.

IMPORTANT: READ THESE ENTIRE DIRECTIONS, CONDITIONS OF SALE, WARRANTY AND LIMITATION OF DAMAGE PROVISION, BEFORE USING CYTHION 50-E.

CONDITIONS OF SALE: THESE DIRECTIONS FOR USE REFLECT THE OPINION OF EXPERTS BASED ON TESTS OF EFFECTIVENESS UNDER NORMAL CONDITIONS OF USE. HOWEVER, BECAUSE OF THE WIDE RANGE OF CONDITIONS UNDER WHICH THIS PRODUCT MAY BE USED, EVEN THOUGH LABEL DIRECTIONS ARE FOLLOWED, IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS ASSOCIATED WITH ITS USE BECAUSE OF ABNORMAL CONDITIONS BEYOND THE CONTROL OF THE SELLER. B & G COMPANY AND THE SELLER OFFER, AND THE BUYER USES, THIS PRODUCT SUBJECT TO THE UNDERSTANDING THAT THE BUYER ASSUMES ALL SUCH RISKS.

WARRANTY AND LIMITATION OF DAMAGES: B & G COMPANY WARRANTS THAT THIS MATERIAL CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES REFERRED TO IN THE DIRECTIONS OF SALE. SUBJECT TO RISKS REFERRED TO THEREIN, B & G COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, AND NO AGENT OF B & G COMPANY IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH A SPECIFIC REFERENCE TO THIS WARRANTY. IN NO CASE SHALL B & G COMPANY OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

USE PRECAUTIONS

HIGHLY TOXIC TO FISH. DO NOT CONTAMINATE ANY BODY OF WATER BY DIRECT APPLICATION, CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES AND CONTAINERS. DO NOT USE THIS PRODUCT FOR ANY USES OTHER THAN THOSE SPECIFIED ON THIS LABEL. THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO DIRECT TREATMENT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE.

FISH & WILDLIFE CAUTION

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF LAKES, STREAMS, OR PONDS. DO NOT APPLY WHERE RUNOFF IS LIKELY TO OCCUR. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT FROM AREAS TREATED. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL. THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO DIRECT TREATMENT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE.

CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORMING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

LABEL NO. 4228

ACCEPTED
7/22/74
UNDER THE FEDERAL INSECTICIDE ACT
FOR ECONOMIC POISON AND OTHER
LAW UNDER 1904-1906



CYTHION
INSECTICIDE
50-E
EMULSIFIABLE CONCENTRATE

THE PREMIUM GRADE MALATHION

ACTIVE INGREDIENTS	
MALATHION, 95% EMULSIFIABLE CONCENTRATE	100.00
OF DIETHYL MERCAPTOETHYL CISTATE	1.00
XYLENE RANGE AROMATIC HYDROCARBONS	1.00
SOLVENT	1.00
INERT INGREDIENTS	97.00
TOTAL	100.00

REGISTERED T.M. AMERICAN CYANAMID COMPANY, U.S. PATENT #2,981,723

CAUTION: Keep Out of Reach of Children

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

"DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME."

MANUFACTURED BY



EPA Reg. No. 8F12-5E

NET CONTENTS 1 GALLON

DALLAS, TEXAS 75220

DIRECTIONS FOR USE

POUR SPECIFIED AMOUNT OF THIS PRODUCT INTO NEARLY FILLED SPRAY TANK. ADD BALANCE OF WATER TO FILL TANK. KEEP AGITATOR RUNNING DURING FILLING AND SPRAYING OPERATIONS. IF MIXTURE DOES NOT MIX READILY, BUT TENDS TO SEPARATE AS AN OILY LAYER, DO NOT USE AS INJURY TO PLANTS MAY RESULT. DO NOT COMBINE WITH WETTABLE POWDERS UNLESS PREVIOUS USE OF THE MIXTURE HAS PROVEN PHYSICALLY COMPATIBLE AND SAFE TO PLANTS, ALWAYS THOROUGHLY EMULSIFY THIS PRODUCT WITH AT LEAST HALF OF TOTAL WATER BEFORE ADDING WETTABLE POWDER.

ORNAMENTALS: DOSAGES GIVEN FOR USE IN 100 GALLONS OF DILUTE SPRAY. APHIDS, EUROPEAN PINE SHOOT MOTH, FOUR-LINED LEAF BUG, JAPANESE BEETLE ADULT, MEALY-BUGS, MILLIPEDES, POTATO LEAFHOPPER, ROSE LEAF-HOPPER, SCREEY SCALE, SPIDER MITES, SPRINGTAILS, SOWBUG, TARNISHED PLANT BUG, THRIPS, WHITEFLY, FOUR-SPOTTED SCALE, LACE BUGS, OYSTER SHELL SCALE, AZALEA SCALE, BAGWORMS, BIRCH LEAFMINER, BOXWOOD LEAFMINERS, FLETCHER SCALE, FLORIDA-RED SCALE, JUNIPER SCALE, MAGNOLIA SCALE, OAK KERMES, PINE LEAF SCALE, TENT CATERPILLAR, BLACK SCALE CRAWLERS, MONTEREY PINE SCALE, PINE NEEDLE SCALE, WAY SCALE, FOR OYSTER SCALE, FLETCHER, JUNIPER, OAK KERMES AND PINE NEEDLE SCALE, PINE WORM SCALE CRAWLER HAVE SETTLED ON ORANGE.

CAUTION: AVOID USE ON CERTAIN BEES, INCLUDING BOSTON, MAIDENHAIR AND PTERIS, AS WELL AS SOME SPECIES OF BRASSICA AND CANADIAN JUNIPER. REPEAT AS NECESSARY.

MOSQUITOES, FLIES AND SMALL FLYING INSECTS: FOR USE BY TRAINED PERSONNEL AS A 2-5% FOG, AEROSOL OR SPACE SPRAY. TO MAKE A 2.0% SOLUTION DILUTE IN 1 TO 25 PARTS OF WATER, FUEL OIL OR DIESEL OIL. WHEN USING KEROSENE-TYPE SOLVENT AS CARRIER, DILUTE 1 PART IN 25 PARTS OF A MIXTURE CONSISTING OF 4 PARTS KEROSENE-TYPE SOLVENT AND 1 PART AROMATIC HYDROCARBON-TYPE SOLVENT. FOR A 5% SOLUTION, DILUTE 1 PART IN 10 PARTS OF MIXTURE USING AROMATIC SOLVENTS. REPEAT AS NECESSARY.

FLY CONTROL HOUSE AND IN FOOD STORAGE ALL FOODS WHEN TR WHEN T MIX 2-100 GALLONS 1 GALLON AND 2

MIX 2-100 1 GALLON AND 2 SURFACE MOST CA SPRAY AS A FU UNPAINT CONCREG SUGAR, LON OF UNSUFFI 100 GAL

APPLY A FEET OF SQUARE ALIGHT OTHER ABOVE.

CAUTION AND WATER DUCTS; REMOVE DAIRY

CAUTION BREATH THOROUGH OR FEEL NEAR H

WARRANTY AND

CONDITIONS OF SALE, BEFORE USING

REFLECT THE OPINION UNDER NORMAL CONDITIONS OF CONDITIONS UNDER LABEL DIRECTIONS ARE RISKS ASSOCIATED BEYOND THE CONTROL OFFER, AND THE BUYER ING THAT THE BUYER

ANY WARRANTY THAT OPTION ON THE LABEL RED TO IN THE DIRECTIONS D TO THEREIN. B & G BRANTY OF FITNESS OR IMPLIED WARRANTY, AND O SO EXCEPT IN WRITING. IN NO CASE SHALL B & G ENTIAL, SPECIAL OR IN DING OF THIS PRODUCT.

ANY BODY OF WATER T OR DISPOSAL OF DUCT FOR ANY USES

D TO DIRECT TREAT- RATION MAY BE OB- RTENSION SERVICE.

LAKES, STREAMS, OR PONDS. DO NOT APPLY WHEN EATED. DO NOT CONTAMINATE WASTES. APPLY THIS

TO DIRECT TREATMENT OR AY BE OBTAINED FROM YOUR

MINER. DESTROY IT BY PERFOR- PLACE AWAY FROM WATER SUPPLIES.



CYTHION
INSECTICIDE
50-E
EMULSIFIABLE CONCENTRATE

THE PREMIUM GRADE MALATHION

ACTIVE INGREDIENTS:	
MALATHION, 0-DIM. PHE. OF DIETHYLAMINE 41.8
OF DIETHYL MERCAPTOSUCCINATE 11.2
XYLENE RANGE AROMATIC HYDROCARBON 46.0
SOLVENT 11.0
INERT INGREDIENTS..... 29.0	
TOTAL..... 100.0	

REGISTERED T.M. AMERICAN CYANAMID COMPANY. U.S. PATENT #2,451,223

CAUTION: Keep Out of Reach of Children

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

"DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME."

MANUFACTURED BY



DALLAS, TEXAS 75220

EPA Reg. No. 8612-56

NET CONTENTS 1 GALLON

DIRECTIONS FOR USE

POUR SPECIFIED AMOUNT OF THIS PRODUCT INTO NEARLY FILLED SPRAY TANK. ADD BALANCE OF WATER TO FILL TANK. KEEP AGITATOR RUNNING DURING FILLING AND SPRAYING OPERATIONS. IF MIXTURE DOES NOT MIX READILY, BUT TENDS TO SEPARATE AS AN OILY LAYER, DO NOT USE AS INJURY TO PLANTS MAY RESULT. DO NOT COMBINE WITH WETTABLE POWDERS UNLESS PREVIOUS USE OF THE MIXTURE HAS PROVEN PHYSICALLY COMPATIBLE AND SAFE TO PLANTS, ALWAYS THOROUGHLY EMULSIFY THIS PRODUCT WITH AT LEAST HALF OF TOTAL WATER BEFORE ADDING WETTABLE POWDER.

ORNAMENTALS: DOSAGES GIVEN FOR USE IN 100 GALLONS OF DILUTE SPRAY. APHIDS, EUROPEAN PINE SHOOT MOTH, FOUR-LINED LEAF BUG, JAPANESE BEETLE ADULT, MEALY-BUGS, MILLIPEDES, POTATO LEAFHOPPER, ROSE LEAF-HOPPER, SCORFY SCALE, SPIDER MITES, SPRINGTAILS, SCWBUGS, TARNISHED PLANT BUG, THRIPS, WHITEFLY, FOUR-MOT SCALE, LACE BUGS, OYSTER SHELL SCALE 1 1/2 PINTS. AZALEA SCALE, BAGWORMS, BIRCH LEAFMINER, BOXWOOD LEAFMINERS, FLETCHER SCALE, LARVIA RED SCALE, JUNIPER SCALE, MAGNOLIA SCALE, OAK KERMES, PINE LEAF SCALE, TENT CATERPILLAR... 2 PINTS. BLACK SCALE CRAWLERS, MONTEREY FINE SCALE..... 2 1/2 PINTS. PINE NEEDLE SCALE, WAX SCALE..... 4 PINTS. FOR OYSTER SCALE, FLETCHER, JUNIPER, OAK KERMES AND FINE NEEDLE SCALES, APPLY WHEN SCALE CRAWLERS HAVE SETTLED IN PACKAGE.

CAUTION: AVOID USE ON CERTAIN FERNS INCLUDING BOSTON, MAIDENHAIR AND PLEPSIS, AS WELL AS SOME SPECIES OF GRASSULA AND CANALPTE JUNIPER. REPEAT AS NECESSARY.

MOSQUITOES, FLIES AND SMALL FLYING INSECTS: FOR USE BY TRAINED PERSONNEL AS A 2-5% FOG, AEROSOL OR SPACE SPRAY. TO MAKE A 2.0% SOLUTION DILUTE IN 1 TO 25 PARTS OF WATER, FUEL OIL OR DIESEL OIL. WHEN USING KEROSENE-TYPE SOLVENT AS CARRIER, DILUTE 1 PART IN 25 PARTS OF A MIXTURE CONSISTING OF 4 PARTS KEROSENE-TYPE SOLVENT AND 1 PART AROMATIC HYDROCARBON-TYPE SOLVENT. FOR A 5% SOLUTION, DILUTE 1 PART IN 10 PARTS OF MIXTURE USING SIMILAR SOLVENTS. REPEAT AS NECESSARY.

FLY CONTROL: FOR USE IN AND AROUND BUILDINGS WHICH HOUSE DOMESTIC ANIMALS, AROUND HOMES, AROUND YARDS, AND IN AND AROUND HEAT AND FOOD PROCESSING PLANTS. FOOD SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD-PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THE PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION. MIX 2-1/2 OUNCES TO 1 GALLON OF WATER (2 GALLONS TO 100 GALLONS OF WATER), AND APPLY AT THE RATE OF 1 GALLON PER 1,000 SQUARE FEET ON PAINTED SURFACES AND 2 GALLONS PER 1,000 SQUARE FEET.

FLY CONTROL - BAIT SPRAYS:

MIX 2-1/2 OUNCES TO 1 GALLON OF WATER (2 GALLONS TO 100 GALLONS OF WATER), AND APPLY AT THE RATE OF 1 GALLON PER 1,000 SQUARE FEET ON PAINTED SURFACES AND 2 GALLONS PER 1,000 SQUARE FEET ON UNPAINTED SURFACES WHERE FLIES ALIGHT OR CONGREGATE. IN MOST CASES THE ADDITION OF MOLASSES OR SUGAR TO THE SPRAY PROLONGS THE INSECTICIDAL ACTIVITY AND SERVES AS A FLY ATTRACTANT WHEN SPRAYS ARE APPLIED ON UNPAINTED SURFACES WHERE THEY NORMALLY ALIGHT OR CONGREGATE. TO PREPARE BAIT SPRAY ADD 7 TABLESPOONS SUGAR, UNSULFURIZED MOLASSES OR CORN SYRUP PER GALLON OF SPRAY MIXTURE, OR 20 LBS. SUGAR, 2 GALLONS UNSULFURIZED MOLASSES OR 2 GALLONS CORN SYRUP PER 100 GALLONS OF SPRAY MIXTURE.

APPLY AT THE RATE OF 1 GALLON PER 1,000 SQUARE FEET ON PAINTED SURFACES AND 2 GALLONS PER 1,000 SQUARE FEET ON UNPAINTED SURFACES WHERE FLIES ALIGHT OR CONGREGATE. IN ADDITION OBSERVE ALL OTHER PRECAUTIONS GIVEN IN THE FLY CONTROL SECTION ABOVE.

CAUTION: AVOID CONTAMINATION OF MILK, MILK EQUIPMENT AND WATER. AVOID CONTAMINATION OF FEED AND FOOD PRODUCTS; ALSO DRINKING FOUNTAINS AND FEED THROUGH. REMOVE ANIMALS UNDER ONE MONTH OF AGE AND LACTATING DAIRY ANIMALS FROM BUILDINGS BEFORE TREATING.

CAUTION: HARMFUL IF SWALLOWED. COMBUSTIBLE. AVOID BREATHING SPRAY MIST. AVOID CONTACT WITH SKIN. WASH THOROUGHLY AFTER HANDLING. DO NOT CONTAMINATE FOOD OR FEED PRODUCTS. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.



CYTHON

50-E

WATER-SOLUBLE CONCENTRATE

B. G. COMPANY
DALLAS, TEXAS 75280

DIRECTIONS FOR USE AND LIMITATION OF WARRANTY

IMPORTANT: READ THESE DIRECTIONS, WARRANTY AND LIMITATION OF WARRANTY OF CYTHON 50-E.

CONDITIONS OF SALE: THESE DIRECTIONS ARE BASED ON TESTS OF USE. HOWEVER, BECAUSE WHICH THIS PRODUCT MAY BE FOLLOWED, IT IS IMPOSSIBLE WITH ITS USE BECAUSE OF THE SELLER. B. G. COMPANY, THIS PRODUCT SUBSTITUTES ASSUMES ALL SUCH RISKS.

WARRANTY AND LIMITATION: THIS MATERIAL CONFORMS AND IS REASONABLY FIT FOR THE CONDITIONS OF SALE. COMPANY MAKES NO OTHER WARRANTY OF MERCHANTABILITY, AND DOES NOT AGREE TO BE RESPONSIBLE FOR A SPECIFIC RESULT OR TO REPAIR OR REPLACE THE PRODUCT DURING A PERIOD.

READ THE DIRECTIONS: ON THE BACK OF THE PRODUCT. THESE DIRECTIONS ARE THE ONLY BASIS FOR THE USE OF THIS PRODUCT.

DO NOT: USE THIS PRODUCT ON PLANTS THAT ARE NOT LISTED ON THE LABEL. DO NOT USE THIS PRODUCT ON PLANTS THAT ARE NOT LISTED ON THE LABEL.

USES GIVEN FOR USE: IN 150 GALLONS OF WATER: EUROPEAN PINE SHOOT MOTH, LOUISIANA LEAF BOLL, ADULT, NEMATODES, MITES, POTTED PLANT, LEAF-HOPPER, SCURFY SCALE, SPIDER MITES, SPINNING, YAMMISHED PLANT, INSECT, WHITEFLY, SPINNING, OYSTER SHELL SCALE, PINE NEEDLE SCALE, BIRCH LEAPHINER, BROWN PINE SCALE, FLORIDA RED SCALE, PINNACLE SCALE, HAWKBITA, PINE LEAF SCALE, PINE CATERPILLAR, CRAWLERS, MONTREAL PINE SCALE, PINE NEEDLE SCALE, OAK SCALE, OYSTER SCALE, MITES, PINNACLE, OAK LEAVES AND PINE NEEDLE SCALES, APPLY WHEN SCALE CRAWLERS HAVE SETTLED ON FOLIAGE.

SALES, WARRANTY AND LIMITATION OF WARRANTY

CONDITIONS OF SALE: THESE DIRECTIONS ARE BASED ON TESTS OF USE. HOWEVER, BECAUSE WHICH THIS PRODUCT MAY BE FOLLOWED, IT IS IMPOSSIBLE WITH ITS USE BECAUSE OF THE SELLER. B. G. COMPANY, THIS PRODUCT SUBSTITUTES ASSUMES ALL SUCH RISKS.

WARRANTY AND LIMITATION: THIS MATERIAL CONFORMS AND IS REASONABLY FIT FOR THE CONDITIONS OF SALE. COMPANY MAKES NO OTHER WARRANTY OF MERCHANTABILITY, AND DOES NOT AGREE TO BE RESPONSIBLE FOR A SPECIFIC RESULT OR TO REPAIR OR REPLACE THE PRODUCT DURING A PERIOD.

DO NOT: USE THIS PRODUCT ON PLANTS THAT ARE NOT LISTED ON THE LABEL. DO NOT USE THIS PRODUCT ON PLANTS THAT ARE NOT LISTED ON THE LABEL.

READ THE DIRECTIONS: ON THE BACK OF THE PRODUCT. THESE DIRECTIONS ARE THE ONLY BASIS FOR THE USE OF THIS PRODUCT.

USES GIVEN FOR USE: IN 150 GALLONS OF WATER: EUROPEAN PINE SHOOT MOTH, LOUISIANA LEAF BOLL, ADULT, NEMATODES, MITES, POTTED PLANT, LEAF-HOPPER, SCURFY SCALE, SPIDER MITES, SPINNING, YAMMISHED PLANT, INSECT, WHITEFLY, SPINNING, OYSTER SHELL SCALE, PINE NEEDLE SCALE, BIRCH LEAPHINER, BROWN PINE SCALE, FLORIDA RED SCALE, PINNACLE SCALE, HAWKBITA, PINE LEAF SCALE, PINE CATERPILLAR, CRAWLERS, MONTREAL PINE SCALE, PINE NEEDLE SCALE, OAK SCALE, OYSTER SCALE, MITES, PINNACLE, OAK LEAVES AND PINE NEEDLE SCALES, APPLY WHEN SCALE CRAWLERS HAVE SETTLED ON FOLIAGE.

LABEL NO. 4115

DIRECTIONS FOR USE: CAUTION: AVOID USE ON CERTAIN FERNS, HAIR AND PTERIS, AS WELL AS SOME SPECIES OF JUNIPER. REPEAT AS NECESSARY.

MOSQUITOES, FLIES AND SMALL FLYING INSECTS: AS A FOG, AEROSOL OR SOLUTION. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPIDER MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPINNING MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPINNING MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPINNING MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPINNING MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

SPINNING MITES: USE AS A FOG OR AEROSOL. DILUTE IN 10 PARTS OF WATER. WHEN USING SERIES 2 TYPE SOLVENT, MIX WITH 1 PART OF WATER AND 1 PART OF CYTHON 50-E. HYDRANTIC PESTICIDE, 1 PART IN 10 PARTS OF WATER.

D. D.

CYTHON

50-E

WATER-SOLUBLE CONCENTRATE

DIRECTIONS FOR USE CONTINUED

CALUTION: AVOID USE ON CERTAIN FERNS INCLUDING BOSLON, MAIDEN-HAIR AND PTERIS, AS WELL AS SOME SPECIES OF CRASSULA AND CANAFO, JUNIPER. REPEAT AS NECESSARY.

MOSQUITOES, FLIES AND SMALL FLYING INSECTS: FOR USE BY TRAINED PERSONNEL AS A 2-4% FOG, AEROSOL OR SPACE SPRAY. TO MAKE A 1.0% SOLUTION DILUTE 10.0 TO 25 PARTS OF WATER, FUEL OIL OR DIESEL OIL WHEN USING KEROSENE TYPE SOLVENT AS CARRIER. DILUTE 1.0 PART TO 25 PARTS OF A MIXTURE CONSISTING OF 4 PARTS KEROSENE TYPE SOLVENT AND 1 PART ARTHALIC HYDROPHON TYPE SOLVENT FOR A SOLUTION DILUTE 1.0 PART IN 10 PARTS OF MIXTURE USING SIMILAR SOLVENTS AS CARRIER.

USE IN GREENHOUSES, WARMHOUSES, BARNYARDS, BUILDINGS WHICH HOLD BIRDS, ANIMALS, WASHED HOUSES, GARAGES, AND IN AND AROUND MEN AND WOMEN AND CHILDREN. FOOD SHOULD BE REMOVED OR COVERED DURING APPLICATION. FRESH PRODUCE, ORNAMENTALS SHOULD BE COVERED DURING APPLICATION. WASHED HOUSES SHOULD BE COVERED DURING APPLICATION. WASHED HOUSES SHOULD BE COVERED DURING APPLICATION.

FOR CONTROL OF SPRAYS:

FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET.

FOR CONTROL OF SPRAYS:

FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET.

FOR CONTROL OF SPRAYS:

FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET. FOR CONTROL OF SPRAYS: 1.0 GALLON PER 1,000 SQUARE FEET.

CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINERS. DISPOSE BY PERFORATING OR CRUSHING. SUPPLY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.



COMPANY

DALLAS, TEXAS 75220

2/10/72

DIRECTIONS FOR USE AND CONDITIONS OF SALES, WARRANTY AND LIMITATION OF DAMAGE PROVISION.

IMPORTANT: READ THESE ENTIRE DIRECTIONS, CONDITIONS OF SALE, WARRANTY AND LIMITATION OF DAMAGE PROVISION, BEFORE USING CYTHION 50 E.

CONDITIONS OF SALE: THESE DIRECTIONS FOR USE REFLECT THE OPINION OF EXPERTS BASED ON TESTS OF EFFECTIVENESS UNDER NORMAL CONDITIONS OF USE. HOWEVER, BECAUSE OF THE WIDE RANGE OF CONDITIONS UNDER WHICH THIS PRODUCT MAY BE USED, EVEN THOUGH LABEL DIRECTIONS ARE FOLLOWED, IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS ASSOCIATED WITH ITS USE BECAUSE OF ABNORMAL CONDITIONS BEYOND THE CONTROL OF THE SELLER. B & G COMPANY AND THE SELLER OFFER, AND THE BUYER USES, THIS PRODUCT SUBJECT TO THE UNDERSTANDING THAT THE BUYER ASSUMES ALL SUCH RISKS.

WARRANTY AND LIMITATION OF DAMAGES: B & G COMPANY WARRANTS THAT THIS MATERIAL CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES REFERRED TO IN THE DIRECTIONS. **CONDITIONS OF SALE:** SUBJECT TO RISKS REFERRED TO IN THESE DIRECTIONS, B & G COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY, OR ANY OTHER EXPRESS OR IMPLIED WARRANTIES, AND NO AGENT OF B & G COMPANY IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH A SPECIFIC REFERENCE TO THIS WARRANTY. B & G COMPANY, ITS AGENT, COMPANY OR THE SELLER BE LIABLE FOR CONSEQUENTIAL DAMAGES OR DEFECT DAMAGES RESULTING FROM THE USE OF THIS PRODUCT.

USE PRECAUTIONS:

NEVER TOXIC TO FISH. DO NOT CONTAMINATE SURFACE WATER BY DIRECT APPLICATION, CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES AND CONTAINERS. DO NOT USE THIS PRODUCT IN AREAS OTHER THAN THOSE SPECIFIED ON THIS LABEL. THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO SPRAYED PRODUCT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE.

FISH & WILDLIFE CAUTION:

THIS PRODUCT IS TOXIC TO FISH. KEEP OFF OF LAKE, RIVER, OR STREAM. DO NOT APPLY WHERE RUNOFF IS LIKELY TO OCCUR. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT FROM AREAS TREATED. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. USE PRODUCT ONLY AS SPECIFIED ON THIS LABEL. THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO SPRAYED PRODUCT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE.

CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINERS. DECONTAMINATE BY WASHING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE. DO NOT REUSE FOR OTHER PURPOSES.

LABEL NO. 5028



CYTHION
50-E
EMULSIFIABLE CONCENTRATE

THE PREMIUM GRADE MALATHION

CAUTION: Keep Out of Reach of Children



DALLAS, TEXAS 75220

FOUR SPECIFIED ANGU...
FILLED SPRAY TANK.
KEEP AGITATOR RUNNING
OPERATIONS. IF MIX
ENDS TO SEPARATE A
INJURY TO PLANTS MA
NETTABLE POWDERS UN
HAS PROVEN PHYSICAL
ALWAYS THOROUGHLY E
LEAST HALF OF TOTAL
POWDER.

ENVIRONMENTAL DOSAG
OF DILUTE SPRAY. A
FOR ALL USES. BUT
DO NOT USE THIS PRO
IN AREAS OTHER THAN
SPECIFIED ON THIS L
OTHER THAN THOSE S
SPECIFIED ON THIS L
THIS PRODUCT IS HIG
TO BEES EXPOSED TO
OR RESIDUES ON CROPS
PROTECTIVE INFORMAT
OBTAINED FROM YOUR
COOPERATIVE AGRICULT
EXTENSION SERVICE.



CHION
INSECTICIDE
50-E
WETTABLE CONCENTRATE

UM GRADE MALATHION

Out of Reach of Children



OMPANY

3, TEXAS 75220

DIRECTIONS FOR USE

FILL SPECIFIED AMOUNT OF WATER INTO NEARLY FULL SPRAY TANK. ADD BALANCE OF WATER TO FILL TANK. KEEP AGITATOR RUNNING DURING FILLING AND SPRAYING OPERATIONS. IF MIXTURE DOES NOT MIX READILY, BUT TENDS TO SEPARATE AS AN OILY LAYER, DO NOT USE AS IT MAY BE DANGEROUS TO PLANTS. DO NOT COMBINE WITH WETTABLE POWDERS UNLESS PREVIOUS USE OF THE MIXTURE HAS PROVEN PHYSICALLY COMPATIBLE AND SAFE TO PLANTS. ALWAYS THOROUGHLY EMULSIFY THIS PRODUCT WITH AT LEAST HALF OF TOTAL WATER BEFORE ADDING WETTABLE POWDER.

ORNAMENTALS: DOSAGES GIVEN FOR USE IN 100 GALLONS OF DILUTE SPRAY. APHIDS, EUROPEAN PINE SHOOT MOTH, FOUR-LINED LEAF BUG, JAPANESE BEETLE ADULT, MEALY-BUGS, SPIDER MITES, POTATO LEAFHOPPER, ROSE LEAF-HOPPER, SPIDER MITES, SPRINGTAILS, THORNAPPLE PLANT BOLL, TERMS, WEEBILLS, AND OTHER INSECTS. FOR USE ON: APPLE, APRICOT, BLUEBERRY, CHERRY, COGON, CUMQUAT, GUMMAGE, HAWTHORN, HAZEL, LEMON, LIME, MALBAC, MANDARIN, NECTARINE, PEACH, PEAR, PINEAPPLE, PLUM, QUINCE, RASPBERRY, RIVER BIRCH, SWEET GUM, TAMARISK, WALNUT, AND OTHER FRUIT TREES AND SHRUBS. FOR USE ON: APPLE, APRICOT, BLUEBERRY, CHERRY, COGON, CUMQUAT, GUMMAGE, HAWTHORN, HAZEL, LEMON, LIME, MALBAC, MANDARIN, NECTARINE, PEACH, PEAR, PINEAPPLE, PLUM, QUINCE, RASPBERRY, RIVER BIRCH, SWEET GUM, TAMARISK, WALNUT, AND OTHER FRUIT TREES AND SHRUBS.

FLY CONTROL: FOR THE CONTROL OF HOUSE FLIES, HOUSE DOMESTIC ANIMALS, AROUND HOMES, AROUND YARDS, AND IN AND AROUND MEAT AND FOOD PROCESSING PLANTS. FOOD SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD-PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THE PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION. MIX 2-3/4 OUNCES TO 1 GALLON OF WATER (2 GALLONS TO 100 GALLONS OF WATER), AND APPLY AT THE RATE OF 1 GALLON PER 1,000 SQUARE FEET ON PAINTED SURFACES AND 2 GALLONS PER 1,000 SQUARE FEET.

FLY CONTROL - BAIT SPRAYS:

MIX 2-1/2 OUNCES TO 1 GALLON OF WATER (2 GALLONS TO 100 GALLONS OF WATER), AND APPLY AT THE RATE OF 1 GALLON PER 1,000 SQUARE FEET ON PAINTED SURFACES AND 2 GALLONS PER 1,000 SQUARE FEET ON UNPAINTED SURFACES WHERE FLIES ALIGHT OR FEED. IN MOST CASES, THE APPLICATION OF BAIT SPRAYS TO FLIES IS NOT NECESSARY. HOWEVER, BAIT SPRAYS ARE A TREATMENT WHENEVER FLIES ARE FOUND IN LARGE NUMBERS. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED.

AREAS WHERE FLIES ARE FOUND IN LARGE NUMBERS SHOULD BE TREATED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED.

FLIES SHOULD BE KEPT FROM FEEDING ON SURFACES TREATED WITH BAIT SPRAYS. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED.

FLIES SHOULD BE KEPT FROM FEEDING ON SURFACES TREATED WITH BAIT SPRAYS. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED. BAIT SPRAYS SHOULD BE APPLIED TO SURFACES WHERE FLIES ALIGHT OR FEED.