

DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS (CONT)

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

IMPORTANT: Read these entire directions before using D & G Diazinon 4S.

IMPORTANT

Seller's guarantee shall be limited in the terms of this label and, subject thereto, the buyer assumes any risks to persons or property arising out of the use or handling and accepts the product on these conditions.

PHYSICAL AND CHEMICAL HAZARDS

Minimum flash point - 105° Fahrenheit

Do not pour, spill or store near heat or open flame.

GENERAL INFORMATION: Diazinon 4S is an oil solution containing 4 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with insecticidal base oils for the control of those insects listed below. Diazinon 4S is not intended for use in the manufacture of finished products for resale.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils.

**CAUTION: COMBUSTIBLE MIXTURE
SPRAY DILUTION CHART**

GALLONS OF FINISHED SPRAY	AMOUNT OF DIAZINON 4S TO USE FOR: 12% SPRAY	AMOUNT OF DIAZINON 4S TO USE FOR: 1% SPRAY
1	1.0 FL. OZ.*	2.0 FL. OZ.
2	2.0 FL. OZ.	4.0 FL. OZ.
3	3.0 FL. OZ.	6.0 FL. OZ.
10	10.0 FL. OZ.	20.0 FL. OZ. (1.25 Pts)
25	25.0 FL. OZ. (1.6 Pts)	50.0 FL. OZ. (3.1 Pts)
50	50.0 FL. OZ. (2.5 Pts)	100.0 FL. OZ. (7.0 Pts)

* 2 Tablespoons = 1 FL. OZ. 16 FL. OZ. = 1 Pt

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

PESTICIDE DISPOSAL - Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL - Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State or Local procedures.

DIAZINON® 4S
Insecticide

FOR DILUTION WITH INSECTICIDE BASE OILS

FOR CONTROL OF COCKROACHES, ANTS, SILVERFISH, SPIDERS, SCORPIONS, AND CERTAIN OTHER HOUSEHOLD PESTS AS GIVEN UNDER LABEL DIRECTIONS

ACTIVE INGREDIENTS:

Diazinon-4,6-Dimethyl 0-(2-isopropyl-methyl-4-Pyrimidinyl) Phosphorothioate	44.7%
Aromatic Petroleum Derivative Solvent	39.5%
INERT INGREDIENTS:	11.0%
Total	100.0%

DIAZINON 4S CONTAINS 4 LBS. DIAZINON PER GALLON

Diazinon is a Registered Trademark of Ciba-Geigy

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything to an unconscious person.
- IF INHALED** - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES** - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed.

Do not allow children in treated areas until surfaces are dry.

**FOR SALE TO, USE AND STORAGE BY
COMMERCIAL APPLICATORS ONLY**

EPA REG. NO. 0612-61
EPA EST. NO. 0612-TX-1

LABEL NO. 082982



**COMPANY
DALLAS, TEXAS 75280**

NET CONTENTS

GALLONS

TO CONTROL HOUSE
Kerosene or other
apply as indicated.

COCKROACHES (BA
of 1/2% Diazinon in
areas around water
cabinets, refrigerator
hubs. For heavy on
of 1% Diazinon, follow

CARPET BEETLES:
baseboards and edge
in closets and on

SPIDERS AND SCOR
doors, and baseboard
these pests may cre

PANTRY PESTS - E
BEETLE RICH WEE
BEAL (WYR): Appl
food containers keep
a'aving paper before
spray has dried. C
supplemental to good
breeding within food

BROWN DOG TICKS
Diazinon spray in
wall cracks, sleeping
and floor covering.
treatment. Do not t

NOTE: Diazinon 4S
function or control be
Before using Diazinon
statements and all ot

FOOD HANDLING ES
in which food is sold

APPLICATIONS WITH
Includes areas for re
housing), preparing,
(mills, dairies, edible
and facility is in oper

Apply a 1/2% to 1% Di
cracks, using equip
points between differ
floors, openings lead
and base, where and
exposed steps of sou
halls, drugstore bas

Care should be taken
or introducing the m
preparing surfaces.

APPLICATIONS OF TH
ESTABLISHMENTS, O
ARE NOT PERMITTED

ITS (CONT)

resistant with

can be

ject therefo
to use or

the
more effe
ved
which
and
used by
dry. Do

TO USE FOR:
18 SPRAY
2.8 FL.OZ.
5.6 FL.OZ.
11.2 FL.OZ.
22.4 FL.OZ.
(1.25 Pts)
33.6 FL.OZ.
(2.1 Pts)
44.8 FL.OZ.
(7.0 Pts)

OR DISPOSAL
cannot be
opened af
under the
for recycling
submit, or by



DIAZINON[®] 4S

Insecticide

FOR DILUTION WITH INSECTICIDE BASE OILS
FOR CONTROL OF COCKROACHES, ANTS, SILVERFISH, SPIDERS, SCORPIONS, AND CERTAIN OTHER
HOUSEHOLD PESTS AS GIVEN UNDER LABEL DIRECTIONS

ACTIVE INGREDIENTS:

Diazinon-8,8-Dialkyl 0-(2-Isopropyl-Methyl-4-Pyridinyl) Phosphorothioate	44.75
Aromatic Petroleum Derivative Solvent	39.50
INERT INGREDIENTS	11.00
Total	100.00

DIAZINON 4S CONTAINS 1 LBS. DIAZINON PER GALLON
Diazinon is a registered trademark of Ciba-Geigy

KEEP OUT OF REACH OF CHILDREN WARNING STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything to an unconscious person.
- IF INHALED** - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN** - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES** - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed.
Do not allow children in treated areas until surfaces are dry.

FOR SALE TO, USE AND STORAGE BY COMMERCIAL APPLICATORS ONLY

EPA REG. NO. 0612-01
EPA EST. NO. 0612-TX-1

LABEL NO. 082982



COMPANY
DALLAS, TEXAS 75280

NET CONTENTS
GALLONS

DIRECTIONS FOR USE (CONTINUED)

TO CONTROL HOUSEHOLD INSECTS: Dilute Diazinon 4S with deodorized Kerosene or other suitable base oil to make a 1/2% or 1% Diazinon spray and apply as indicated below. Repeat application as necessary.

COCKROACHES (WATERBUGS), ANTS, SILVERFISH: Make spot applications of 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerator, sinks, stoves, and similar areas where these insects hide. For heavy cockroach infestations, make the first application of a strength of 1% Diazinon, followed by monthly applications of 1/2% Diazinon.

CARPET BEETLES: Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS: Apply a 1/2% Diazinon spray around windows, doors, and baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS - EXPOSED STAGES (SAW-TOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, BRUGSTORE BEETLE, INDIAN MEAL MOTH): Apply a 1/2% Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS IN BUILDINGS: Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

NOTE: Diazinon 4S is not recommended for use in conductors, meter housings, junction or switch boxes because of shock hazard.

Before using Diazinon 4S, read and carefully observe the warning and caution statements and all other information appearing on the product label.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, planned, prepared or served.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and finished processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) would also be considered a food area.

Apply a 1/2% to 1% Diazinon 4S in small amounts directly into cracks and crevices, using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where cockroaches, ants, silverfish, spiders, scorpions and the exposed stages of saw-toothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle and Indian-meal moth hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE APPLICATION, ARE NOT PERMITTED.