

PM 17 8612-71
- 3157

1 4x1 5 55

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. In case of contact, flush skin and eyes with plenty of water for at least 15 minutes and contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife agency before treating such waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SYN-PY M.A.C. is to be used for Adult Mosquito control in ground applications with nonthermal or mechanical spray equipment that can deliver spray particles definitely within the aerosol size range and at specified dosage levels.

Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

SYN-PY M.A.C. may be used to spray parks, campsites, woodlands, athletic fields, golf courses, swamps, tidal marshes, residential areas and municipalities, around the outside of apartment buildings, restaurants, stores and warehouses. Do not spray on cropland, feed or foodstuffs.

ULTRA LOW VOLUME APPLICATIONS

For truck mounted nonthermal ULV equipment similar to Leco HD Sprayer. Adjust equipment to deliver fog particles of 12 microns mass median diameter. Apply at the rate of 3 fluid ounces of undiluted concentrate per acre as a 300 foot swath at a truck speed of 5 M.P.H. This is equivalent to 0.007 pounds of active ingredient per acre.



SYN-PY M.A.C.
FOR EFFECTIVE ADULT MOSQUITO CONTROL
TO BE APPLIED BY MOSQUITO ABATEMENT DISTRICTS,
PUBLIC HEALTH OFFICIALS AND OTHER TRAINED PERSONNEL
IN MOSQUITO CONTROL PROGRAMS.

ACTIVE INGREDIENTS:	
**Resmethrin	4.22%
INERT INGREDIENTS:	95.78%
TOTAL	100.00%

*CIS/TRANS ISOMERS RATIO: MAX. 30% (±) CIS and Min. 70% (±) TRANS
CONTAINS 0.50 POUNDS OF ACTUAL SBP-1382 PER GALLON

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Side Panel for Additional Precautions

"RESTRICTED USE CLASSIFICATION"

Due to acute fish toxicity
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

Manufactured by



COMPANY
DALLAS, TEXAS 75220

EPA REG. NO. 8612-71
EPA EST. NO. 8612-TX-1

Label No 923608

NET CONTENTS

GALLONS

DIRECTIONS FOR USE (continued)

For use in nonthermal ULV Portable Hudson B.P. Mix 1 quart, 9 fluid ounces of light mineral oil of 74 sec deliver fog particles of 18 microns mass of 8 fluid ounces of finished formulation walking at a speed of 2 M.P.H. This active ingredient per acre

Fog only when air currents are less than 1 mph during early morning and late afternoon convection currents are minimal. Arrang with breeze to obtain maximum swath length spray head of equipment in a manner throughout the area to be treated.

Guide the direction of the equipment maintained at a distance of more than fifteen feet or more from painted objects require periodical adjustment of equipment at the specified speed of travel. This distribution of the proper dosage of final

STORAGE AND

Do not contaminate water, food or feed
PESTICIDE STORAGE: Store at temperatures below 40° F., war room and mix well before using.

PESTICIDE DISPOSAL: Pesticide, cannot be used or chemically reprocessed landfill approved for pesticides. disposal authorities for approved alternate

CONTAINER DISPOSAL: Properly rinse (or equivalent) and offer for puncture and dispose of in a manner allowed by state and local authorities out of smoke.

NOT

Seller's guarantee shall be limited to thereto, the buyer assumes any risks the use or handling and accepts the pr