PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

nful if swallowed. Avoid breathing spray mist, Avoid contact with skin. Wash oughly after handling. Do not contaminate food or feed products. Avoid contamination slik, milk equipment, water, drinking fountains and feed troughs. Do not treat animals er one month of age.

STATEMENT OF PRACTICAL TREATMENT

SWALLOWED: Induce vomiting by giving 2 glasses of water and touching back of throat 1 finger, and call a physician immediately. Nover give anything by mouth or induce iting in an unconscious person.

INHALED: Remove person to fresh air, and call a physician. Administer oxygen if essary.

N EYES: Flush with plenty of water for at least 15 minutes.

ON 5KIN. Wash thoroughly with soap and water. Remove contaminated clothing and do reuse without laundering. Call a physician.

TE TO PHYSICIAN: May chuse cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

s product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes and saries. Do not apply where runoff is likely to occur. Do not apply when weather ditions favor drift from sreas treated. Do not contaminate water by cleaning of ignment or disposal of wastes. Shrimp and crab may be killed at application rates ommended on this label. Do not apply where these are important resources. Apply this duct as specified on this label.

is product is highly toxic to bees exposed to direct treatment or residues on crops, itective information may be obtained from your cooperative agricultural extension vice.

PHYSICAL AND CHEMICAL HAZARDS

not use, pour, spill or store near heat or open flame. Minimum flash point 102.295

TE: CYTHION 57 EC may cause spotting on automobile paint finish. Cars should not be wyed directly. If accidental exposure occurs, the car should be washed immediately.

DIRECTIONS FOR USE

is a violation of Federal law to se this product in manned inconsistent with its eling.

ply CYTHION 57 EMULSIFIABLE CONCENTRATE for the control of reaches, ants, iders, silverfish, crickels, bedbugs, fleas and exposed stages of flat grain beetles, fian meal moths, red flour beetles, rice weevil, granary weevil, rusty grain beetle and w-toothed grain beetle.

HOUSEHOLD INSECT CONTROL

ute CYTIBION 57 EMULSIFIABLE CONCENTRATE at the rate of 4 ounces per gallon of ter to control the following household pests.

ICKROACHES, ANTS AND SILVERFISH: Make spot applications as a coarse spray or ply with a paint brush to baseboards, areas around water pipes, cracks and crevices, rfaces behind and beneath cabinets, refrigerators, sinks and stoves.



ACTIVE INGREDIENTS:

Malathion (0, 0-dimethy) dithiophosphate of diethyl mercaptosuccinate ... Xylene range aromatic solven! INERT INGREDIENTS: TOTAL:

> * Registered trademark of American Cyanamid Co. U.S. Patent # 2,980,723



ΥÇ.

÷

DIRECTIONS FOR USE (continued)

SPIDERS AND CRICKETS: Apply spray around windows, doors and along baseboards.

PANTRY PESTS - Exposed stages (flat grain beetle, granary weavil, Indian meal moth, red flour beetle, rice weevil, rusty grain beetle, and saw-toothed grain beetles: Apply spray the bedre red wetter and the same toothed grain beetles. to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

BEDBUCS: Dilute CYTHION 57 EC at the rate of 2 to 4 tablespoonfuls per 1 gallon of deodorized kerosene. Apply lightly to all mattress surfaces in sufficient quantity to "mist" the fabric and generously to beds and woodwork with special care taken to wet an possible hiding places. Repeat application as necessary.

FLEA CONTROL

ON DOGS AND CATS - Direction Application: Apply spray of 1 ounce of CYTHION 57 EC per 1 gallon of water. Wet the animals thoroughly using a hand sprayer. Repeat treatments may be used within 2 to 3 weeks. Do not treat animals under 1 month of age.

ANIMAL QUARTERS: For control of fleas in kennels, pens, yards, lawns and under houses. Dilute 5 ounces of CYTHION 57 EC in 1 gallon of water and apply at the rate of 1 gallon per 1,000 square feet. Use garden aprayer. Remove manure or debits before spraying. Repeat treatment within 3 to 4 weeks if necessary.

MOSQUITO CONTROL

MOSQUITO LARVAE IN STANDING WATER - Intermittently Flooded Areas, Stagnant Water, Temporary Rain Pools: Apply CYTHION 57 EC at the rate of 13 fluid ounces (approximately 1/2 pound) of Cythion per acre. Mix in sufficient water or oll when applied by sir or ground equipment.

MOSQUITOES, FLIES AND SMALL FLYING INSECTS OUTDOORS - As a Spray: Dilute 1 part CYTHION 57 EC to 28 parts water, fuel oil or deset oil.

Avoid applying oil based formulations to valuable ornationtal plants as injury may ocur.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in tocked storage area.

· r

 \sim

PESTICIDE DISPOSAL: Wastes resulting from this product may be disposed of un site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfull, or incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

NOTICE Sciler's guarantee shall be limited to the terms of the label, and subject thereto, the buyer assumes any risk to persons or property sticing out of use or handling and accepts the product on these conditions.

۰.