



# PYRENONE®

EMULSIFIABLE CONCENTRATE  
FOR PROFESSIONAL USE ONLY

A Food Industry Insect Spray for use in Bakeries, Bottling Plants,  
Canneries, Flour Mills, Grain Elevators, Hospitals, Hotels,  
Motels, and Restaurants.

Provides Rapid Kill of Insects Named Without Objectionable Residues  
May be Diluted with Either Water or Oil

The insecticidal components (piperonyl butoxide and pyrethrins)  
are classified as food additives, and when this product is used as directed,  
allowable tolerance levels will not be exceeded.

**ACTIVE INGREDIENTS:**

Pyrethrins .....	1.0%
Piperonyl Butoxide, Technical* .....	10.0%
Petroleum Distillate .....	79.0%
<b>INER. INGREDIENTS:</b> .....	<b>10.0%</b>
<b>TOTAL:</b> .....	<b>100.0%</b>

\*Equivalent to 8.0% of (butylcarbityl) (5-propyl-piperonyl)ether  
and to 2.0% of related compounds.  
PYRENONE® is a Registered Trademark of Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

EPA REG. NO. 8612-93  
EPA EST. NO. 8612-TX-1

MANUFACTURED BY



COMPANY  
DALLAS, TEXAS 75202

LABEL # 1008751-08

NET CONTENTS

GALLONS

9-16-86

## DIRECTIONS FOR USE (continued)

To control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings and floors. Repeat treatment as needed.

To control Fleas and Brown Dog Ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

### SPACE SPRAY

Dilute at a rate of 1 part concentrate to 19 parts water or oil. apply with mechanical or compressed-air equipment (non-thermal) adjusted to deliver a fine mist. Close doors and windows and shut off ventilating systems.

For rapid control of Flies, Fruit Flies, Gnats, Mosquitoes, Skipper Flies, Wasps, Hornets, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths and Tobacco Moths: Direct spray at an upward angle distributing it uniformly through the entire area at a rate of 1 ounce per 1,000 cubic feet of space. Keep area closed for at least 10 minutes. Ventilate and sweep up dead insects before reoccupying.

Food Handling Establishments: A dilution of no less than 1 to 1 (50%) is acceptable and it must be dispersed from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store upright at room temperature. Avoid exposure to extreme temperatures.

**PESTICIDE DISPOSAL:** Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

## NOTICE

Seller's guarantee is limited to the terms of this label and subject thereto the buyer assumes any risks to persons or property arising out of the use or handling and accepts the product on these conditions.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30CFR 11.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove any birds, pets or fish aquariums before spraying. Vacate premises after treatment and ventilate before reoccupying. Sweep up and remove dead insects. Repeat treatment when reinfestation occurs.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed to do so by a physician. Aspiration is a potential hazard.

**IF IN EYES:** Flush with plenty of water. Contact a physician if irritation persists.

**IF ON SKIN:** Wash affected areas with plenty of soap and water.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a deodorized petroleum oil is recommended.

For maximum effectiveness, a combination of localized surface application and space treatment is recommended.

**SURFACE SPRAY**

For initial clean up of severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts water or oil. For normal infestations, dilute 1 part of concentrate in 9 parts water or oil.

To control Roaches, Ants, Silverfish, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadellids: Use a good sprayer adjusted to deliver a coarse, wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray trails, nests and point of entry. If surface application only is to be used, spray floors, walls and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

