PRECAUTIONARY STATEMENTS Hazards To Humans and Domestic Animals

CAUTION

May be harmful if swallowed or absorbed through the skin. Do not contaminate feed or food. Avoid prolonged contact with skin. Wash thoroughly after using and before eating or smoking. May cause eye irritation. Avoid eye contact.

SYMPTONS OF POISONING: A sense of 'tightness' in chest, sweating, contracted pupils, stomach pains, voniting, diarrhea.

Environmental Hazards

This pesticide is tasks to tish and wildlife and is extremely toxic to aquatic invertebrates. Birds and other wildlife feeding in treated areas may be killed. Do not apply to water or writinds. Runoff from treated areas may be hazardous to aquatic organisms in heighboring areas. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning oil equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of rederal Law to use this product in a manner inconsistent with its labelia.

BAN BUG BAIT is a ready to use product for the control of crickets, ants, pillbugs, earwigs and the cockroachee listed below. Insects specified on this label die quickly after feeding on the bait. Bait should be measured and distributed using an 8 ox measuring cup, that is used only for this purpose.

COCKROACHES: American, German and Oriental cockroaches.

For use in and around homes, apartment buildings, stores, restaurants, from food areas? and warehouses.

Do not use in edible product areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contamination of feed or food stuffs.



An Insecticide
For Control of Cockroaches, Crickets, Ants, Pilibugs, Earwigs

ACTIVE INCREDIENT:

Dylox is a Registered Trademark of the Parent Company of Parbenishriken Bayer, GMBM, Leverhusen.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center Immediately. If possible,

vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything to

an unconscious or a convulsing person.

IF INHALED . Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN . Remove contaminated clothing and wash affected areas with soap and

water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation

persists.

NOTE TO PHYSICIAN: ANTIDOTE - Atropine Sulphate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with Atropine, only if symptons of cholimeterase inhibition are present.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

EPA REG. NO. | 8612-105 EPA EST. NO. 8612-1X-1

LASEL NO. 087682



COMPANY Dallas, Texas 78880 POUNDS

DIRECTIONS FOR USE (continued) INDOOR USE

Apply 4 of, of bait per 1000 sq. ft. Apply bait on paper, pasteboard, plastic bait stations or other material that will permit removal. Locate these stations in storage areas, behind appliances, in will voids or other areas where insects may have been observed. Do not apply bait in edible product areas. "Apply only in areas inaccessible to children and peris." This product shall not be used in rooms or areas where insects wither consumed or propared.

OUTDOOR USE

Application should be limited to only non-food crop and non-grazing areas.

- Perimeter Treatment: Use as a broadcast treatment at the rate of 1/2 to 1 pound per 1000 sq. ft, of area around homes and buildings to control reaches, ants. Crickets, pillburys and earwigs.
- Area Treatment: Apply 20 to 30 pounds of BAN BUG BAIT per acre to control listed insects.
- Mound Treatment for Texas Narvester Ait. Apply 273 to 1 cup of BAN BUC BAIT per mound for control of Texas Harvester Ant. Apply as a broadcast treatment over mound surface. Repeat application as need: Inspect mount regularly, and repeat application if Ant Accounty is spoited.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL. Do not contaminate water, frod, or fined by storage of disposal Master resulting from the use of this product may be disposed of on site or or all supremed waste disposal facility.

CONTAINER DISPOSAL PLASTIC CONTAINER. Trayle runce for equivalent, show offer the recycling or reconditioning, or puncture and dispersion may be abundary land fill, or an accurate or, it allowed by state and local authorizing, by burning. If humoristic you for mark

PESTICIDE STORAGE: Store to cool dry place and in such a manner as its presentations contamination with other pesticides, fertilizers, food, and feed. Store in unique discretion and not of reach all children professibly in a feeded dronge trea. He die and an expertisor in a manner as to prevent spillage. If the container is leaking or material spilla for the reason or cause, carefully sweep material into pile. Peter to precautiveary stream or the label by hazards associated with the handling of this attribute. Dono it with through soil of material. Dispose of pesticide as directed above. In shift incidents keep in nithous or people ways.

IMPORTANT

Seller's quarantee shall be limited to the terms of this label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

Do not use this product for any uses other than those specified on this label

JAN 17 1986

United the pesticide Act to the pesticide Act to pesticide Ac

45