

ACCEPTED

JAN 16 1986

General Insecticide,
Rodenticide Act
Reg. No.
8612-106

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not spray when bees are actively visiting vegetation or weeds among in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

WARNING: COMBUSTIBLE MIXTURE

Do not use, pour, spill or store near heat or open flame.

NOTE: DURSBAN® 21D is not recommended for use in conduits, motor housing, junction or switch boxes because of shock hazard.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Do not allow to freeze. Do not store below 32°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerator, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For wastes are acutely hazardous. Improper disposal of excess spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable in use, and buyer assumes the risk of any such use.

DURSBAN® 21D

DURSBAN® 21D CONTAINS DURSBAN AND VAPONA

A Water Emulsifiable Formulation of Chlorypyrifos and DDVP for Fast-Acting, Long-Lasting Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders and Brown Dog Ticks In And Around Residential, Commercial, Industrial and Institutional Structures. Also Use Out-of-Doors As An Aid In Reducing Antennence Free Fleas and Ticks.

ONLY FOR SALE TO, USE, AND STORAGE BY PEST CONTROL OPERATORS AND PUBLIC HEALTH OFFICIALS

ACTIVE INGREDIENTS:

Chlorypyrifos [0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]... 16.00

2,2-Dichlorovinyl dimethyl phosphate 7.00

Related Compounds 6.00

TOTAL 29.00

Contains Zylene Range Hydrocarbons.

Contains 1.34 pounds of Chlorypyrifos and 0.67 pound of 2,2-dichlorovinyl dimethyl phosphate (DDVP) and related compounds per gallon.

DURSBAN® is a Registered Trademark of Dow Chemical Company.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin or clothing. Do not breathe fumes. Rapidly absorbed through skin. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, protective clothing and goggles or face shield. Keep all unprotected persons out of treated areas. Wear a respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety & Health, under the provisions of 30 CFR Part II, for DDVP protection. Do not allow children or pets to contact treated areas until spray has dried. Do not allow children to lie or sleep in treated areas for six hours after treatment.

NOTE TO PHYSICIAN: Contains Petroleum Distillates; avoid aspiration hazard.

Danger Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pupils, dizziness, sweating, nausea, vomiting, diarrhea and abdominal cramps. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidote. 2-Pin is also antidotal and may be administered in conjunction with atropine.

KEEP OUT OF REACH OF CHILDREN

POISON - DANGER

Statement of Practical Treatment

IF SWALLOWED: Call a physician or poison control center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes gently with water. Call a physician immediately.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

EPA REG. NO. 8612-106

EPA EST. NO. 8612-T7-1



Manufactured For

NET CONTENTS

GALLONS

It is a violation of Federal Law to use this product recklessly.

General Information: Use DURSBAN® 21D insecticide the areas listed below by application as a dilute or 0.125% DDVP or a concentrate spray containing 1% Use the dilute spray to control light infestations or a dilute DURSBAN® 21D only with water as shown in CHART. Repeat treatment as needed.

SPRAY DILUTION CHART

Galons of Spray Waters Desired	Field Coverage Concentrate %
1	6
3	12
5	20
10	40

1 Gallon water = 2 tablespoons/100 = 6 teaspoons

FOOD HANDLING ESTABLISHMENTS - Places where prepared food is held, processed, prepared or served

FOOD AREAS. APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT - Includes areas for receiving, storage, packing, food preparing, edible waste storage and enclosed process areas, e.g., spray). Serving areas where food is exposed a considered food areas. Prepare the spray so none come directly into cracks and crevices using pin straw of insecticide in points between different equipment and floors, openings leading to vendor and bins, where cockroaches, crickets, fleas Do not apply in conduits, motor housings, junction or equipment because of possible shock hazard. Care is the product onto exposed surfaces or introducing contamination of food or food processing surfaces. **IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.**

SERVING AREAS: Facilities where prepared foods a but excluding areas where foods may be prepared recommended in the table and apply as a spot treat around doors, under elements of construction and treating surfaces likely to be contacted by food. On equipment or foods are exposed.

NON-FOOD AREAS: Includes garbage rooms, level entries and vestibules, offices, locker rooms, snack and closets, and storage (after canning or is recommended in the table and apply as a spot treat pipes, surfaces behind and beneath sinks, ledges, where insects hide or through which they may enter.

APPLICATION WITHIN RESIDENTIAL BUILDINGS AND IN NON-RESIDENTIAL COMMERCIAL BUILDINGS INCLUDING NON-FOOD MANUFACTURING PLANTS AND WAREHOUSES: Use aerosol spray or with a paint brush to treat around or straws resistant to certain other insecticides), ants, spiders are found or normally occur, including the cracks and crevices in walls, along and behind base boards, refrigerators and cabinets; around plumbing and, apply to ant traps. Also around doors and points may find entrance.

PEST CONTROL OF BROWN DOG TICKS: Thoroughly spot treatment to infested areas such as pet beds on and crevices, along and behind baseboards, under areas of floor and floor covering where these pests pots should be removed and replaced with clean, free from ticks with this product.

FLEAS AND MOSQUITOES: Use only out-of-doors on these insects. Thoroughly apply a concentrate spray door frames as well as other areas where these structures. Also spray dark corners and locations where fleas and mosquitoes may congregate. Repetition.