

8612-109

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards To Humans

MAY BE FATAL IF SWALLOWED • MAY BE ABSORBED THROUGH SKIN

MAY BE INJURIOUS TO EYES AND SKIN

Do Not Take Internally • Do Not Get In Eyes or on Skin • Wash Thoroughly After Handling • Wash Contaminated Clothing Before Reuse • Flush Contaminated Eyes with Plenty of Water and Get Prompt Medical Attention • Avoid Breathing Vapors and Spray Mist • Avoid Spraying Food Crops • Keep Away from Food, Feedstuffs, and Domestic Water Supplies • Keep Container Closed • Handle Concentrate in a Ventilated Area

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. If On Skin: In case of contact remove contaminated clothing and immediately wash skin with soap and water. If In Eyes: Flush eyes with plenty of water for 15 minutes. Call a physician. Note To Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Physical and or Chemical Hazards

COMBUSTIBLE: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

Environmental Hazards

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DURSBAN 2E, Insecticide is toxic to fish, birds, and other wildlife. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

ACCEPTED
8612-109
APR 20 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No.

DURSBAN® 2E

INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel for
Precautionary Statements

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Foods, Feeds,
Drugs or Clothing

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water,
food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from this
product may be disposed of on site or at an
approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent),
then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill,
or incineration, or if allowed by state or local
authorities, by burning. If burned, stay out
of smoke.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl
0-(3,5,6-trichloro-2-pyridyl)
phosphorothioate)..... 22.41

INERT INGREDIENTS..... 77.59

Contains 2 Pounds of Chlorpyrifos
per Gallon.

This product contains xylene

DIRECTIONS FOR USE

It is a violation of federal law to use this
product in a manner inconsistent with its
labeling.

READ AND FOLLOW COMPLETE DIRECTIONS
FOR USE AND OTHER IMPORTANT INFORMA-
TION GIVEN IN BOOKLET ATTACHED TO
PRODUCT CONTAINER

**FOR SALE TO, USE AND STORAGE BY
COMMERCIAL APPLICATORS ONLY**

EPA REG. NO. 8612-RNO
EPA EST. NO. 8612-TX-1



COMPANY

DALLAS, TEXAS 75220

NET CONTENTS

GALLONS

DALLAS, TEXAS 75202

COMPANY



8612-109

DURSBAN^{*} 2E
INSECTICIDE

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5-12-105

Chemical Company



DURSBAN[®] 2E INSECTICIDE

Controls Numerous Pests of
Households, Turf and
Ornamental Plants. Also
Recommended for Mosquito
Control and
Area Control of
Ticks and Chiggers.

To Be Applied By or Under the Super-
vision of Pest Control Operators, Public
Health Organizations, Mosquito Abate-
ment Districts, and Other Trained
Personnel Responsible for Insect Control
Programs.

8612-109

EPA REG. NO. 8612-RND
EPA EST. NO. 8612-TX-1

Trademark of the Dow Chemical Company

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

PRECAUCION AL USUARIO: Si usted no lee
ingles, no use este producto hasta que la
etiqueta le haya sido explicada completamente.

TRANSLATION: (TO THE USER) If you can-
not read English, do not use this product
until the label has been fully explained to you.

AGRICULTURAL CHEMICALS

Do Not Ship or Store with Food, Feeds, Drugs
or Clothing.

ACTIVE INGREDIENTS

Chlorpyrifos 16,6-diethyl 8-(3,5,6-
trichloro-2-pyridyl)
phosphorothioate..... 22.4%

INERT INGREDIENTS

Contains 2 Pounds of Chlorpyrifos
per Gallon.

This products contains xylene.

EPA REG. NO. 8612-RND
EPA EST. NO. 8612-TX-1

1/123

CONTENTS

Page No.

PRECAUTIONARY STATEMENTS.....	3
Hazards to Humans.....	3
Statements of Practical Treatment.....	3
Physical or Chemical Hazards.....	3
Environmental Hazards.....	4
PESTS INDOORS.....	5
General Information.....	5
Spray Dilution Chart.....	5
Applicator Method.....	5
Food Handling Establishments.....	5
Residential Buildings.....	5
Control of Carpet Beetles.....	5
Control of Brown Dog Ticks.....	5
PESTS OUT-OF-DOORS.....	5
General Information.....	5
Outside Surfaces of Buildings.....	5
Lawn, Ornamental and Turf Areas.....	5
Pests of Ornamentals.....	5
Wood Boring Insects.....	5
Use on Turf Charts.....	5-12
Peach Tree Borer.....	14
Native Elm Bark Beetle.....	14
Area Control of Ticks and Chiggers.....	15
Imported Fire Ants.....	15
Use Charts for Ornamentals.....	17-18
Marginal Control.....	18
For Waste Water Chart.....	21
Conditions and Rates Chart.....	21
STORAGE AND DISPOSAL.....	21
NOTICE.....	22

KEEP OUT OF REACH OF CHILDREN

WARNING PRECAUTIONARY STATEMENTS Hazards To Humans

MAY BE FATAL IF SWALLOWED
MAY BE ABSORBED THROUGH SKIN
MAY BE INJURIOUS TO EYES AND SKIN

Do Not Take Internally - Do Not Get in Eyes or on Skin - Wash Thoroughly After Handling - Wash Contaminated Clothing Before Reuse - Flush Contaminated Eyes with Plenty of Water and Get Prompt Medical Attention - Avoid Breathing Vapors and Spray Mist - Avoid Spraying Food Crops and Keep Away from Food, Feedstuffs and Domestic Water Supplies - Keep Container Closed - Handle Concentrate in a Ventilated Area.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. If On Skin - In case of contact, remove contaminated clothing and immediately wash skin with soap and water. If In Eyes - Flush eyes with plenty of water for 15 minutes. Call a physician. Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by direction is an antidote.

Physical or Chemical Hazards COMBUSTIBLE

Do Not Use or Store Near Heat or Open Flame
Do Not Cut or Weld Container

9612-109

Page 1

Environmental Hazards

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DURSBAN® 2E is toxic to fish, birds and other wildlife. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where there are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PEST INDOORS

General Information: Use DURSBAN® 2E insecticide to control the pests indicated in the areas listed below by application as a 0.25% or 0.5% chlorpyrifos spray. Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute DURSBAN® 2E with water or with a suitable base oil as shown in the following SPRAY DILUTION CHART. Repeat the treatment as needed.

*Use 100% quaternized kerosene for oil-based sprays. It is to be applied in food handling establishments.

NOTE: Where quick "knockdown" and/or "flushing action" is desired, dichlorvos (DDVP) or pyrethrin may be added to the spray mixture containing DURSBAN® 2E insecticide. For best results, use dichlorvos at a concentration of 0.25% in both water and oil-based sprays. Use pyrethrin at 0.25% in water-based and 0.5% in oil-based sprays. Consult labeling for the dichlorvos or pyrethrin product used to determine the amount needed to give the desired spray concentration. Also read and observe all use and handling precautions for these products. Do not use DURSBAN® 2E in combination with dichlorvos (DDVP) or pyrethrin for treatment of food areas of food handling establishments.

BEST DOCUMENT AVAILABLE

8612-109

BEST DOCUMENT AVAILABLE

SPRAY DILUTION CHART

Galons of Spray Mixture Desired	Fluid Ounces of DURSBA [®] 2E in the 0.25% spray	Fluid Ounces of DURSBA [®] 2E in the 0.50% spray
Water from spray		
1	3-1/4	2-2/3
2	4	4
3	6-2/3	6
5	10-1/4	10
10		20
Oil based sprays		
1	1	2
2	2	4
3	3	6
5	5	10
10	10	20

Note: 1 fluid ounce = 2 tablespoons = 6 teaspoons
*Formulated on basis of dusted material

Application within Food Handling Establishments (places other than private residences in which food is held, processed, prepared or served), including, but not limited to, Restaurants, Grocery Stores, Bakeries, Bottling Plants, Canneries and Cream Mills. Use as a spot treatment in and around both food and nonfood areas to control cockroaches (including strains resistant to other insecticides), ants, crickets, firebrats, silverfish, spiders and stored product insects such as confused flour beetles, saw-toothed grain beetles, Indian meal moths, rice weevils, Mediterranean flour moths and red flour beetles. Apply as a coarse, low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners or rooms and closets; along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains, and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass cracks and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at joints between different elements of construction; or between equipment and floors. Equipment capable of delivering a stream of insecticide should be used. Repeat treatment as needed but not more than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back), DURSBA[®] 2E may be applied after 2 days from last treatment but emergency use should be limited to once per month.

3612-109

BEST DOCUMENT AVAILABLE

Applications of this product in food handling establishments other than as a spot and or crack and crevice treatment are not permitted.

Application within residential buildings including homes and apartment buildings and within non-food areas of industrial, institutional and commercial buildings including hospitals, stores, manufacturing plants and warehouses:

For Spot Treatment Only - Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, silver moths, crickets, fleas, etc., are found. Apply to normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, ask around doors and windows and where it is these pests may find entrance. For bed bugs, use a 0.5% spray only. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For Control of Carpet Beetles - Thoroughly apply a 0.5% spray as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and or shelving, and wherever else these insects are seen or suspected.

For Control of Brown Dog Ticks - Thoroughly apply a 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices along and behind baseboards, under and over frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. DO NOT TREAT PETS WITH THIS PRODUCT.

Attention (Pests Indoors): Do not apply water-based sprays of this product in conduits, meter housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas, use only oil based sprays. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

PESTS OUT-OF-DOORS

General Information: Use DURSBAK 2E insecticide for control of certain pests on outside surfaces of buildings and on lawns and ornamental plants for area control of ticks and chiggers and for mosquito control. Consult the following directions for dosage and application details to control the pests listed.

Pests on Outside Surfaces of Buildings: Use DURSBAK 2E at the rate of 1/2 to 1 lb. per one gallon of water (0.5% chlorpyrifos emulsion) to control ants, silver moths, crickets, fleas, etc., earwigs, flies, mosquitoes, scorpions, spiders and ticks by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

8612-109

NOTE: To prevent infestation of buildings by ants, termites, earwigs, millipedes and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to a height of 2 to 3 feet, where pests are active and may find entrance. Use 1 pint of DURSBAN[®] 2E per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 sq. ft. it thoroughly and uniformly wet the band area.

Pests of Lawns and other Ornamental and Recreational Turf Grass Areas: Use DURSBAN[®] 2E to control pests listed in the following table by application at the recommended dosages and in accordance with the directions given below. Dilute DURSBAN[®] 2E in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low-pressure spray using suitable application equipment. Thoroughly water immediately after treatment to wash the insecticide into the turf, except as noted. For best results the lawn should be moist at time of treatment.

Pests of Ornamentals: Use DURSBAN[®] 2E insecticide to treat flowers, shrubs, vines, shade and flowering trees, and evergreens found to be infested with pests listed in the following table. Dilute DURSBAN[®] 2E with water according to directions given in the table and apply using suitable hand or power spray equipment in a manner to provide complete and uniform coverage. For best results, apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage, but avoid overspraying to the point of excessive runoff. Treat when pests appear and repeat at 10 to 14 day intervals if needed. NOTE: Do not use on azaleas, camellias, Forsythias, rose bushes or variegated plants because of possible injury to these plants.

Wood Boring Insects Infesting Shrubs and Trees such as Dogwood Borer, Lilac Borer, Ash Borer and Rhododendron Borer. Apply DURSBAN[®] 2E to the trunks and lower limbs of trees and shrubs when the adults begin to emerge. Consult your State Agricultural Experiment Station or Extension Service Specialist for proper time to treat in your area. Mix at the rate of two quarts of DURSBAN[®] 2E in 100 gallons of water and apply uniformly as a coarse, low-pressure spray.

BEER DOCUMENT AVAILABLE

2612-109

DOSAGES and DIRECTIONS for USE on TURF

Pest	Dosage DURSBAN 7E per 1000 sq. ft.	Remarks
Ants Armyworms Chiggers Chinch bugs Clover mite Crickets Cutworms Earwigs Fleas Grasshoppers Sod webworms Ticks	1-1/2 fl. oz.	Spray when pests first appear; retreat when needed. For sod webworms delay watering or mowing the treated area for 12 to 14 hours after treatment.

BEST DOCUMENT AVAILABLE

DOSAGES and DIRECTIONS for USE on TURF

Pest	Dosage DURSBAN 7E per 1000 sq. ft.	Remarks
Turfgrass (Hyperodes) weevil	1 fl. oz.	Spray suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service specialist in your area.
White grubs (including European chafer, northern masked chafer and Japanese beetle larvae)	1 to 6 fl. oz.	For white grubs spray when grubs are young and actively feeding near the soil surface, usually during late July and August or as recommended by your local Agricultural Extension Service specialist for your area. Immediately after spraying, irrigate the treated area with 1/2 to 1 inch of water to wash the insecticide in the underlying soil.
Bluegrass billbug	3 to 6 fl. oz.	Spray early in the season when adults first appear. Retreat when needed.

1 1/2 fl. oz. per 1000 sq. ft. or 1-1/2 fl. oz. per 5000 sq. ft. = 1 pint per 10,000 sq. ft. = 2 quarts per acre.

8612-109

BEST DOCUMENT AVAILABLE

Peach Tree Borer. Apply DUREBAN[®] 2E to the trunk of trees and shrubs of the Genus *Prunus* in water as a trunk spray before hatched larvae enter the trees. Apply as a coarse, low-pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Consult your State Agricultural Experiment Station or Extension Service specialist for proper time to treat your area.

NOTE: Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to sunlight conditions.

Attention (Lawn & Ornamental Plant Pests): Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden, fishpools and other bodies of water.

Native Elm Bark Beetle. Prevention of overwintering. To prevent the adult beetle from overwintering in uninfected trees, to reduce beetle populations, or on trees from areas apply DUREBAN[®] 2E mixed with water as a (1:1) mixture of DUREBAN[®] 2E in water to the bottom 5 feet of trunk. Wet the trunk thoroughly but do not allow runoff. Care should be taken to apply the spray right to the bark of the root flare. Applications can be made either a back pack mist blower or a hydraulic pressure sprayer. Spray through to the early fall. For branch & twig feeding on native Elm trees. To reduce the twig and branch feeding on uninfected trees spray high in volume apply a (1:5) mixture of water spray to the tree. Attention should be made in the early summer using a sprayer to give thorough coverage to the tree.

Area Control of Ticks & Chiggers: Use DUREBAN[®] 2E insecticide to control ticks and chiggers infesting non-cropland areas such as roadsides, footpaths and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible public health problem. Apply DUREBAN[®] 2E in water at the rate of 1 pint per acre (equivalent to 1 fl. oz. per 2,700 sq. ft.) using a hydraulic sprayer, mist applicator, knapsack sprayer, or other suitable hand or power spray equipment. Treat low underbrush, grassy areas, weeds, and ground surface and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gallons per acre.

Attention (Area Control of Ticks and Chiggers): Do not allow public use of treated areas during application or until spray has dried.

Imported Fire Ants. Treatment of potted, containerized and balled and burlapped nursery stock. Use DUREBAN[®] 2E to control imported fire ants in soil attached to roots of these plants by completely submerging the base of soil in a tank containing DUREBAN[®] 2E diluted at the rate of 8 fl. oz. per 100 gallons of water. Do not remove burlap wrap or plastic containers with drain holes prior to submerging. Keep soil submerged until complete saturation has occurred, normally about 30 seconds. Wear rubber gloves, boots and apron during this operation. An alternate treatment to submerging potted plants is to apply a solution containing DUREBAN[®] 2E (8 fl. oz. per 100 gallons of water) as a substitute for plain water during routine watering activities. This solution should be applied to the point of run-off on a twice daily schedule for 3 consecutive days. Do not remove burlap wrap or container from plants prior to treatment. Application should be made in a well-ventilated area.

86-2-109

BEST DOCUMENT AVAILABLE

8612-109

BEST DOCUMENT AVAILABLE

DOSAGES AND DILUTIONS for USE on ORNAMENTAL PLANTS			
	Amount of DURSBA [®] 2E in Water to Make		
	1 gallon	10 gallons	100 gallons
Pests Controlled	2.0 fl. oz.	6.4 fl. oz.	2 quarts
Ash trees			
Boxwood trees			
Elm trees			
Rhododendron			
White pine			
Peach tree	5.0 fl. oz.	19.2 fl. oz.	6 quarts

*Equivalent to 4 ounces of chlorpyrifos per 100 gallons.
 **Equivalent to 8 ounces of chlorpyrifos per 100 gallons.
 ***Equivalent to 1 pound of chlorpyrifos per 100 gallons.
 ****Equivalent to 1 pound of chlorpyrifos per 100 gallons.

Mosquitoes: Apply DURSBA[®] 2E insecticide to mosquito infested, non-cropland areas according to the conditions and rates shown in the following table. Mix DURSBA[®] 2E with either water or oil, such as kerosene or No. 2 fuel oil, using sufficient spray volume to give uniform coverage of area treated. Apply the spray using suitable application equipment such as hand and power ground sprayers, mist applicators, and aerial spray equipment.

Warning (Mosquito Control): Read complete Environmental and Use Precautions and consult your State Fish & Game Department before using this product for mosquito control.

Waste Water (High in Organic Content): Use DURSBA[®] 2E insecticide for control of mosquito larvae in agricultural, industrial and urban waste waters that contain high levels of organic matter, including sewage drains, ponds and lagoons, industrial waste water impoundments, cesspools and septic tanks, and catch basins. Consult the following table for dosage and application details.

8612-109

DOSAGE for MOSQUITOES in WASTE WATER

Area to be Treated	Dosage of DURSARAN 2E	Use Directions
Sewage drains Waste disposal ponds and lagoons Industrial waste water impoundments	2 fl. oz. per 5000 cu. ft. of water or 8.7 fl. oz. per acre foot of water	Pour the required amount of undiluted DURSARAN 2E into the effluent water or apply to the water surface with a coarse, low pressure spray. Treat flowing waters by diluting DURSARAN 2E with sufficient water or oil to obtain uniform distribution.
Cesspools Septic tanks	2 fl. oz. per 1000 cu. ft. of water	Apply directly or flush the required amount down a toilet.
Catch basins	0.08 fl. oz. per catch basin	Dilute 4 fl. oz. of DURSARAN 2E with 1 gallon of water to make 0.25% chlorpyrifos emulsion and apply 10% pint of the mixture per catch basin with a coarse, low pressure spray. Thoroughly cover the exposed walls (sides) of the basin and the water surface.

(Equivalent to 0.1 part per million of chlorpyrifos in the total volume of water treated)

CONDITIONS and RATES to USE for MOSQUITO CONTROL

Conditions of Area to be Treated	Amount to Use per Acre		Number Acres 1 Gallon of DURSARAN 2E Will Treat
	DURSARAN 2E (fluid ounces)	Chlorpyrifos (pounds)	
Larval Control None to medium vegetative cover	0.8 to 1.6	0.0125 to 0.025	160 to 80
Medium to heavy vegetative cover	1.6 to 3.2*	0.025 to 0.05*	80 to 40
Adult Control Light to medium vegetative cover	1.6	0.025	80
Medium to heavy vegetative cover	3.2	0.05	40

(*The higher dosage will also give faster knockdown and longer residual control where there is little or no vegetative cover.)

800-2007

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

STORAGE & DISPOSAL

Prohibitions: Do not contaminate water, food or feed or storage or disposal.

Pesticide Disposal: Pesticide spray mixture or residue that cannot be used or chemically processed should be disposed of according to procedures approved by federal, state or local disposal authorities.

Container Disposal: Triple rinse for volatiles and dispose of in an approved landfill or bury in a safe place.

General: Consult federal, state or local disposal authorities for approved alternative procedures.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

U.S. Patent No. 3,244,584

RO INSECTICIDE
LIQUID N.O.S.
(Chlorpyrifos) NA1993
F.P. = 72-100°F



0612-109