

9-13 11/15 11/15 11/15 11/15

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION, 2057
WASHINGTON, DC 20547

EPA REGISTRATION NO. 160-18
DATE OF ISSUANCE 9/2/88

NOTICE OF PESTICIDE

NAME OF PESTICIDE PRODUCT

Sim Permethrin EC
(Cyhalin) - 100% A

NAME OF REGISTRANT

160-18
18
77265
1

NOTE: Changes in labeling, formulation, or other information accepted in connection with the registration must be submitted to the Agency for approval by the Registrant. The Agency will not accept the label as amended unless it corresponds to the product label on file with the Agency. If the Agency is notified of such changes, it will be necessary to re-register the product.

On the basis of information furnished to the Agency, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this registration/Reregistration is returned herewith.

Registration is subject to the provisions of the Act and the regulations of the Agency. In order to protect health and the environment, the Agency, at any time, may suspend or cancel the registration of a pesticide in accordance with the Act. It is understood that the Agency, in connection with the registration of a product under this Act, is not to be construed as implying that the name of the pesticide is the exclusive use of the name of the registrant if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/2/88

- e. Delete "Fire Ants" under the heading "Ants" since specific instructions for controlling fire ants are given elsewhere on the label.
- f. The directions for wasps, hornets, etc., appear twice on the label.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-78 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

ACCEPTED
with COMMENTS
In EPA Letter Dated:

AUG - 3 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

8612-112



COMPANY

SYN-PERM 13.3EC

CRAWLING INSECT SPRAY

AN EMULSIFIABLE CONCENTRATE INSECTICIDE
OFFERING RESIDUAL KILL OF CRAWLING INSECTS
FOR UP TO FOUR WEEKS

Contains 1 lb/gal Premax® Insecticide

ACTIVE INGREDIENTS

*Permethrin (3-phenoxyphenyl)methyl [(1S, trans 1 (2,2-dichloroethynyl)-2,2-dimethylcyclopropyl)carboxylate] ... 13.38% w/w

INERT INGREDIENTS 86.70%
TOTAL 100.08% w/w

*Cis/trans isomers ratio: min. 35% cis and max. 65% trans
*U.S. Patent No. 4,024,163
*Premax® brand of permethrin insecticide
*Premax is the Registered Trademark of Penick Corporation

KEEP OUT OF REACH OF CHILDREN WARNING

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS
AND STATEMENT OF PRACTICAL TREATMENT

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
Translation: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Manufactured by



COMPANY

DALLAS, TEXAS 75220

NET CONTENTS

GALLONS

EPA REG. NO. 8612-
EPA EST. NO. 8612-TX-1
Label No. SP133-786-01

DIRECTIONS (SEE (continued)

FLEAS, BROWN DOG AND LONE STAR TICKS ON DOGS, CATS AND PREMISES: Spray animals along back, under forelegs and on other areas, except scrotum, face and anus. Part hair to contact skin and insure good coverage. Hold sprayer about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes, mouth or nose of animal. To prevent reinfestation, thoroughly spray the animals' bedding and other resting areas until the surface is slightly moist, contacting as many insects as possible. Treat the floor areas, cracks and crevices in the floor, and along baseboards at the rate of 2 seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses.

HOUSE FLIES, MOSQUITOES, CLUSTER FLIES, GNATS, FRUIT FLIES, FLYING MOTHS: Close off all doors and windows. Point sprayer upward. Direct spray mist to all parts of the room, especially windows and other light sources which may attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

CARPET BEETLES AND CLOTHES MOTHS: To treat carpets, hold container 14 to 18 inches from carpet. Apply spray evenly, covering the entire surface until slightly moist. Spray underside of carpet when possible. Avoid wetting or soaking. To Treat Garments, Blankets, Carpets and Other Fabrics Before Storage: Dry clean or wash before treatment and after storage. Apply spray evenly covering the material on both sides until slightly moist. For best results, place treated materials in plastic bags after drying, and store in a dark place. Also spray floor and baseboards, closets, cracks, crevices, infested areas of shelving and/or wherever these insects are seen or suspected.

OUTDOOR PEST CONTROL

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes and sowbugs (pillbugs) on the outside surfaces of buildings. To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSE FLIES, MOSQUITOES, CLUSTER FLIES, GNATS, FLYING MOTHS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures in porches, in garages, and other places where these insects might congregate. Repeat as necessary.

ANTS, LONE STAR TICKS, CR: treatment of localized infestation where there are weeds or bush areas thoroughly. For ants, Repeat application as infestation occurs.

WASPS, HORNETS, YELLOW: should be made in late evening spray at nest openings in gaps, crevices which may harbor or contacting as many insects as possible.

TO CONTROL FIRE ANTS: Dilute EC in 1 gallon of water. Apply to each fire ant mound using a mound and surrounding area. Results apply in cool weather, late evening hours. Treat and disturb the mound prior to treatment in the vicinity and treat all constructed for multiple mound. Large prepared for multiple mound. Diluted product as a gentle rain is at required. Do not pressurized spray as pressure cause migration, reducing product.

STORAGE

DO NOT CONTAMINATE STORAGE OR DISPOSAL

STORAGE: Store product in storage area.

PESTICIDE DISPOSAL: Do not dispose of excess pesticide in violation of Federal law. It may be used according to the Pesticide Label. Do not use waste representative of this guidance.

CONTAINER DISPOSAL: Under Do not reuse this product in trash. For Containers Do not reuse this product in trash. Do not reuse this product in trash. Do not reuse this product in trash. Do not reuse this product in trash.

See also guarantee on the label. If you have any questions, please contact the manufacturer. Do not use this product on these substrates.

