Para 8678-4 (Rev. 5-74)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

-2-

to contain time to before a printer to be le-

Its to be ease to establish but republic to the product of something of the control of the residence of the benefit of the control of the co

The state of the second 1 0 0 11 1

Thelesures.

'incercly,

Phil Button

Product Manager ()?)

Insecticide modernicide project

"Edistration Division (ma-sero)

BEST AVAILABLE COPY

CONCURRENCES OFFICIAL FILE COPY

PRECAUTIONARY STATEMENTS TO HUMANS AND DOMESTIC ANIMALS HAZA CAUTION

Awaid breathing dust. Avoid contact with skin and eyes. Do not apply this product in each a manner as to directly or through drift expose workers or other persons. The areas being treated must be vecated by unprotected persons. Do not enter treated areas without preferrive clothing until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

ove victim to fresh air. Apply artificial respiration if indicated, dive mathing by neuth to an unconscious person.

4F ON Skin Remove contaminated clothing. Wash skin with sump and water Contact a physician if irritation persists. Wash clothing before reuse.

of th EYES. Flush eyes with water for 10 to 15 minutes. Contact a physician it irritation

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes,

DIRECTIONS FOR USE

It is a vicintion of Federal law to use this product in a manner mean-statent with its labeling

INDOOR INSECT CONTROL

For control of Cockrosches Crickets, Silverfish, Firebrets and Centipedes Using conventions dusting equipment, apply at 2 or per 196 sq. ft. to sil indoor areas where these pests may crawl or hide. Apply in cracks and crevices and hidder, surfaces around, under and behind baseboards, cabinets, units, doors, pipes, windows, and other possible harborages. Repeat application as required. Do not use in or around electrical squipment.

ON VEGETABLE AND ORNAMENTAL PLANTS

BaG Flexi-Dust may be used throughout the growing season or as a preharvest treatment. Asceptable for use up to the day of harvest on aduble plants when other insecticides are pessibilted due to residue restrictions and use limitations. Apply dust uniformly to upper and lauer leaf surfaces at the rate of 30 pounds of dust per acre. Treat only when the insects are present and repeat as required to maintain control.

N ORNAMENTALS (African Violets, Asters, Azaleas, Bagonias, Camellias, Carnations, Durysanthomums, Dahlias, Dogwoods, Geraniums, Gladiolus, Marigolds, Roses, etc.) to mitrol Aphida, Flea Beetles, Leathoppers and White Flies.

ASPARAGUS to control Asparagus Beetles.

BEAMS. to control Aphids, Leafhoppers, White Flies, Mexican Bean Beetles.

emoccoli, Cabbace, Brussel Sprovits, Cabliflower 1 control liphids, Cabbage Laupers, Cross-Striped Cabbageworms, Wan and lack With Larvas, Flee Bestley, Harleyun Rage, Imported Cabbageworms.

CELERY. to control Green Peach Aphids, Leaf Tires, Cabbage Leoper

CRANBERRIES to control Fireworms, identhoppers.

RCCPLANT to control Colorado Potatos Reetles, Flea Reetles, Green Peach Aphids.

LETTUCE: to control Cabbage Luopers, Green Peach Aphids, Diamondback Moth Larvae, ried Cabbagenorms.

REPPERS to control Green Peach Aphids

PRITATOES to control Aphids Colorado Polatos Bestles, Flea Jeeuea, Leuftoppéis BARISHES to control Abbuds. Fies Beetles.

MINACH, to control Aphids, Chibbage Loopers, Webworms.

THEMATOES to control Green Peach Aphids, Flee Beetles, Colorado Potatos Beetles.



PYRENONE' PROVIDES QUICK INSECT CONTROL

CONTROLS COCKROACHES, CRICKETS, FRUIT AND SIXTEEN COMMON GARDEN PESTS

LEAVES NO OBJECTIONABLE RESIDUE

FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, CANNE ON STORED SEED AND GRAIN AND ON VEGETABLE AND ORNAMEN

Protects Stored Grain and Seed from Insect Infestation

ACTIVE INGREDIENTS ACTIVE INCREDIENTS

Pyrethrins

Priperoryl Butonide Technical
INERT INGREDIENTS

YOTAL

188.69E

*Equivalent to min. 8.8% (butylcarbity!)(6-propylpiperonyl)ether and 8.2% related compounds.

PYRENONE Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN wi in I CAUTION

See Side Panel for Additional Precautions

EPA/REG. NO: EPÀ EST. NO. 86 12-TX-1

Label No. FLEX-0387-01

Manufactured by

COMPANY

DALLAS, TEXAS 788

Undernes

Funguert.

register 1

arnear

BEST AVAILABLE COPY