

AUG 18 1989

Mr. Kevin H. Miller
B&G Company
10539 Maybank Drive
P.O. Box 20372
Dallas, TX 75220

Dear Mr. Miller:

Subject: Syn-Py-26
EPA Registration No. 8612-125
Your Application Dated May 12, 1988

The labeling for the subject product, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below. A stamped copy is enclosed for your records.

- Change the statement "Do not contaminate water by cleaning of equipment or disposal of wastes" to read "Do not contaminate water when disposing of equipment washwaters."

Submit five (5) copies of the corrected finished printed label.

Sincerely yours,



Phil Rotten
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division

Enclosure

28027:1:Tyano:H-12:KIMCO:6/8/89:6/13/89:CT:VO:JM

CONCURRENCES

BEST AVAILABLE

Mr. Harold B. Igdaloff
Sangro Chemicals, Inc.
P.O. Box 24632
Los Angeles, CA 90024

Dear Mr. Igdaloff:

Subject: Sunbagger 1-10 Concentrate
EPA Registration No. 11474-63
Your Application Dated April 28, 1968

The labeling for the product cited above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below. A stamped copy of the label is enclosed.

- Change the statement "Do not contaminate water supplies by cleaning of equipment or disposal of wastes" to read "Do not contaminate water when disposing of equipment washwaters."

The label should be changed at the next printing or within one (1) year.

Sincerely yours,



Phil Ruten
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7305C)

Enclosure

55826:1:Tavano:LN-12:KEMCO:6/3/69:6/15/69:rv:qj:vo:ek:bj

CONCURRENCES							
SYMBOL	H7505C						
APPROVAL	Tavano						
DATE	6/2/69						

EPA Form 1200-1 (2-69)

SUNBUGGER 1-10 CONCENTRATE

A Food Industry Insect Spray for use in Bakeries, Restaurants, Food Processing Plants, Institutions, Residences and Office Buildings.

May be diluted with either water or oil.

Designed for use in all departments of Official Establishments operating under the meat, poultry, shell egg grading and egg products inspection programs.

Provides rapid kill of insects without objectionable residues.

Active Ingredients:

Pyrethrin	1.0%
*Pyrethroid Ester	10.0%
Potassium Shellfish	70.0%
Inert Ingredients	10.0%
	100.0%

*Equivalent to 0.5% (pyrethrin) (0.5% pyrethroid ester) other and 2% related compounds.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See side panel for additional precautions

EPA Reg. No. 11474-63 EPA Est. NO.11474CA01

Manufactured by:
FUNGRO CHEMICALS, INC.
P.O. BOX 24632
LOS ANGELES, CA. 90024

Net Contents

ACCEPTED
WITH COMMENTS
in EPA Label Dated:

AUG - 8 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

11474-63

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a de-lacqued petroleum oil is recommended.

For maximum effectiveness, a combination of localized application and space treatment is recommended.

AS A SURFACE SPRAY: For initial clean up of severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts water or oil. This dilution may not be used in edible product areas of federally inspected meat and poultry plants. In these plants and in other areas, for normal infestations, dilute 1 part concentrate in 9 parts water or oil.

To control ants, cockroaches, crickets, clover mites, cheese mites, confused flour beetles, cigarette beetles, codlings, drugstore beetles, granary weevils, grain mites, meal worms, rice weevils, rust red flour beetles, silverfish, spiders, saw-toothed grain beetles and spider beetles: Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into cracks and crevices, under pallets, around containers of stored foods, around the base of machinery and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls and other surfaces, applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray the edges of carpeting and under carpeting and rugs. Make localized application to floors and baseboards. Spray directly into cracks, crevices, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and the entire floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended.

Repeat treatment as needed.

AS A SPACE SPRAY: Dilute at a rate of 1 part concentrate to 19 parts water or oil. Apply with mechanical or compressed air equipment (non thermal) adjusted to deliver a fine mist. Close doors and windows and shut off ventilating systems. For rapid control of Angoumois grain moths, fruit flies, flies, gnats, hornets, Indian meal moths, mosquitoes, Mediterranean flour moths, shipper flies, tobacco moths and wasps: Direct spray at an upward angle distributing it uniformly through the entire area at a rate of 1 ounce per 1000 cubic feet. Keep area closed for at least 30 minutes. Ventilate area before reoccupying.

For rapid kill of insects named on this label, dilute to 9 parts water or oil. Use air equipment (non thermal) for spraying. Apply the 1000 cubic feet of spray. When used in meat processing areas, not less than 1 to 1 (from equipment and droplets over 50-microns).

OUTDOORS: To control insects on trees, rural buildings, control vegetation as well as insects. Apply 1 gallon of water. calibrated to deliver applications during peak insect activity. Apply directly to vegetation.

Do not contaminate food or feed. **PESTICIDE DISPOSAL:** this product may be disposed of in a sanitary land disposal facility. **CONTAINER DISPOSAL:** offer for recycling or disposal. of in a sanitary land disposal facility. and local authorities.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Irritating to eyes, nose and throat. If in eyes, flush with water. If on skin, wash with soap and water. If inhaled, remove to fresh air. Remove any contaminated clothing. Wash premises after use.

STATEMENTS

If Swallowed: Consult a physician. Do not induce vomiting. If in Eyes: Flush with water. If on Skin: Wash with soap and water. If inhaled: Remove to fresh air. Remove any contaminated clothing. Wash premises after use.

ENVIRONMENTAL

This product is toxic to fish and aquatic life. Do not contaminate water. Buyer assumes all material not in strict accordance with label.

BEST AVAILABLE