

NO. 605

USE DIRECTIONS:

Use 2 ounces per gallon. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

If a pseudomonicidal product is needed, then 3 ounces per gallon will be required.

For heavy soil, a precleaning step is recommended before using No. 605.

For best results, use No. 605 with a cloth or mop and apply to walls, floors, and other hard surfaces. If used on food contact items, limit the level of active quaternary to 200 ppm (4 ounces per 5 gallons) and rinse with potable water prior to use.

Rinse empty container thoroughly with water and discard.

ACCEPTED

30 OCT 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSENTOXIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 8416-10

FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

No. 605

A Germicidal Cleaner
Disinfectant - Sanitizer
Deodorant - Fungicide

ACTIVE INGREDIENTS:

n-ALKYL (68% C12, 32% C14) DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE	1.6%
n-ALKYL (60% C14, 30% C16, 5% C12, 5% C18) DIMETHYL BENZYL AMMONIUM CHLORIDE	1.6%
SODIUM CARBONATE	3.0%
INERT INGREDIENTS	93.8%
	100.0%

DANGER

KEEP OUT OF REACH OF CHILDREN.
SEE FIRST AID PRECAUTIONS ON RIGHT PANEL.

NET CONTENTS:

EPA REG. NO. 8616-10
EPA EST. NO. 8616-NY-01

MANUFACTURED BY

Cavalier CHEMICAL CO., INC.

2901 - 8th AVENUE, BROOKLYN, N. Y. 11232



izer designed for general disinfection, industrial cleaning, for use on walls, floors and similar hard inanimate hard surfaces. When used as directed, No. 605 will also deodorize those areas which generally are hard to keep fresh smelling, such as garbage pails, sink tops, and bathroom areas which are prone to odors caused by the growth of some micro-organisms. Effective against Staphylococcus Aureus and Salmonella Choleraesuis at 2 ounces per gallon. Also effective against Pathogenic Fungi, Trichophyton Interdigitale, at this use dilution.

For Hospital areas or use against Pseudomonas Aeruginosa, use 3 ounces per gallon of water.

When used for sanitization of food processing and food contact items, limit the active quaternary to 200 ppm (4 ounces per 5 gallons of water) and rinse with potable water prior to use.

DANGER:

Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.