

BIG BOY

COTTON DUST

20% TOXAPHENE - 40% SULPHUR
50 LBS. NET WEIGHT

ACCEPTED
10-27-69
UNDER THE FEDERAL INSECTICIDE ACT
REGISTERED UNDER NO. 8620-35

This package contains.

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene, 67-69% Chlorine) 20%
Sulphur 40%

INERT INGREDIENTS: 40%

100%

Sulphur Fineness: 93% Passing No. 325 USS Sieve

Read entire label. Use strictly in accordance with cautions, warning and directions, and with applicable state and federal regulations.

Big Boy 20% Toxaphene 40% Sulphur is a special dust mixture for the control of insects on cotton.

DIRECTIONS

COTTON: Cotton Fleahoppers, overwintered Boll Weevils, Thrips - use 8-10 lbs. per acre. Make 2 to 4 applications at 7-10 day intervals. Use maximum dosage if Boll Weevils are present. Cotton Leafworms, Fall Armyworms, Flea Beetles, Grass Hoppers and Lygus and other mirids. Use 10-15 lbs. per acre. Apply as needed at 7-10 day intervals. Boll Weevils, Bollworms, Cutworms, Garden Webworms - use 15-20 lbs. per acre.

Do not graze dairy animals or animals being finished for slaughter in treated fields.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

KEEP OUT OF REACH OF CHILDREN

CAUTION Harmful if swallowed! Harmful vapor and dust may be absorbed through the skin, may cause irritation of skin and eyes. Avoid contact with skin, eyes, or clothing. Avoid inhaling or getting into eyes. Avoid contamination of food and feed products. Keep clothing free from residues. Wash after handling. Burn bag immediately when empty, stay out of smoke. For eyes, flush with water and get prompt medical attention.

Highly toxic to fish and birds. Birds feeding on treated areas may be killed. Do not contaminate lakes, ponds, streams, woodlands and other non-crop areas.