

ACCEPTED

2-1-6

NO. EF. 70 : DE
FIB. N. 61 A. LT

DIRECTIONS FOR USE

Technical Bidrin is a water-miscible product which contains 8.0 lbs. of Bidrin per gallon. If this product is applied by air craft, use a minimum of 3-10 gallons of water per acre. Where applied by ground application: Cotton 3 to 20 gallons.

CROP	INSECT	DOSAGE, ACTUAL BIDRIN INSECTICIDE	DIRECTIONS FOR APPLICATIONS
Cotton	Aphids	For early season control use 0.1 to 0.2 lbs. per acre or 1 qt. for 10 to 20 acres, depending on degrees of infestation.	Apply to give a uniform coverage. Do not apply within 10 days of harvest. Do not graze livestock on treated gin trash.
	Thrips		
	Spider, Mites		
	Cotton Fleahoppers		
	Grasshoppers	Use 0.25 lbs. per acre or 1 qt. per 8 acres.	
	Boll Weevils		
	Aphids	For mid or Late Season control.	
	Cotton Fleahoppers		
	Spider Mites		
	Boll Weevils	Use 0.25 to 0.50 lbs. per acre or 1 qt. for 4 to 8 acres, depending on degree of infestation.	
	Black Fleahoppers		
	Lygus Bugs		

CAUTION: Do not graze dairy animals or animals being farmed for slaughter in treated fields.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

BIG BOY

TECHNICAL BIDRIN* INSECTICIDE

CONTAINS 8.0 LBS. BIDRIN PER GALLON

ACTIVE INGREDIENTS:
 Dimethyl Phosphate of 3-Hydroxy N, N Dimethyl CIS-Crotonamide 80%

INERT INGREDIENTS: 20%
 100%

*Bidrin is a Reg. TM by Shell Chemical Company



POISON DANGER



Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Bidrin poisoning.

POISON SYMPTOMS: Include weakness, headache, tightness in chest, blurred vision, non reactive pinpoint pupils, nausea, vomiting and diarrhea.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. In case of contact, remove clothing and immediately wash skin with soap and water.

SEE OTHER PRECAUTIONS ON SIDE PANEL.

MANUFACTURED BY
 ESCAMBIA CHEMICAL CORP.
 ALBANY, GA.
 USDA REG. NO. 8620-37

Po
in
rel

We
cia
res

Wa
If
mil

De
alk

Do
slai

To
of
lab

De
anc
nor

ED

DE
CT

BIG BOY

TECHNICAL BIDRIN* INSECTICIDE

CONTAINS 8.0 LBS. BIDRIN PER GALLON

ACTIVE INGREDIENTS:

Dimethyl Phosphate of 3 Hydroxy N, N Dimethyl-CIS-Crotonamide 80%

INERT INGREDIENTS:

20%
100%

*Bidrin is a Reg. TM by Shell Chemical Company



POISON

DANGER

KEEP OUT OF REACH OF CHILDREN



Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Bidrin poisoning.

POISON SYMPTOMS: Include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, nausea, vomiting and diarrhea.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. In case of contact, remove clothing and immediately wash skin with soap and water

SEE OTHER PRECAUTIONS ON SIDE PANEL.

MANUFACTURED BY
ESCAMBIA CHEMICAL CORP.
ALBANY, GA.
USDA. REG. NO. 8620-37



POISON PRECAUTIONS IN USING



Poisonous if swallowed, inhaled, or absorbed through skin. Do not swallow or get in eyes, on skin, or on clothing, do not breathe vapors. Wash all clothing before reuse.

Wear clean natural rubber gloves, waterproof clothing, and goggles. During commercial or prolonged exposure in spray-mixing and loading operations, wear a mask or respirator of a type adequate against Bidrin vapors and gases.

Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least 10 minutes and get medical attention.

Decontaminate areas and equipment by washing with concentrated solution of alkali and detergent and rinsing with this material.

Do not apply or allow to drift where dairy animals or animals being finished for slaughter may be grazing.

Toxic to fish and wildlife. This product will kill birds and other wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label.

Destroy used containers. Empty containers as thoroughly as possible, then crush and bury. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies.