

ACCEPTED  
 Oct-17-1969

UN  
 FU  
 FO  
 UN

INSECTICIDE  
 FEDERAL ACT  
 REGISTERED

8620-41

*Resistant to symptoms.*

POISON



**INTERNAL:** Induce vomiting. Repeat until fluid is clear.

**EXTERNAL:** Remove contaminated clothing. Wash immediately with soap and water.

**NOTICE TO PHYSICIAN:** Give atropine, 2 to 4 mg. Repeat until full atropinization is attained. Artificial respiration or oxygen may be necessary. Never give morphine to patients suspected of Parathion Poisoning. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives. Refer to "Clinical Handbook on Economic Poisons".

**WARNING:** Application should be made only by experienced personnel using a mask or respirator approved by the USDA for Parathion protection. Wear natural rubber gloves, protective clothing and goggles. Do not contaminate food or feed. Do not smoke while handling this material. Wash contaminated clothing with soap and hot water. Be sure to observe and follow specifications and recommendations on this label. Do not use on forage crops to be fed to or grazed by animals being finished for slaughter.

**DISPOSAL WARNING:** Do not re-use the container-Destroy empty container by rinsing with lye and detergent. Bury waste 18 inches deep in non-crop land away from water supplies. Crush and bury container at least 18 inches deep.

USDA REG. NO. 8620-41

# BIG BOY

## TRIPLE THREAT 6-2-1

**ACTIVE INGREDIENTS:**

\*Toxaphene..... 52.0%  
 \*\*O, O-dimethyl O-p-nitrophenyl thiophosphate..... 17.6%  
 Parathion (O, O-diethyl O-p-nitrophenyl Phosphorothioate) .. 8.6%  
 Xylene..... 16.0%

**INERT INGREDIENTS..... 5.8%**  
 100.0%


\*Technical Chlorinated Camphene (67%-69% Chlorine)

\*\*Methyl Parathion

Contains: 6 lbs. Toxaphene-2 lbs. Methyl Parathion-1 lb. Ethyl Parathion Per Gallon



POISON



**DANGER KEEP OUT OF THE REACH OF CHILDREN**

Poisonous if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin or clothing. Rapidly absorbed through skin. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Vacated areas should not be re-entered until the drifting insecticide and volatile residues have dissipated.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated.

**POISON SYMPTOMS:** Discomfort in chest, cramps, weakness, blurred vision, nausea and diarrhea. Call a physician if persons handling Parathion develop symptoms.

SEE OTHER PRECAUTIONS ON LEFT PANEL OF THIS LABEL  
 DO NOT STORE OR USE NEAR HEAT OR OPEN FLAME.

MANUFACTURED BY ESCAMBIA CHEMICAL CORP. ALBANY, GEORGIA

# BIG BOY

## TRIPLE THREAT 6-2-1

### ACTIVE INGREDIENTS:

*Toxaphene.....	52.0%
**O, O-dimethyl O-p-nitrophenyl thiophosphate.....	17.6%
Parathion (O, O-diethyl O-p-nitrophenyl Phosphorothioate)	8.6%
Xylene.....	16.0%
INERT INGREDIENTS.....	5.8%
	100.0%

\*Technical Chlorinated Camphene (67%-69% Chlorine)

\*\*Methyl Parathion

Contains: 6 lbs. Toxaphene-2 lbs. Methyl Parathion-1 lb. Ethyl Parathion Per Gallon



## POISON



### DANGER KEEP OUT OF THE REACH OF CHILDREN

Poisonous if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin or clothing. Rapidly absorbed through skin. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Vacated areas should not be re-entered until the drifting insecticide and volatile residues have dissipated.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated.

**POISON SYMPTOMS:** Discomfort in chest, cramps, weakness, blurred vision, nausea and diarrhea. Call a physician if persons handling Parathion develop symptoms.

SEE OTHER PRECAUTIONS ON LEFT PANEL OF THIS LABEL

DO NOT STORE OR USE NEAR HEAT OR OPEN FLAME

MANUFACTURED BY ESCAMBIA CHEMICAL CORP. ALBANY, GEORGIA

## DIRECTIONS FOR USE

This product should be applied by trained personnel using approved protective equipment.

Fill spray tank one-half with water then pour in specified amount of Big Boy Triple Threat 6-2-1. Keep agitator running while filling tank and during spray application. For best control with ground equipment apply recommended amount of insecticide in 3 to 7 gallons of water per acre on cotton. Where recommended for air application - Field crops 3 to 10 gallons per acre.

**COTTON:** -Early Season Control: Overwintered Boll Weevils, Cotton Fleahoppers and Thrips-Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals.

Mid Season Control: Aphids, Boll Weevils, Cotton Leafworms, Flea-hoppers, Grasshoppers, Red Spider Mites, and Thrips-Use one third gallon per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

Late Season Control: And trouble cases of bollworm and cotton leaf perforators caused by previous insufficient dosage; lack of weekly scouting; failure to maintain recommended regular application, by reason of weather conditions or otherwise, INCREASE rate per acre to ½ gallon of BIG BOY TRIPLE THREAT 6-2-1 for one application, then return to recommended dosage as in Mid Season Control and maintain regular recommended schedule.

Do not apply within 15 days of hand picking.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.