

**PRECAUTIONARY STATEMENTS**  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
**DANGER**

This fumigant is a highly hazardous material and must be handled with care only by those individuals experienced with its proper use. Consult your dealer representative for correct procedure. Extremely hazardous liquid and vapor under pressure. Inhalation may be fatal or cause delayed lung injury.

**Environmental Hazard**

This fumigant is toxic to fish and wildlife. It should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Chemical Hazard**

Do not use containers or application equipment made of magnesium, aluminum or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:**

Store in cool, dry, well ventilated area.

**PESTICIDE DISPOSAL:**

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

**CONTAINER DISPOSAL:**

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedure.

To control nematodes, weeds and grasses, such as Quackgrass, Bermuda grass and Johnson grass, apply 1lb. of this product per 100 sq. ft. of tobacco plant bed.  
See leaflet accompanying cans for application directions.

# METABROM 98

## Preplant Soil Fumigant

For fumigation of seed and tobacco plant beds to control listed pests

|                           |             |
|---------------------------|-------------|
| <b>Active Ingredients</b> |             |
| Methyl Bromide            | 98%         |
| Chloropicrin              | 2%          |
| <b>Total</b>              | <b>100%</b> |

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**  **POISON**

**Statement Of Practical Treatment**

**If Inhaled**—Carry patient to fresh air. Call physician at once. Make sure patient can breathe freely. Keep patient warm. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel.

**If On Skin**—Immediately remove all contaminated skin coverings including shoes, clothing and adhesive or other bandages. Wash skin thoroughly with soap and water. If irritation or blisters develop, get medical attention. Do not reuse shoes or clothing until free of all contaminations.

**If In Eyes**—Flush immediately with plenty of water for at least 15 minutes and get medical attention.

**Note to Physician**—Keep patient at rest and under observation for 24 to 48 hours.

See side panel for additional precautionary statements.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use

EPA REG NO 8622-6

Net Contents 1½ LBS. EPA EST NO 15298-15-01

**AMERIBROM, INC.**  
1250 Broadway  
New York, N.Y. 10001

Open only with special applicator. Open Here, See attached leaflet for additional information.

ACCEPTED

MAR 9 1932

**BEST AVAILABLE COPY**

EPA REG. NO. 8622-6

2

# METABROM 98

## Preplant soil fumigant

For fumigation of seed and tobacco plant beds to control listed pests

| Active ingredients |      |
|--------------------|------|
| Methyl Bromide     | 98%  |
| Chloropicrin       | 2%   |
| Total              | 100% |

KEEP OUT OF REACH OF CHILDREN

DANGER  POISON


EPA REG. NO. 8622-6

EPA EST. NO. 15298-IS-01

Store in cool, dry, well ventilated area.

Net Contents 24 Cans...36 Lbs.

**AMERIBROM, INC.**  
**1250 Broadway**  
**New York, N.Y. 10001**



BEST AVAILABLE COPY

OK  
Do Not Strip  
when 2/9/82

**DANGER**  **POISON**

... and Hode  
... for the  
... under  
EPA Reg. No. 8622-6

**In case of exposure send for a doctor immediately.**

Read and follow all label directions and product literature specific to your particular requirements before using.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control nematodes, weeds and grasses, such as Quackgrass, Bermuda grass and Johnson grass, apply 1 lb. of this product per 100 sq. ft. of seed and tobacco plant bed.

For best fumigation results, plant bed soil should be worked until fine and loose and should be moderately moist as for good plowing. Methyl Bromide will effectively penetrate only as deep as the soil is properly worked and the bed should be worked to a depth of 6 to 8 inches.

After soil is prepared place supports for polyethylene or gas proof cover in place, position polyethylene applicator tubes into flat quart pans such as tin pans, chicken feeder troughs or containers made of plastic resistant to the fumigant. Cautiously cover supports with a polyethylene cover supported by arches of heavy wire, crumpled fertilizer bags, burlap bags stuffed lightly with hay or straw, inverted baskets, flower pots, bottles placed in the soil which will not tear the cover. Make the bed area airtight by placing polyethylene cover edges in furrow bordering the bed and seal outside edges by covering with earth placed along the entire furrow at outer edge of plant bed.

When beds are covered and sealed, you are ready to use Metabrom 98. Set the can in position within the Methyl Bromide Applicator to puncture the can. Usual rate of application is one (1) pound of Metabrom 98 Soil Fumigant per 100 sq. ft. of plant bed. On sloping beds, use the same dosage but use more fumigant on the high side. BE CERTAIN CONTAINER is empty before fumigant can is removed from applicator. After cans are discharged pull tubes from under cover and seal holes by tamping soil firmly.

If soil temperatures are between 50° F. and 60° F., cover must remain for forty-eight (48) hours. Above 60° F. for twenty-four (24) hours.

When removing cover, avoid allowing any untreated soil (used to weight edges ... or in surrounding area) from spilling into the bed. SEED MAY BE PLANTED AFTER SOIL HAS AERATED FOR AT LEAST SEVENTY-TWO (72) HOURS.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA REG. NO. 8622-6 EPA EST. NO. 1528-IS-01

**AMERIBROM, INC., 1250 Broadway, New York, N.Y. 10001**