PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER
HIGH ACUTE TOXICITY

Extremely hazardous liquid and vapor under pressure. Do not breathe vapor. Inhalation may be fatal or causes serious acute illness or delayed lung or nervous system injury. Liquid or vapor can cause serious skin or eye injury which may have a delayed onset. Do not get liquid on skin, in eyes or on clothing.

Methyl bromide vapor is odorless and non-irritating to skin and eyes during exposure. Exposure to toxic levels may occur without warning or detection by the user.

NOTE TO PHYSICIAN: Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree of exposure. Treatment is symptomatic.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARDS: Do not use or store near heat, open flames, or sparking electrical equipment.

CHEMICAL HAZARDS: Do not use application devices incorporating natural rubber or aluminum or magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PROTECTIVE CLOTHING: Wear loose clothing and socks that are cleaned after each wearing. Do not wear jewelry, gloves or boots when handling. Methyl bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when handling liquid. After application, immediately remove clothing, shoes and socks. Do not reuse contaminated clothing or shoes until cleaned. Drenched clothing cannot be adequately decontaminated.

PESTICIDE STORAGE, HANDLING AND DISPOSAL

PESTICIDE STORAGE AND HANDLING: Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area.

Do not contaminate water, food or feed by storage. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured.

Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance, or follow registrant's instructions for return of partially empty cylinders.

CONTAINER DISPOSAL: When cylinder is empty, close valve by turning clockwise until hand tight, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinders.

RETURN OF CYLINDER:
(1) Cylinders are the property of the manufacturer or distributor where purchased and should be returned promptly by collect freight.

(2) Do not ship cylinders without safety caps or valve protection bonnets.

(3) When a cylinder is partially full and there is no further requirement for the product, contact the manufacturer or distributor for return instruction.

(4) Containers should never be refilled by the consumer or used for any other product or purpose.

RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

METABROM 100

ACTIVE INGREDIENT:	By Wt.
METHYL BROMIDE	99.5%
INERT INGREDIENTS	0.5%
TOTAL	100%

ACUTELY TOXIC CHEMICAL
14.4 LBS. Active Ingredient per gal. (LIQUID IN CYLINDER)

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

POISON

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.

If inhaled – Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped apply artificial respiration. Do not give anything by mouth to an unconscious person.
If on skin – Immediately remove contaminated clothing, shoes, jewelry, and any other item on skin. Wash contaminated skin area thoroughly with soap and water.
If in eyes – Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

See side panels for additional precautionary statements.

EPA REG. NO. 8822-16AA-40828

☐ EPA EST. NO. 1016F3-AZ-01
☐ EPA EST. NO. 15298-IS-01
☐ EPA EST. NO. 29516-FL-04
☐ EPA EST. NO. 29516-NC-01

Distributed by:

IncriBrom, Inc.

52 VANDERBILT AVENUE, NEW YORK, N.Y. 10017
TELEPHONE (212) 286-4888
FAX (212) 286-4475

IN CASE OF EMERGENCY CONTACT:
Chemtrec (800) 424-9300
or
HyYield-Bromine
Call Collect: (919) 675-9409 (N.C.)
(212) 5[illegible] (N.Y.)
276-9[illegible]

Net contents _____ LBS / _____ KGS

COMMODITY FUMIGATION INSTRUCTIONS

Dosage: The usual dosage rate for each 1,000 cu. ft. unit storage space is 1 to 6 lbs., 12 to 24 hours exposure, depending on tightness of structure and kind and amount of commodity in storage.

Pests and Sites: Mixtures applied by this treatment will kill rats and mice that are exposed to the gas.

Consult Product Manual No. AM-210 for further use and safety information.

See Table I and II for commodity, insects controlled, dosage and exposure time.

TABLE I
COMMODITY AND DOSAGE RATE
FOR STORED PRODUCTS PESTS INFESTING RAW AGRICULTURAL COMMODITIES (NOT PROCESSED FOOD)[1]

Commodity	Insects Controlled	Tolerance ppm	Dosage lbs./1000 cu. ft.	Exposure hours
Almonds	Navel orangeworm, Indianmeal moth, dried fruit beetle, navel orangeworm, Mediterranean flour moth, Indianmeal moth, dried fruit beetle, navel orangeworm, Mediterranean flour moth, dried fruit beetle, navel orangeworm, Mediterranean flour moth, dried fruit beetle, navel orangeworm, Mediterranean flour