PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMAL

DANGER

CORROSIVE CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS EYE CONTACT MAY CAUSE LOSS OF VISION IRRITATING TO NOSE AND THROAT MAY BE FATAL IF INHALED HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED

Do not breathe dust or spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles with side-shields, face shield or safety glasses; protective clothing and rubber gloves. Wear a mask or pesticide respirator jointly approved by Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

Strong oxidizer, mix with water only. Reaction with combustible organic materials, bases, moisture or with oxidizers may generate heat, hazardous gases and, possibly fire or explosion. Do not add to dispensers or other equipment that is not dry and clean of any chemical remnants. Does not burn, but will decompose from about 320°F (160°C) releasing toxic gases. Avoid comminution and dusting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulators and repackagers of this product must obtain their own registration from the US Environmental Protection Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a dark, cool (below 86°F (30°C)), dry, well-ventilated area, in w away from energy sources, combustible organic materials, oxidizers, strong bases, an PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper dispose instructions, contact your State Pesticide or Environmental Control Agency, representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or re- dispose of in a sanitary landfille or by-incineration or, if allowed by state and loca burned, stay out of stroke. SPILLS: When handling on dealing with spills, use impact-resistant goggles with body-covering clothes, including impergious rubber or plastic gloves and boots; us occurs. Sweep up dry spills and dispose of as described for pesticide dispo- contaminated or decomposing, do not reseal container, isolate unsealed drum in the area; flood with large volumes of water if necessary. IN CASE*OF FIRE: Do hor use of water if necessary.	ndimo salofic i of by or th conditi al auth side (side (isture. excess per use acco he Haza ioning, or norities, b shields, o ust respin lf drum <u>or in a W</u>	sticide rding i dous punctu y bum r face ator if contei ell- ve	s, spray to label Waste ure and ling. If shield, dusting nts are	
DO NOT SMOKE, DRINK, OR EAT WHEN HANDLING KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN U DO NOT SHIP WITH FOODS FEEDS DRUGS OF CLOT	ISE.	SEP	•••	2002	•
DO NOT SHIP WITH FOODS, FEEDS, DRUGS, OR CLOT	pesti	nticide, Ac cide, regis leg. No.	t as an	iondori for the	idi S

BROMO-CHLORO-DIMETHYL HYDANTOIN FOR MANUFACTURING USE ONLY

A MANUFACTURING USE PESTICIDE FOR REPACKAGING AND FORMULATING AS A DISINFECTANT, SANITIZER, MICROBIOCIDAL BACTERICIDE, FUNGICIDE, ALGICIDE AND SLIMICIDE

Bromochloro-5,5-dimethylhydantoin	
 TOTAL	

KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE AND STRONG OXIDIZER

	FIRST AID
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
"Note to Physi	NOTE TO PHYSICIAN cian: Probable mucosal damage may contraindicate the use of gastric lavage."
	See side panels for additional precautionary statements.
_	USE WITH ADEQUATE VENTILATION
	WASH THOROUGHLY AFTER HANDLING

Manufactured in Israel for: AmeriBrom Inc., 2115 Linwood Avenue Fort Lee, NJ 07024

EPA Reg. No. 8622-25 EPA Est. No. 15298-IS-1 0

WARRANTY

eller warrants that this product conforms to its chemical description and is reasonable fit for the purposes stated on the label when used in containce with label directions under normal conditions of use, but netther this warranty on any other warranty of MERCHANTABILITY OR TINESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions, or under bromal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.