

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

DANGER

**CORROSIVE
CAUSES SEVERE BURNS OF EYES
EYE CONTACT MAY CAUSE LOSS OF VISION
IRRITATING TO NOSE AND THROAT
MAY BURN THE SKIN * MAY BE
FATAL IF SWALLOWED**

Do Not Breathe Dust
Do Not Get in Eyes, on Skin, or on Clothing
Impact-Resistant Goggles with Side Shields, or Face Shield,
and Rubber or Plastic Gloves Must be Worn when Handling

ENVIRONMENTAL HAZARD

This product is toxic to fish. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes.
NOTE: Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your regional office of the EPA.
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CHEMICAL AND PHYSICAL HAZARDS

Strong oxidizer, mix with water only. Reaction with combustible organic materials, bases, moisture or with oxidizers may generate heat, hazardous gases and, possibly, fire or explosion. Do not add to dispensers or other equipment that is not dry and clean of any chemical remnants. Does not burn, but will decompose, from about 325°F (160°C), releasing toxic gases. Avoid comminution and dusting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in cool, dry, well-ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, strong bases, and moisture. When handling or dealing with spills, use impact-resistant goggles with side-shields or face shield, body-covering clothes, including impervious rubber or plastic gloves and boots, use a dust respirator if dusting occurs.
PESTICIDE DISPOSAL: Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.
CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and punctured drum in a sanitary landfill or by incineration if allowed by State and local authorities, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. Do not re-use container.
SPILLS: Sweep up dry spills and dispose of as described for pesticide disposal. If drum contents are contaminated or decomposing, do not re-seal container, isolate unsealed drum in the open or a well-ventilated area, flood with large volumes of water if necessary.
IN CASE OF FIRE: Do not use ammonium phosphate extinguisher near water and HALOGENE-G. Hazardous reactions may occur.

DO NOT SMOKE, DRINK OR EAT WHEN HANDLING

HALOGENE-G

HALOBROM GRANULES BROMO-CHLORO-DIMETHYLHYDANTOIN

**A MICROBICIDAL BACTERICIDE, FUNGICIDE,
ALGACIDE AND SLIMICIDE, FOR TREATING
RECIRCULATING COOLING WATER IN INDUSTRIAL
COOLING SYSTEMS AND INDUSTRIAL
ONCE-THROUGH COOLING WATER SYSTEMS**

ACTIVE INGREDIENT: 1-Bromo-3-chloro-5,5-dimethylhydantoin... 96%

INERT INGREDIENTS 4%
TOTAL 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE AND STRONG OXIDIZER

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush eyes immediately with plenty of water for at least 15 minutes and get medical attention at once.
If on skin: Wash immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.
If inhaled: Remove person to fresh air immediately. Get medical attention at once.
If swallowed: Give large amounts of water to dilute the toxicant. If immediately available, demulcents like milk, vegetable or egg whites can be given. Do not induce vomiting as it is likely to cause considerable mucosal damage.

Note to physician: Dilution of an ingested corrosive is a safer first aid treatment than emesis.

**USE WITH ADEQUATE VENTILATION
WASH THOROUGHLY AFTER HANDLING**

See side panels for additional precautionary statements

EPA Reg. No. 8622-29

EPA Est. No. 15298-IS-1

Manufactured by:

**BROMINE COMPOUNDS LTD.
P.O. Box 180, Beer-Sheva 84101
ISRAEL**

for:

AmeriBrom, Inc.

1250 Broadway
New York, N.Y. 10001
UNITED STATES OF AMERICA

pm32 8622-29

16F1

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

Used effectively at dosages recommended to achieve exposures to one part per million (ppm) of 'active' residual bromine to control algal, bacterial and fungal slimes in industrial cooling towers; influent water systems, e.g., flow-through filters, and lagoons, etc.; heat-exchange water systems, industrial water scrubbing systems, brewery and canning pasteurizers, and industrial air-washing systems equipped with a mist eliminator.

Dosage Rates

Initial dose: When noticeably fouled, add 2-6 lbs/10,000 gallons of water contained in the system. Repeat initial dosage until one ppm of 'active' residual bromine is established for at least 4 hours.

Subsequent dose: When microbial control is evident, add 1-3 lbs/10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of 'active' residual bromine for at least 4 hours.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

Used for the control of algal, bacterial and fungal slimes by adding to the system inlet, or before any other contaminated area in the system, in once-through and closed-cycle fresh and sea water cooling systems, cooling ponds, canals, and lagoons.

Dosage Rates

Initial dose: When noticeably fouled, add 2-6 lbs/10,000 gallons of water contained in the system. Repeat initial dosage until one ppm of 'active' residual bromine is established for at least 4 hours.

Subsequent dose: When microbial control is evident, add 1-3 lbs/10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of 'active' residual bromine for at least 4 hours.

DO NOT SHIP WITH FOOD, FEEDS, DRUGS OR CLOTHING

**OXIDIZER, N.O.S.
UN 1479**



KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE

WARRANTY:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions. The warranty is void if the product is used for any other purpose, or if it is used in a manner not recommended on the label. The warranty is void if the product is used in a manner not recommended on the label. The warranty is void if the product is used in a manner not recommended on the label.

Net contents: 132 LBS (60 KILOGRAMS)

**IN CASE OF EMERGENCY CONTACT: CHEMTREC (800)424-9300 (24 HOURS)
OR: AMERIBROM, INC. (212)563-4600 (CALL COLLECT)**

16A010

7/88