

Approved June 21, 1978

10F
Pm 3
28

HALOBROM

NET WEIGHT 10 LBS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles to face shield and rubber gloves when handling. Irritates to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT: (First Aid): If swallowed, feed bread soaked in milk, diluted by olive oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into rivers, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing residue of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contaminate with any toxic, flammable, or other chemicals may start a chemical reaction with generation of heat, heat alone of heat, odors, gases, and possible generation of fire and explosion.

SPECIAL PRECAUTIONS PLEASE READ BEFORE OPENING CONTAINER

PREVENTION OF PHYSICAL INJURY:

1. This product emits a powerful bromine gas. Do not open container indoors. Hold away from face when opening to avoid breathing fumes.

2. This product is dangerous when not used properly. MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION. RELATED COMPLICATIONS MAY LEAD TO DEATH.

- Do not mix with any other chemicals
- Do not add water to this product
- Do not add this product to water in a pool
- Do not take advice from others

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and vinyl liners, painted surfaces or other property in or around the pool will result in permanent bleaching of the color.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in cool, dry, well-ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, strong bases, and moisture.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Place in trash collection or disposal or approved landfill area.

SPILLS: Sweep up dry spills and dispose as described for pesticide disposal. If container contents are contaminated or decomposing, do not reuse container. Rinse unsoiled containers in the open or a well-ventilated area. Flush with large volumes of water if necessary.

DIRECTIONS FOR USE

This is a solution of Federal Law to regulate the use of this product in a swimming pool. It is a bromine compound with the following characteristics: a white, odorless, crystalline powder, soluble in water, and a strong oxidizing agent. It is a bromine compound with the following characteristics: a white, odorless, crystalline powder, soluble in water, and a strong oxidizing agent.

The factors that will vary the required dosage are water temperature, bather load, exposure to sunlight, number of rain storms and length of filtration cycle.

SWIMMING POOLS: In newly filled pools to establish an initial bromine residual, shock the pool using Halobrom Bromine 50% at 5 lbs. per 10,000 gallons. Follow directions for use on the label of that product. This is to establish an effective bromine residual of between 2 and 3 ppm. Test water frequently using a reliable Bromine Test Kit. The label on the test kit should be consulted for general use of the test kit.

Automatic and timing brominators have use instructions peculiar to their design. Frequently a brominator must be filled to capacity every week - with the adjustments allow the user to create only the total amount of Halobrom necessary for proper sanitation as suggested herein. The slow dissolving nature of the chemical combined with the design features of the brominator require that a greater amount of chemical be exposed to the water.

RESIDENTIAL: Add 5 tablets per 10,000 gallons every 5-7 days or as needed to maintain a bromine residual of 2-3 ppm at all times. Apply evenly down through the side of floating tablet feeder such as the Multi-Chlor or an automatic brominator which will allow you to adjust the amount of bromine entering the water.

COMMERCIAL: Add 9 tablets per 10,000 gallons every 5-7 days or as needed to maintain an active bromine residual of 2-3 ppm. Maintain spa by adding 1 tablet per 300 gallons of spa water with the use of a floating tablet feeder.

SPAS: Add 1 tablet per 300 gallons of spa water with the use of a floating tablet feeder.

to maintain an active bromine residual of 2 ppm at all times. Spa water has a tendency to foam and cloud that is directly proportional to the amount of salt it contains. This is due to the accumulation of body fats and oils and contaminants too small for the filtration equipment to remove, and to the rapid escalation of total dissolved solids in the water. If a great amount, chlorine, chlorine, check treatments and demineralizers or softening agents can be used to clear the water. When this becomes impossible, draining, cleaning, and refilling the spa will be the most satisfactory way of solving this problem.

TABLET FEEDER

POOL GALLON CALCULATOR (all dimensions in feet)

Round or Oval Length x Width x Average Depth x 7.5 = Gallons

Each 7" diameter tablet weighs 3.92 (21 grams)

EPA REG NO 8622-37 EPA EST NO 7124 N J 1

ALDEN LEEDS, INC. 55 Jacobus Ave. St. Henry N.J. 07037

BEST AVAILABLE COPY