


PM-32

Reg # 8622-44

1973

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060 Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number
	Application for Pesticide:		203884

## Section I

1. Company/Product Number 8622-44	2. EPA Product Manager <i>Ruth Douglas</i>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) 80-20 Preplant Soil Fumigant	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Ameribrom, Inc. 52 Vanderbilt Avenue New York, NY 10017 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

## Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of amendment of the label for this product according to EPA's PR notice 93-10. The amendment is under the heading "Environmental Hazards" on the label.

## Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)					

## Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Rhona McGee		Title Regulatory Affairs Asst.		Telephone No. (Include Area Code) (212) 692-6635	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Data Application Received (Stamped)  
2. Signature <i>Rhona McGee</i>		3. Title Regulatory Affairs Asst.			
4. Typed Name Rhona McGee		5. Date 8/26/95			

29 13

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER**

**HIGH ACUTE TOXICITY**

Extremely hazardous liquid and vapor under pressure. Do not breathe vapor. Inhalation or ingestion may be fatal or cause serious acute illness or delayed lung or nervous system injury. Liquid or vapor can cause serious skin or eye injury which may have a delayed onset. Do not get liquid on skin, in eyes or on clothing.

This product contains chloropicrin, a volatile-liquid tear gas. Chloropicrin vapor is very irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the nose and throat, and to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately. Continued exposure after irritation is evident, or higher concentrations, may cause painful irritation to the eyes or temporary blindness, which may cause panic that may in turn lead to further accidents.

**NOTE TO PHYSICIAN:** Early symptoms of overexposure are intense lachrimation and irritation of mucous membranes, dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree of exposure. Treatment is symptomatic.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL HAZARDS:** Do not use or store near heat, open flames, or sparking electrical equipment.

**CHEMICAL HAZARDS:** Do not use application devices incorporating natural rubber or aluminum or magnesium or their alloys; do not use water to clean them (Diesel oil is satisfactory).

**AIR CONCENTRATION LEVEL**

The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm (0.7 mg/m<sup>3</sup>). The acceptable air concentration for persons exposed to methyl bromide is 5 ppm (20 mg/m<sup>3</sup>). The air concentration level is measured by a direct reading detection device, such as a Matheson.

**PERSONAL PROTECTIVE EQUIPMENT**

**Applicators and other handlers must wear:**

Loose fitting or well ventilated long-sleeved shirt and long pants.  
Shoes and socks.

Full-face shield or safety glasses with brow and temple shields when handling the liquid product (Do NOT wear goggles.) When the air concentration level is above 5 ppm and a respirator is required, protect the eyes by wearing a full-face respirator.

No respirator is required if the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm.

A respirator is required if the acceptable air concentration level of 0.1 ppm for chloropicrin OR 5 ppm for methyl bromide is exceeded at any time. The respirator must be one of the following types: (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number prefix TC-13F).

Under normal soil fumigation conditions, the air concentration level of chloropicrin in the working area will not generally exceed 0.1 ppm AND the air concentration level of methyl bromide in the working area will not generally exceed 5 ppm. Therefore, no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a respirator of a type specified above must be available and will be required for entry into an affected area in the event of a leak or spill.

BEST AVAILABLE COPY

For  
supp

S

Si U  
expl  
som

In al  
pers  
If inl

If on

If in

oil is satisfactory).

## AIR CONCENTRATION LEVEL

The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm (0.7 mg/m<sup>3</sup>). The acceptable air concentration for persons exposed to methyl bromide is 5 ppm (20 mg/m<sup>3</sup>). The air concentration level must be measured by a direct reading detection device, such as a Matheson Model 1000.

## PERSONAL PROTECTIVE EQUIPMENT

**Applicators and other handlers must wear:**

Loose fitting or well ventilated long-sleeved shirt and long pants.  
Shoes and socks.

Full-face shield or safety glasses with brow and temple shields when handling the liquid product (Do NOT wear goggles.) When the air concentration level is above 5 ppm and a respirator is required, protect the eyes by wearing a full-face respirator.

No respirator is required if the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm.

A respirator is required if the acceptable air concentration level of 0.1 ppm for chloropicrin OR 5 ppm for methyl bromide is exceeded at any time. The respirator must be one of the following types: (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number prefix TC-13F).

Under normal soil fumigation conditions, the air concentration level of chloropicrin in the working area will not generally exceed 0.1 ppm AND the air concentration level of methyl bromide in the working area will not generally exceed 5 ppm. Therefore, no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a respirator of a type specified above must be available and will be required for entry into an affected area in the event of a leak or spill.

## WORK SAFETY REQUIREMENTS

1. Do not wear jewelry, gloves, goggles, tight clothing, rubber protective clothing, or rubber boots when handling. Methyl bromide and chloropicrin are heavier than air and can be trapped inside clothing and cause skin injury.
2. Immediately after contamination remove outer clothing, shoes, and socks and do not reuse until thoroughly aerated or ventilated. Keep such clothing and shoes outdoors until thoroughly aerated. Then follow the PPE manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE and work clothing separately from other laundry.
3. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.
4. Follow PPE manufacturer's instructions for cleaning/maintaining protective eyewear and respirators.

## USER SAFETY RECOMMENDATIONS

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

BEST AVAILABLE COPY

Si Uste  
expliqu  
someo

In all c  
person

If inhal

If on sk

If in eye

EPA REG.

**Ame**  
52 VANDI  
NEW YO  
TELEPHC  
FAX: (212

AB46/Rev 2

The applica  
fumigated a

- skul
- "D
- "Ar
- "Me
- the
- nam

**WARNING STATEMENTS**  
**PLANTS & DOMESTIC ANIMALS**

## ANGER

### ACUTE TOXICITY

Do not use under pressure. Do not breathe vapor. Vapor may cause serious acute illness or delayed lung injury. Vapor can cause serious skin or eye injury which may set liquid on skin, in eyes or on clothing.

Chloropicrin is a volatile-liquid tear gas. Chloropicrin vapor is highly irritant, and even at low levels can cause painful irritation of the eyes, producing tearing. If these symptoms develop immediately. Continued exposure after irritation is caused may cause painful irritation to the eyes or temporary blindness that may in turn lead to further accidents.

Symptoms of overexposure are intense lachrimation, dizziness, headache, nausea and vomiting, which may develop in 2 to 48 hours after exposure. These effects are the usual cause of death. Symptoms include blurred vision, staggering gait and mental impairment after a period of no exposure. Blood bromide levels are a measure of degree of exposure. Treatment is symptomatic.

This pesticide is toxic to wildlife. Do not discharge into lakes, streams, ponds, estuaries, oceans, or other bodies of water. Requirements of a National Pollutant Discharge Permit and the permitting authority has been notified of this charge effluent containing this product to sewerage treatment plant authority. For more information, contact the local Board or Regional Office of the EPA.

Store away from heat, open flames, or sparking electrical equipment.

Application devices incorporating natural rubber gaskets or seals; do not use water to clean them (Diesel engine).

**CONCENTRATION LEVEL:**

For persons exposed to chloropicrin is 0.1 ppm. For persons exposed to methyl bromide is 5 ppm. These levels are based on a direct reading instrument.

### PROTECTIVE EQUIPMENT

Wear:

Long-sleeved shirt and long pants.

Wear eye protection (goggles or safety glasses) and face shields when handling the product. When the air concentration level is above 5 ppm, protect the eyes by wearing a full-face respirator.

When the air concentration level of chloropicrin in the working area is above 5 ppm AND the air concentration level of methyl bromide is above 5 ppm, the air concentration level must be less than 5 ppm.

When the air concentration level of 0.1 ppm for chloropicrin is exceeded at any time. The respirator must be a supplied-air respirator (MSHA/NIOSH approved) or a self-contained breathing apparatus (SCBA) (minimum 15 minutes).

When the air concentration level of chloropicrin is above 0.1 ppm AND the air concentration level of methyl bromide is above 5 ppm, the air concentration level will not generally exceed 5 ppm. Therefore, a full-face respirator of a type specified above must be worn in an affected area in the event of a leak.

## RESTRICTED USE PESTICIDE DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

# 80-20 PREPLANT SOIL FUMIGANT

FOR PREPLANT SOIL FUMIGATION.

ACTIVE INGREDIENTS:	By Wt.
METHYL BROMIDE .....	79.0%
CHLOROPICRIN .....	19.0%
INERT INGREDIENTS .....	2.0%
TOTAL .....	100%

### ACUTELY TOXIC CHEMICAL

14.3 LBS. Active Ingredient per gal. (LIQUID IN CYLINDER)

KEEP OUT OF REACH OF CHILDREN

DANGER  PELIGRO

POISON

**BEST AVAILABLE COPY**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### STATEMENT OF PRACTICAL TREATMENT

In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.

**If Inhaled** — Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped apply artificial respiration. Do not give anything by mouth to an unconscious person.

**If on skin** — Immediately remove contaminated clothing, shoes, jewelry, and any other item on skin. Wash contaminated skin area thoroughly with soap and water.

**If in eyes** — Hold eyelids open and flush with a steady, gentle stream of water.

Do not allow chloropicrin to be removed during the fumigation process.

Only a certified applicator can remove the fumigant.

Use this product in accordance with the Standard of agricultural fumigation notification exception equipment in this box section St.

No instructions required.

### ENTRY

Greenhouse fumigation must be permitted. Equipment is PROHIBITED the start of fumigation AND the end of fumigation (to be to the fumigation area), not during fumigation (to be to the fumigation area) more than 5 ppm during fumigation area of methyl bromide.

Outdoor fumigation is permitted. Equipment is PROHIBITED in addition while fumigation.

NOTIFICATION: Posting fumigation areas sign for the fumigation area.

Greenhouse fumigation outside all fumigation areas.

Outdoor fumigation areas.

PPE FOR fumigation that is permitted for Animals.

PESTICIDE under lock and key.

Do not contribute to a rack handling fumigation. Do not use Transport fumigation can be fumigation.

ATION LEVEL:  
Persons exposed to chloropicrin is 0.1 ppm  
for persons exposed to methyl bromide  
on level (m) above, for a direct reading  
data.  
**PROTECTIVE EQUIPMENT**  
ear:  
ed shirt and long pants.

and temple shields when handling the  
when the air concentration level is above  
the eyes by wearing a full-face respirator.

ation level of chloropicrin in the working  
AND the air concentration level of methyl  
to be less than 5 ppm.

air concentration level of 0.1 ppm for  
is exceeded at any time. The respirator  
supplied-air respirator (MSHA/NIOSH  
contained breathing apparatus (SCBA)  
-13F).

air concentration level of chloropicrin  
0.1 ppm AND the air concentration level  
not generally exceed 5 ppm. Therefore,  
over, there is the possibility of a spill or  
spillage of a type specified above must  
to an affected area in the event of a leak

**REQUIREMENTS**

ght clothing, rubber protective clothing,  
omide and chloropicrin are heavier than  
nd cause skin injury.

outer clothing, shoes, and socks and do  
utilated. Keep such clothing and shoes  
follow the PPE manufacturer's instruc-  
are no such instructions for washables,  
wash PPE and work clothing separately


rials that have been drenched or heavily  
euse them.

for cleaning/maintaining protective

**RECOMMENDATIONS**  
  
ewing gum, using tobacco, or using  
  
e gets inside. Then wash thoroughly  
  
g this product. As soon as possible,  
clothing.

**FOR USE**  
  
duct in a manner inconsistent with its  
  
ntact workers or other persons, either  
ers may be in the area during applica-  
le or Tribe, consult the agency respon-

KEEP OUT OF REACH OF CHILDREN

**DANGER**  **PELIGRO**

**POISON**

Si Usted no entiende la etiqueta, busque a alguien para que se la  
explique a Usted en detalle. (If you do not understand the label, find  
someone to explain it to you in detail.)

**STATEMENT OF PRACTICAL TREATMENT**

In all cases of overexposure, get medical attention immediately. Take  
person to a doctor or emergency treatment facility.

**If inhaled** — Get exposed person to fresh air. Keep warm. Make sure  
person can breathe freely. If breathing has stopped apply  
artificial respiration. Do not give anything by mouth to an  
unconscious person.

**If on skin** — Immediately remove contaminated clothing, shoes, jewelry,  
and any other item on skin. Wash contaminated skin area  
thoroughly with soap and water.

**If in eyes** — Hold eyelids open and flush with a steady, gentle stream  
of water for at least 15 minutes.

See side panels for additional precautionary statements.

EPA REG. NO. 8622-44

- ☐ EPA EST. NO. 67545-AZ-01
- ☐ EPA EST. NO. 15296-IS-01
- ☐ EPA EST. NO. 29516-FL-04
- ☐ EPA EST. NO. 29516-NC-01

**BEST AVAILABLE COPY**

**AmeriBrom, Inc.**

52 VANDERBILT AVENUE  
NEW YORK, NY 10017  
TELEPHONE: (212) 286-4000  
FAX: (212) 286-4475

**IN CASE OF EMERGENCY CONTACT:**

Chemtrec (800) 424-9300  
or  
AmeriBrom West  
5419 Santa Clara Ave.  
Camarillo, CA 93010  
Call Collect: (805) 988-9719 (CA)  
(212) 286-4000 (NY)

AB46/Rev 2 Net contents: \_\_\_\_\_ LBS./ \_\_\_\_\_ KGS. 9/95

**PLACARDING OF FUMIGATED AREAS**

The applicator (or supervisor of the application) must placard all entrances to the  
fumigated area with signs bearing:

- skull and crossbones symbol
- "DANGER/PELIGRO,"
- "Area under fumigation, DO NOT ENTER/NO ENTRE,"
- "Methyl Bromide and Chloropicrin Fumigants in use,"
- the date and time of fumigation, and
- name, address, and telephone number of the applicator.

permitted t  
equipped h  
— Is PRO  
In addition  
while tarps

NOTIFICA  
posting fun  
Areas" sec  
sign for thi  
legibility, si

Greenhou  
outside all e

Outdoor So  
areas.

PPE FOR E  
that is perm  
Animals" s

PI  
**PESTICIDE**  
under lock

Do not cont  
to a rack or  
handling or  
Do not use  
Transport cy  
can be firm

Do not rem  
use. Replac

**PESTICIDE**  
pesticide is  
use accordi  
mental Cont  
Regional Off  
empty cylin

**CONTAINER**  
clockwise ur  
bonnet bef  
cylinders. I  
instructions

- RETURN O**
- (1) Cylinder:  
and shol
  - (2) Do not s
  - (3) When a  
product.
  - (4) Containe  
product

This fumigant  
trained in its p  
tions, includin  
Bromide Prod

All persons w  
and trained in  
emergency pr  
AM-210).

Do not fumigal

# RESTRICTED USE PESTICIDE OF ACUTE TOXICITY

Use only by Certified Applicators or persons under their direct supervision. Uses covered by the Certified Applicator's certification.

# 30-20 EPLANT FUMIGANT

FOR EPLANT SOIL FUMIGATION.

INGREDIENTS:	By Wt.
METHYL BROMIDE	79.0%
CHLOROPICRIN	19.0%
INERTS	2.0%
TOTAL	100%

## EXTREMELY TOXIC CHEMICAL

Ingredient per gal. (LIQUID IN CYLINDER)

## KEEP OUT OF REACH OF CHILDREN



Si no entiende la etiqueta, busque a alguien para que se la explique en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

## First Aid - Symptoms and Treatment

**Inhalation:** Get medical attention immediately. Take person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped apply artificial respiration. Do not give anything by mouth to an unconscious person.

**Eye Contact:** Remove contaminated clothing, shoes, jewelry, etc. Flush eyes with clean water. Wash contaminated skin area with soap and water.

**Skin Contact:** Remove contaminated clothing, shoes, jewelry, etc. Wash contaminated skin area with soap and water.

**Ingestion:** Do not induce vomiting. Give person 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person.

Do not allow entry by unprotected persons into the fumigated area until the signs are removed. Such signs must only be removed when the air concentration level of chloropicrin is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide is measured to be less than 5 ppm. Signs must remain legible during the entire posting period.

Only a certified applicator (or someone under his/her supervision) may remove warning signs at entrances to fumigated structures.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.

## ENTRY RESTRICTIONS BEST AVAILABLE COPY

**Greenhouse Soil Fumigation:** Entry (including early entry that would otherwise be permitted under the WPS) by any person — other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS — is PROHIBITED in the entire greenhouse (entire enclosed structure/building) from the start of application until 48 hours after application AND until the air concentration level chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm. Until the aeration of the soil is complete (usually 10-14 days), non-handlers are permitted in the greenhouse ONLY while the air concentration level of chloropicrin in their working area remains less than 0.1 ppm AND the air concentration level of methyl bromide in their working area remains less than 5 ppm. If tarps are used for the application, non-handler entry is prohibited during tarp removal and until the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm.

**Outdoor Soil Fumigation:** Entry (including early entry that would otherwise be permitted under the WPS) by any person — other than a correctly trained and equipped handler who is performing a handling task permitted on this labeling — is PROHIBITED from the start of application until 48 hours after application. In addition, if tarps are used for the application, non-handler entry is prohibited while tarps are being removed.

**NOTIFICATION:** Notify workers of the application by warning them orally and by posting fumigant warning signs, as described in the "Placarding of Fumigated Areas" section of this labeling. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal.

**Greenhouses — Soil or Space Fumigation:** Post the fumigant warning signs outside all entrances to the entire greenhouse (entire enclosed structure/building).

**Outdoor Soil Fumigation:** Post the fumigant warning signs at entrances to treated areas.

**PPE FOR ENTRY DURING THE ENTRY-RESTRICTED PERIOD:** PPE for entry that is permitted by this labeling is listed in the "Hazards to Humans and Domestic Animals" section of this labeling.

## PESTICIDE STORAGE, HANDLING AND DISPOSAL

**PESTICIDE STORAGE AND HANDLING:** Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area.

Do not contaminate water, food or feed by storage. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured.

Spe  
App  
Pri  
Cor  
Agr  
Nev  
equ  
Dri  
pro  
tion  
Har  
wh  
Chi  
Tw  
Wh  
anc  
at  
li  
mu  
for  
All  
Du  
atn  
to  
of  
Do  
fro  
If  
tr  
it  
n  
filn  
W  
is  
r  
do  
An  
are  
Dir  
Tw  
Sp  
No  
Sp  
fitti  
fro  
(in  
lat  
ma  
ha  
Co  
spi  
10  
80  
ce

Ingredient per gal. (LIQUID IN CYLINDER)

## OF REACH OF CHILDREN



# PELIGRO

## POISON

etiqueta, busque a alguien para que se la  
ille. (If you do not understand the label, find  
you in detail.)

### T OF PRACTICAL TREATMENT

ure, get medical attention immediately. Take  
ergency treatment facility.

d person to fresh air. Keep warm. Make sure  
breathe freely. If breathing has stopped apply  
piration. Do not give anything by mouth to an  
person.

remove contaminated clothing, shoes, jewelry,  
ar item on skin. Wash contaminated skin area  
with soap and water.

open and flush with a steady, gentle stream  
at least 15 minutes.

r additional precautionary statements.

- ☐ EPA EST. NO. 67545-AZ-01
- ☐ EPA EST. NO. 15298-IS-01
- ☐ EPA EST. NO. 29516-FL-04
- ☐ EPA EST. NO. 29516-NC-01

### IN CASE OF EMERGENCY CONTACT:

**Inc.**

Chemtrec (800) 424-9300

or

AmeriBrom West

5419 Santa Clara Ave.

Camarillo, CA 93010

Call Collect: (805) 988-9719 (CA)

(212) 286-4000 (NY)

\_\_\_\_ LBS./\_\_\_\_ KGS. 9/95

### VG OF FUMIGATED AREAS

the application) must placard all entrances to the  
ing:

/mbol

, DO NOT ENTER/NO ENTRE."

hloropicrin Fumigants in use,"

nigation, and

phone number of the applicator.

ing area is measured to be less than 0.1 ppm AND the air concentration level  
of methyl bromide in the working area is measured to be less than 5 ppm.

**Outdoor Soil Fumigation:** Entry (including early entry that would otherwise be  
permitted under the WPS) by any person — other than a correctly trained and  
equipped handler who is performing a handling task permitted on this labeling  
— is PROHIBITED from the start of application until 48 hours after application.  
In addition, if tarps are used for the application, non-handler entry is prohibited  
while tarps are being removed.

**NOTIFICATION:** Notify workers of the application by warning them orally and by  
posting fumigant warning signs, as described in the "Placarding of Fumigated  
Areas" section of this labeling. Post the fumigant warning sign instead of the WPS  
sign for this application, but follow all WPS requirements pertaining to location,  
legibility, size, and timing of posting and removal.

**Greenhouses — Soil or Space Fumigation:** Post the fumigant warning signs  
outside all entrances to the entire greenhouse (entire enclosed structure/building).

**Outdoor Soil Fumigation:** Post the fumigant warning signs at entrances to treated  
areas.

**PPE FOR ENTRY DURING THE ENTRY-RESTRICTED PERIOD:** PPE for entry  
that is permitted by this labeling is listed in the "Hazards to Humans and Domesti:  
Animals" section of this labeling.

### PESTICIDE STORAGE, HANDLING AND DISPOSAL

**PESTICIDE STORAGE AND HANDLING:** Store in dry, cool, well-ventilated area  
under lock and key. Post as a pesticide storage area.

Do not contaminate water, food or feed by storage. Store cylinders upright, secured  
to a rack or wall to prevent tipping. Cylinders should not be subjected to rough  
handling or mechanical shock such as dropping, bumping, dragging or sliding.  
Do not use rope slings, hooks, tongs, or similar devices to unload cylinders.  
Transport cylinders using hand truck, fork truck or other device to which the cylinder  
can be firmly secured.

Do not remove valve protection bonnet and safety cap until immediately before  
use. Replace safety cap and valve protection bonnet when cylinder is not in use.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Proper disposal of excess  
pesticide is a violation of Federal Law. If these wastes cannot be disposed of by  
use according to label instructions, either contact your State Pesticide or Environ-  
mental Control Agency, or the Hazardous Waste representative at the nearest EPA  
Regional Office for guidance, or follow registrant's instructions for return of partially  
empty cylinders.

**CONTAINER DISPOSAL:** When cylinder is empty, close valve by turning  
clockwise until hand tight, screw safety cap onto valve outlet, and replace protection  
bonnet before returning to shipper. Only the registrant is authorized to refill  
cylinders. Do not use cylinders for any other purpose. Follow registrant's  
instructions for return of empty or partially empty cylinders.

### RETURN OF CYLINDERS:

- (1) Cylinders are the property of the manufacturer or distributor where purchased  
and should be returned promptly by collect freight.
- (2) Do not ship cylinders without safety caps or valve protection bonnets.
- (3) When a cylinder is partially full and there is no further requirement for the  
product, contact the manufacturer or distributor for return instruction.
- (4) Containers should never be refilled by the consumer or used for any other  
product or purpose.

**BEST AVAILABLE COPY**

### SPECIFIC DIRECTIONS FOR USE

This fumigant is a highly hazardous material and should be used only by individuals  
trained in its proper use. Before using, read and follow all label precautions and direc-  
tions, including those in the Manual for the Safe Handling and Application of Methyl  
Bromide Products, No. AM-210.

All persons working with this fumigant must be knowledgeable about the hazards,  
and trained in the use of required respirator equipment and detector devices,  
emergency procedures, and proper use of the fumigant (see Product Manual No.  
AM-210).

Do not fumigate with this product when soil temperature is below 50°F. at 6-8 inches.



## PRECAUTIONS FOR USAGE PRIOR TO, DURING, AND AFTER SOIL FUMIGATION

Specific instructions for application appears in the Manual for the Safe Handling and Application of Methyl Bromide Products No. AM-210.

**Prior to Fumigation:** Post all treated areas with warning signs.

Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.

Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.

Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.

Handle this fumigant in the open, with the operator "upwind" from the container where there is good ventilation.

Check fumigant pressure systems for leaks before beginning operation.

Two trained persons must be present during introduction of the fumigant.

When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."

All trash should be cleared from the field before starting fumigation.

**During Fumigation:** This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours.

Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.

If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.

When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind.

**After Fumigation:** Keep pets, livestock, and other domestic animals out of the treated area during application, during the exposure period as specified for applications in Directions for Use, and during removal of tarpaulin.

Two trained persons must be present during removal of tarpaulins.

Specific instructions for application of 80-20 to field soils appear in the Product Manual No. AM-210.

**Spill and Leak Procedures for Soil Fumigation:** In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate everyone from the immediate area of the spill or leak. Wear the personal protective equipment (including prescribed respirators) specified in the Hazards to Humans section of this labeling for entry into affected area to correct problem. Approach from upwind to make necessary repairs. Do not enter area without the required PPE until the spill has evaporated or the leak has been fixed.

Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

### GENERAL INFORMATION

80-20, a preplant soil fumigant, is used for the control of soil-borne pests such as:

Wireworms, June beetle larvae, white grubs and garden symphylian in the soil at the time of planting.

Soil-borne fungi, including Verticillium, Fusarium, Pythium, Rhizoctonia, Phytophthora, Pyrenochaeta, Sclerotinia, Sclerotium, Armillaria, and the clubroot organism, Plasmodiophora.

Nematodes (such as Criconemoides, Tylenchus, Pratylenchus, Xiphinema and Paratylenchus species)

Broadleaf and grassy weeds, such as annual bluegrass broomrape, common lambsquarters, torpedograss, nutsedge, Bermudagrass and quackgrass at higher rates.

80-20 is not effective against mallow, filaree, dodder, some species of clover, and certain other hard seeded weeds. Crops listed below can be treated.

### CITRUS SOIL TREATMENT FOR IN FLORIDA

This is a preplant or replant treatment. will not have harvestable fruit for a period of 1 1/2 lb./100 sq. ft. Expose to fumigant a 4-mil tarpaulin. Will control disease setting transplants in treated area.

Apply with chisels spaced 12 inches apart a drag or cultipacker immediately behind. Remove tarpaulin after recommended time before planting. If odors persist, discard.

Do not apply 80-20 when there is little

Do not apply near buildings inhabited to fields where valuable crops are growing.

\*Phytophthora diseases controlled are

#### NOTE:

Following soil fumigation, undesirable concentrations may occur by areas. If this occurs, immediately cover tarpaulin on overnight and remove during time indicates that the undesirable concentrations most likely to occur in the evening or at night in movement. Do not make application on a day when there is an inversion condition.

**NOTE CAREFULLY:** Following fumigation, nitrogen may be raised. This is most likely when fertilizers are applied to soils that are low in nitrogen. Fertilizers containing ammonium salts containing nitrates until after the crop is planted is above 65°F. in order to avoid ammonification, fertilize as indicated by soil test. It is best that highly acid soils be limed before and reduce the possibility of ammonia to


#### NOT

Many pesticidal chemicals are poisonous to humans to which they are applied. The U.S. Food and Drug Administration has set maximum amounts of such pesticide residues at harvest, and it is the user's responsibility to ensure that crops at harvest in excess of these amounts are not sold. The best available information, and if the residues at harvest. However, AmeriBrom, accuracy nor for any loss due to excessive

**WARNING:** Contains methyl bromide, a substance which destroys the environment by destroying ozone.

BEST AVAILABLE COPY

CHLOROPICRIN  
BROMIDE M  
UN 15  
INHALATION





downwind.

**After Fumigation:** Keep pets, livestock, and other domestic animals out of the treated area during application, during the exposure period as specified for applications in Directions for Use, and during removal of tarpaulin.

Two trained persons must be present during removal of tarpaulins.

Specific instructions for application of 80-20 to field soils appear in the Product Manual No. AM-210.

**Spill and Leak Procedures for Soil Fumigation:** In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate everyone from the immediate area of the spill or leak. Wear the personal protective equipment (including prescribed respirators) specified in the Hazards to Humans section of this labeling for entry into affected area to correct problem. Approach from upwind to make necessary repairs. Do not enter area without the required PPE until the spill has evaporated or the leak has been fixed.

Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

**GENERAL INFORMATION**

80-20, a preplant soil fumigant, is used for the control of soil-borne pests such as:

Wireworms, June beetle larvae, white grubs and garden symphylian in the soil at the time of planting.

Soil-borne fungi, including Verticillium, Fusarium, Pythium, Rhizoctonia, Phytophthora, Pyrenochaeta, Sclerotinia, Sclerotium, Armillaria, and the clubroot organism, Plasmodiophora.

Nematodes (such as Criconemoides, Tylenchus, Pratylenchus, Xiphinema and Paratylenchus species)

Broadleaf and grassy weeds, such as annual bluegrass broomrape, common lambsquarters, torpedograss, nutsedge, Bermudagrass and quackgrass at higher rates.

80-20 is not effective against mallow, filaree, dodder, some species of clover, and certain other hard seeded weeds. Crops listed below can be treated.

**SOIL PREPARATION**

Before treatment the soil should be in condition for planting and with sufficient moisture to support seed germination. If fumigation is being done to control nutsedge, till the soil to a depth of at least 15".

**APPLICATION**

Apply with chisels spaced from 12" to 18" apart, and inject 80-20 to a depth of 5" to 8" below soil surface. Seal fumigant with a drag or cultipacker immediately behind chisels and then cover with a gas-light tarpaulin.

**DOSAGE TABLE**

Crop To Be Planted:	Lbs. 80-20 per Acre <sup>1</sup>
Strawberries	185-400
Tomatoes	185-400
Cauliflower	185-400
Broccoli	185-400
Muskmelons	185-400
Peppers	185-400
Eggplants	185-400
Floral Crops <sup>4</sup>	250-450
Nursery Crops <sup>4</sup>	250-450
Plant & Seed Beds <sup>3</sup>	250-450

<sup>1</sup>Row or bed applications may be made at the broadcast rates but the amount used will be proportionately less per acre depending on the row spacing and width of treatment in the row or bed. The usual chisel spacing for methyl bromide treatment is 12" and it is assumed that each chisel treats a 12" strip when injected at a depth of 5" to 8".

<sup>2</sup>Use the higher rates for nutsedge control.

<sup>3</sup>Plants grown for transplanting.


<sup>4</sup>Growing difficulties in treated soil may be experienced with Carnations, Conifers, Delphiniums, Holly, Multiflora Rosa, Salvia, Snapdragons, and certain other crops.

After 48 hours remove tarpaulin and allow the soil to aerate for two weeks before planting. Pepper seeds can be direct seeded through the use of plug mix after 72 hours.

Many pesticidal chemicals are poisonous and may be fatal to which they are applied. The U.S. Food and Drug Administration limits the maximum amounts of such pesticide that may remain on crops at harvest, and it is the user's responsibility to select crops at harvest in excess of these amounts. The user should follow the best available information, and if followed, it does not guarantee the accuracy nor for any loss due to excessive residues at harvest. However, AmeriBrom, Inc. does not assume any liability for any loss due to excessive residues at harvest.

**WARNING:** Contains methyl bromide, a substance that destroys the environment by destroying ozone in the stratosphere.

**CHLOROPICRIN AND  
METHYL BROMIDE MIXTURE  
UN 158  
INHALATION HAZARD**



**Warranty:** Seller warrants that the product conforms to the specifications and is reasonably fit for the purpose stated on the label. This warranty is given under normal conditions of use, but neither an implied, nor an expressed, warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE is implied, extends to the use of this product under abnormal conditions, or under conditions not reasonably foreseeable by the buyer. Buyer assumes the risk of any such use. Buyer's use of this material not in strict accordance with the label instructions is at the buyer's risk.

3, DURING,  
ON

for the Safe Handling and

g signs.

in application permit from

stant and proper protective

ers of all precautions and  
in the mechanical opera-  
d driver while fumigating.

wind" from the container

ning operation.

of the fumigant.

t be carried on the tractor  
or available on the tractor,  
e service truck. This water  
tion water not to be used

fumigation.

plied when there is an  
s of chloropicrin may drift  
e tarpaulin for a minimum

til fumigant has drained

he field when fumigating.  
e trash with polyethylene

off and fumigant system  
are people or structures

animals out of the treated  
ified for applications in

tarpaulins.

ear in the Product Manual

of a rupture of hose or  
motor. Evacuate everyone  
al protective equipment  
Humans section of this  
approach from upwind to  
ired PPE until the spill

azardous waste. Report  
e reportable quantity of

l-borne pests such as:  
symphylian in the soil

Pythium, Rhizoctonia,  
Illaria, and the clubroot

ichus, Xiphinema and

broomrape, common  
d quackgrass at higher

species of clover, and  
treated.

## CITRUS SOIL TREATMENT FOR CONTROL OF PHYTOPHTHORA\* IN FLORIDA SANDY SOILS

This is a preplant or replant treatment. Trees which are planted in this treated soil will not have harvestable fruit for a period of at least 24 months. Use a minimum of 1 1/3 lb./100 sq. ft. Expose to fumigation for 96 hours covering treated area with a 4-mil tarpaulin. Will control disease to a depth of 4 feet. Aerate 2 weeks before setting transplants in treated area.

Apply with chisels spaced 12 inches apart to a depth of 8 inches. Seal fumigant with a drag or cultipacker immediately behind chisels. Cover with a gas-proof tarpaulin. Remove tarpaulin after recommended fumigation period and aerate soil for 2 weeks before planting. If odors persist, disc or plow the soil to assist aeration.

Do not apply 80-20 when there is little or no air movement.

Do not apply near buildings inhabited by humans or livestock or in area adjacent to fields where valuable crops are growing.

\*Phytophthora diseases controlled are root rot and crown rot.

### NOTE:

Following soil fumigation, undesirable concentrations of chloropicrin may drift to nearby areas. If this occurs, immediately cover treated area with a plastic tarpaulin. Leave tarpaulin on overnight and remove during the daytime. Recover the area if eye irritation indicates that the undesirable concentration is continuing. These concentrations are most likely to occur in the evening or at night when the air is most likely to be static in movement. Do not make application of 80-20 when there is little or no air movement or there is an inversion condition in the atmosphere.

**NOTE CAREFULLY:** Following fumigation, the level of soluble salts and ammonia nitrogen may be raised. This is most likely to occur when heavy rates of fumigant and fertilizers are applied to soils that are either acid, wet, cold, or high in organic matter. Fertilizers containing ammonium salts should not be used. Apply only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65°F. in order to avoid ammonia injury, nitrate starvation, or both. After fumigation, fertilize as indicated by soil test to protect against injury to plant roots. It is best that highly acid soils be limed before application to stimulate nitrification and reduce the possibility of ammonia toxicity.

### NOTICE

Many pesticidal chemicals are poisonous and may leave a toxic residue on the plants to which they are applied. The U.S. Food and Drug Administration has established maximum amounts of such pesticide that may remain on raw agricultural products at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of these amounts. The "Fumigation Directions" are based on the best available information, and if followed carefully should not leave excessive residues at harvest. However, AmeriBrom, Inc. assumes no responsibilities as to their accuracy nor for any loss due to excessive residues.

**WARNING:** Contains methyl bromide, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

## CHLOROPICRIN AND METHYL BROMIDE MIXTURES UN 1581 INHALATION HAZARD



EST OVERALL COPY

10-13-85

10-13-85

# NOTICE

11 2 B

plants out of the treated  
area for applications in

mulch.

in the Product Manual

In a rupture of hose or  
or. Evacuate everyone  
protective equipment  
humans section of this  
reach from upwind to  
ed PPE until the spill

hazardous waste. Report  
reportable quantity of

borne pests such as:  
symphylian in the soil

rhizium, Rhizoctonia,  
larva, and the clubroot

chus, Xiphinema and

broomrape, common  
quackgrass at higher

species of clover, and  
treated.

s. 80-20 per Acre<sup>1</sup> 2

185-400  
185-400  
185-400  
185-400  
185-400  
185-400  
185-400  
250-450  
250-450  
250-450

the amount used will be  
of treatment in the row  
and it is assumed that


Conifers, Delphiniums,

or two weeks before  
of plug mix after 72

Many pesticidal chemicals are poisonous and may leave a toxic residue on the plants to which they are applied. The U.S. Food and Drug Administration has established maximum amounts of such pesticide that may remain on raw agricultural products at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of these amounts. The "Fumigation Directions" are based on the best available information, and if followed carefully should not leave excessive residues at harvest. However, AmeriBrom, Inc. assumes no responsibility as to their accuracy nor for any loss due to excessive residues.

**WARNING:** Contains methyl bromide, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

## CHLOROPICRIN AND METHYL BROMIDE MIXTURES UN 1581 INHALATION HAZARD



**BEST AVAILABLE COPY**

**Warranty:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

## BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

### DANGER

HIGH ACUTE TOXICITY

Extremely hazardous liquid and vapor under pressure. Do not breathe vapor. Inhalation or ingestion may be fatal or cause serious acute illness or delayed lung or nervous system injury. Liquid or vapor can cause serious skin or eye injury which may have a delayed onset. Do not get liquid on skin, in eyes or on clothing.

This product contains chloropicrin, a volatile-liquid tear gas. Chloropicrin vapor is very irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the nose and throat, and to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately. Continued exposure after irritation is evident, or higher concentrations, may cause painful irritation to the eyes or temporary blindness, which may cause panic that may in turn lead to further accidents.

**NOTE TO PHYSICIAN:** Early symptoms of overexposure are intense lachrimation and irritation of mucous membranes, dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree of exposure. Treatment is symptomatic.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL HAZARDS:** Do not use or store near heat, open flames, or sparking electrical equipment.

**CHEMICAL HAZARDS:** Do not use application devices incorporating natural rubber or aluminum or magnesium or their alloys; do not use water to clean them (Diesel oil is satisfactory).

#### AIR CONCENTRATION LEVEL

The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm (0.7 mg/m<sup>3</sup>). The acceptable air concentration for persons exposed to methyl bromide is 5 ppm (20 mg/m<sup>3</sup>). The air concentration level is measured by a direct reading detection device such as a Matheson-Klein-Gawa.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

Loose fitting or well ventilated long-sleeved shirt and long pants.  
Shoes and socks.

Full-face shield or safety glasses with brow and temple shields (Do NOT wear goggles) When the acceptable air concentration level is above 5 ppm and a respirator

RESTRICTED  
DUE TO

For retail sale to and use only  
under supervision, and only for those

8  
PRE  
SOIL P

FOR PRE

ACTIVE INGREDIENT  
METHYL BROMIDE  
CHLOROPICRIN  
INERT INGREDIENT

ACUTE  
14.3 LBS. Active In

KEEP OUT

DANGER

PELIGRO

Si usted no entiende la

**Greenhouse**  
outside all en