PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE

CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS EYE CONTACT MAY CAUSE LOSS OF VISION IRRITATING TO NOSE AND THROAT MAY BE FATAL IF INHALED HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED

Do not breathe dust or spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear googles with side-shields, face shield or safety glasses; protective dothing and gibber gloves. Wear a mask or pesticide respirator jointly approved by Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

Strong oxidizer, mix with water only. Reaction with combustible organic materials, bases, moisture or with oxidizers may generate heat, hazardous gases and, possibly fire or explosion. Do not add to dispensers or other equipment that is not dry and clean of any chemical remnants. Does not burn, but will decompose from about 320°F (160°C) releasing toxic gases. Avoid comminution and dusting.

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT SMOKE, DRINK OR EAT WHEN HANDLING.

WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with label directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE CEPTED axpress or implied, extends to the use of this product contrary to label instructions of under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

HALOGENE® -TAB

BROMO-CHLORO-DIMETHYLHYDANTOIN Tablets

A MICROBIOCIDAL BACTERICIDE, FUNGICIDE, ALGAECIDE AND SLIMICIDE, FOR TREATING RECIRCULATING COOLING WATER IN INDUSTRIAL COOLING SYSTEMS AND INDUSTRIAL ONCE-THROUGH COOLING WATER SYSTEMS

ACTIVE INGREDIENT: 1-Bromo-3-chloro-5,5-dimethylhydantoin...... 96% OTHER INGREDIENTS: 4% TOTAL: 100%

KEEP OUT OF REACH OF CHILDREN DANGER

CORROSIVE AND STRONG OXIDIZER

FIRST AID				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 			
ff inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 			
If swallowed	 Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. YOU MAY ALSO CONTACT 1-800-420-9236 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.				
NOTE TO PHYSICIAN				
Probable mucosal damage may contraindicate the use of gastric lavage.				

WASH THOROUGHLY AFTER HANDLING

See side panels for additional precautionary statements.

Under the Federal Insecticide, Fungicide, and Rodannoica, Actics amended, for the c esticide, registered under EPARag. No. 26 LZ- 7

OCT 19 2005

USE WITH ADEQUATE VENTILATION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

Used effectively at treatments recommended to achieve exposures to one part per million (ppm) of "active" residual bromine to control algae, bacterial, and fungal slimes in industrial cooling towers; influent water systems, e.g. flow-through filters, and lagoons, etc; heat-exchange water systems, industrial water scrubbing systems, brewery and canning pasteurizers and industrial air-scrubbing systems equipped with a mist eliminator.

TREATMENT RATES

initial treatment: When noticeably fouled, add 2-6 lb/10,000 gallons of water contained in the system. Repeat initial treatment until one ppm of "active" residual bromine is established for at least 4 hours.

Subsequent treatment: When microbial control is evident, add 1-3 lbs/10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of "active" residual bromine for at least 4 hours.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

Used for the control of algal, bacterial and fungal slime, by adding to the system inlet, or before any other contaminated area in the system, in once-though and closedcycle fresh and sea water cooling systems, cooling ponds, canals, and lagoons. Treatment rates:

Initial treatment: When noticeably fouled, add 2-6 lbs/10,000 gallons of water contained in the system. Repeat initial treatment until one ppm of "active" residual bromine is established for at least 4 hours.

Subsequent treatment: When microbial control is evident, add 1-3 lbs/10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of "active" residual bromine for at least 4 hours.

DO NOT SHIP WITH FOODS, FEEDS, DRUGS, OR CLOTHING.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep this product dry in the tightly closed, original container when not in use. Store in dark, cool (below 86° F/30° C), dry, well-ventilated area. Keep product away from energy sources, combustible organic materials, oxidizers, strong bases, and moisture

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not reuse empty container, but place in trash can.

SPILLS: When handling or dealing with spills, use impact-resistant goggles with side shields, or face shield, body-covering clothes, including impervious rubber or plastic gloves and boots; use a dust respirator if dusting occurs. Sweep up dry spills and dispose of as described for pesticide disposal. If drum contents are contaminated or decomposing, do not reseal container. Isolate unsealed drum in the open or in a wellventilated area. Flood with large volumes of water if necessary.

IN CASE OF FIRE: Do not use ammonium phosphate extinguisher near water and HALOGENE-TAB. Hazardous reactions may occur.

MΑ	NUF	ACT	URED	IN	ISR	AEL	FOR

	;	AMERIBROM, INC.
;		2115 LINWOOD AVENU
•		FORT LEE, NJ 07024
		(201) 242-6560

EPA	Reg.	No.	_8622-73	
EPA	Est. 1	No.		

NET CONTENTS :	
----------------	--