CC-11-L ALGICIDE MITCO

8637-5

FOR CONTROLLING GROWTH OF ALGAE IN INDUSTRIAL **RECIRCULATING WATER COOLING SYSTEMS**

ACTIVE INGREDIENTS

PM

ACCEPTED

1994) لال

Under the Foderal lose of Fungicials and Rode (1997) and

as amended, for the posticies egistered under 9637-5

EPA Reg. No.

31

n Alkyl (50% C14, 40% C12, 10% C16)	
dimethyl benzyl ammonium chloride	
Bis (TributyItin) Oxide	
INERT INGREDIENTS	

100% Total

T. C. F. S.

 (\cdot)

EPA Reg. No. 8637-5 EPA Est. No. 08637-MI-1 EPA Est. No. 08637-TX-1

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eves, or clothing.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink large quantities of water, Avoid alcohol. Call physician immediately. In case of contact with skin, wash at once with soap and water; for eyes, flush with water for at least 15 minutes and get medical attention

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharce effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

This product is intended to be fed intermittently into the system. Chemical may be poured into the sump of the cooling tower or evaporative condenser. The system should be cleaned before application of an Initial dose of 5 to 10 gallons of CC-11-L to 10,000 gallons of water. Subsequently a dosage of 2 to 5 gallons of CC-11-L per 10,000 gallons of water should be added. Chemical addition should be made weekly during the season when algae are likely to develop. When treating system for the first time, add chemical in small increments to determine the extent of foaming. Your Mitco technical representative can furnish detailed instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be

disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL: Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke



1601 STEELE AVE .S W /GRAND BAPIDS 49507 / 616 241 4684