| Mitco CC-27L Algicide | DIRECTIONS FOR USE GENERAL CLASSIFICATION It is a violation of Federal law to use this product in a manner inconsistent with its lubeling. Mitco CC 27L Algicide is used in cooling water systems and industrial air-washing systems to control microbiological slime. In cooling systems, add 6 to 18 fl. oz. of Mitco CC 27L Algicide per 1000 gal. of water to the cooling tower sump. In air-washing systems, add 21.1 to 36 fl. oz. of Mitco CC 27L Algicide per 1000 gal, of water to water collection trays. Repeat treatments every 1-5 days, or as nowded. The required frequency depends on relative amount of bleed and severity of slime problem. |
|---|---|
| ACTIVE INGREDIENT: Potassium dimethyldithiocarbamate 10.0% INERT INGREDIENTS 90.0% This product contains 0.87 lb. of active ingredient per gallon and weighs 8.68 lb. per gallon, | STORAGE AND DISPOSAL |
| WARNING KEEP OUT OF REACH OF CHILDREN | PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies. CONTAINER DISPOSAL: |
| PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear gog- gles or face shield and rubber gloves when handling. Wash thoroughly after handling. STATEMENT OF PRACTICAL TREATMENT: In case of skin contact wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back cr. patient's | METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning. PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for reconditioning, or disposal in an approved landfill or buried in a safe place. GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures. |
| tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, betteri egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person. Note to physician: Probable mucosal damage may contraindicate gastric lavage. ENVIRONMENTAL HAZAPDS: This pasticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Régional Office of the EPA. | Manufactured by: Mitco, Inc. 1601 Steele Ave., SW Grand Rapids, MI 49507 EPA REG. NO. 8637-15 EPA EST. NO. NET CONTENTS |
| Note to physician: Probable mucosal damage may contraindicate gastric lavage. ENVIRONMENTAL HAZAPDS: This pasticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with | EPA REG. NO. 8637-15 EPA EST. NO |

•