

Mitco CC-27L Algicide

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 10.0%

INERT INGREDIENTS 90.0%

This product contains 0.87 lb. of active ingredient per gallon and weighs 8.68 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other non oily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.
Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Manufactured by:
Mitco, Inc.

1601 Steele Avenue, SW
Grand Rapids, MI 49507

EPA REG. NO. 8637-15

EPA EST. NO.


NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mitco CC 27L Algicide is used in industrial and/or commercial recirculating cooling tower systems and industrial air washing systems to control microbiological slime. Prior to the use of Mitco CC 27L Algicide in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 12.0 to 17.9 fl. oz. of Mitco CC-27L Algicide per 1000 gal. of water to provide 100 to 150 ppm of Mitco CC-27L Algicide, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 6.0 to 17.9 fl. oz. of Mitco CC-27L Algicide per 1000 gal. of water (50 to 150 ppm Mitco CC-27L Algicide) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

Mitco CC-27L Algicide is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 28.1 to 35.9 fl. oz. of Mitco CC-27L Algicide per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 21.0 to 35.9 fl. oz. of Mitco CC-27L Algicide per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the air-wash system.



STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, soil, or air. Storage or disposal: Open dumping is prohibited.
PESTICIDE DISPOSAL: Do not contaminate water, soil, or air. Do not be used or, if heavily reprocessed, it may be disposed of in a drift approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

METAL: Triple rinse container, and offer for recycling, reconditioning, or disposal in an approved landfill or other safe place. Containers over 30 gallons should be resealed before offering for reconditioning.
PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an approved landfill or approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be triple rinsed and offered for recycling, reconditioning, or disposal in an approved landfill or other safe place.

GENERAL: Follow applicable State and local disposal, if they exist, and alternative procedures.