



# Staplecotn

## STROBANE<sup>®</sup> 6 E.C.

### Insecticide

FOR USE ON COTTON


**Active Ingredients:**

Terpene Polychlorinates (65% Chlorine)*	58.3%
Aromatic Petroleum Solvent	29.5%

Inert Ingredients	12.2%
-------------------	-------

\*Strobane consisting of polychlorinates of camphene, pinene, and related terpenes.

(1 Gal. contains 6 lbs. Strobane)



## WARNING!

KEEP AWAY FROM CHILDREN

See Side Panel For Additional Warnings

### DIRECTIONS FOR USE

Mix this product with sufficient water to provide uniform coverage. May be applied by airplane or ground sprayer. In areas where the bollworm is likely to be a serious problem or where resistant weevils are present, this product should be used in combination with DDT, following local recommendations. Aerial equipment use 2 - 5 gallons of water per acre and ground equipment 4 - 6 gallons of water per acre.

Consult your State Agricultural Experiment Station or State Agricultural Extension Service for additional information as the timing, number and rate of applications needed will vary with local conditions.

#### COTTON:

Boll Weevil, Bollworm, Garden Webworm, Cutworms, Fall Armyworm, and Grasshoppers - Apply at the rate of 2<sup>3</sup>/<sub>4</sub> - 5<sup>1</sup>/<sub>4</sub> pints per acre. Cotton Leaf Worm - Apply at the rate of 3<sup>1</sup>/<sub>4</sub> pints per acre. Cotton Fleahopper, Lygus Bugs and other Mirids - Apply at the rate of 1<sup>1</sup>/<sub>4</sub> - 5<sup>1</sup>/<sub>4</sub> pints per acre. Thrips - Apply at the rate of 1 - 3 pints per acre. Cotton Leaf Perforator and Stink Bugs - Apply at the rate of 5<sup>1</sup>/<sub>4</sub> pints per acre.

Repeat applications as needed, usually at 5-day intervals.

Use the higher rate for heavy insect infestations and on rank-growing cotton.

**DISPOSAL OF DRUMS:** Drain drum completely. Add 5 gallons of water, 1 cup of detergent and 2 pounds of lye. Tighten bungs. Rotate drum to wet all surfaces and let stand for at least 15 minutes. Drain completely and rinse several times with water. Tighten bungs. Transport to a professional drum reconditioner having burning equipment for reconditioning.

SELLER makes no warranty of any kind, express or implied, concerning the use of this product. BUYER assumes all risk of use or handling whether in accordance with directions or not.

## WARNING!

MAY BE FATAL IF SWALLOWED

COMBUSTIBLE

- Do not breathe spray mist
- Do not get in eyes, on skin, on clothing
- Wash thoroughly after handling
- Keep away from heat, sparks and open flame
- Do not contaminate food or feed products
- In case of contact, flush skin or eyes with plenty of water

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

Do not use this product on crops other than cotton and avoid spray drift to food crops and to pastures where animals graze. Do not graze or feed trash from treated fields to meat or dairy animals.

Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of waste by burying in non-crop lands away from water supply.

SOLD BY:  
**STAPLE COTTON SERVICES ASSOCIATION A.A.L.**  
**FARM CHEMICALS DIVISION**  
**GREENWOOD, MISSISSIPPI**

U.S.D.A. Reg. No. 8648-16

Made and Printed in U.S.A.

STROBANE is Trademark of Heyden Newport Chemical Company