


86HY-25



8 - 2 TOXAPHENE METHYL PARATHION INSECTICIDE

Contains 8 lbs. Toxaphene and 2 lbs. Methyl Parathion per gallon.

FOR THE CONTROL OF APHIDS, SPIDER MITES, FLEAHOPPERS,
THRIPS, BOLL WEEVILS AND BOLLWORMS ON COTTON.

DANGER!

KEEP OUT OF THE REACH OF CHILDREN



See Attention statement and other required warning statement on the side panel.

Not For Use or Storage in or Around The Home.
**DO NOT USE OR STORE NEAR HEAT OR
OPEN FLAME**

Decontaminate Empty Container or Destroy —
Perforate, Crush.
Protect From Temperatures Below Freezing.

NOTICE:

Staple Cotton Services Association (A.A.L.) makes no warranty beyond the description of the product herein and directions for use under normal conditions of use and disclaims any liability for consequential or incidental damages arising out of the sale or use of this material. Buyer's sole remedy shall be return or replacement.

GENERAL DIRECTIONS

- Prepare a spray solution of Staple Cotton Brand 8-2 Toxaphene-Methyl Parathion as follows:
- Add about half the desired amount of water to the spray tank.
- Start agitation or by-pass and add proper amount of 8-2 Toxaphene-Methyl Parathion.
- Continue agitating and add remaining water.

DIRECTIONS

FOR USE ON COTTON

For control of the above named insects attacking cotton, apply 8-2 Toxaphene-Methyl Parathion at the rate of 1 gallon to 3 acres. Ground sprayer. Use a single nozzle or two nozzles and maintain a spray coverage of 100 gallons per acre. Do not spray on cotton plants with open flowers.

Apply to the cotton plants with a sprayer. Do not spray on cotton plants with open flowers. Do not spray on cotton plants with open flowers.

DANGER

Do not apply to cotton within 5 days of harvest. Do not apply to cotton within 5 days of harvest. Do not apply to cotton within 5 days of harvest.

DANGER OBSERVE THESE PRECAUTIONS

Do not apply to cotton within 5 days of harvest. Do not apply to cotton within 5 days of harvest. Do not apply to cotton within 5 days of harvest.

and treated areas within 24 hours after application. Do not wear protective clothing. Keep out of the reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame. To prevent re-use, empty containers should be decontaminated and destroyed. Decontaminate by washing thoroughly with a strong solution of alkali and detergent. Rinse with water.

DANGER

This product is toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Apply this product only as specified on this label.

DANGER

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Apply this product only as specified on this label.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean natural rubber gloves, clean water-proof protective clothing and goggles. Replace gloves frequently and decontaminate. Do not use gloves if they are worn or damaged. Do not use respirator if it is not approved by the U.S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water, wash clothing before reuse. In case of spillage, wash down with large amount of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

ACTIVE INGREDIENTS:

Toxaphene (67-69% chlorine)*	66.49%
O,O-dimethyl O-p-nitrophenyl phosphorothioate**	16.62%
Xylene	11.55%

Total Active Ingredients 94.66%

INERT INGREDIENTS:

TOTAL 100.00%

- * Technical Chlorinated Camphene
- ** O,O-dimethyl O-p-nitrophenyl phosphorothioate is otherwise known as Methyl Parathion.



POISON ANTIDOTE AND FIRST AID TREATMENT ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING

Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. PAM may also be used as an antidote on advice of a physician.

INTERNAL:

If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL:

If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with large amount of water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR, A PHYSICIAN SHOULD BE CALLED IMMEDIATELY. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.

(See WARNING SYMPTOMS below) Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

Methyl Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine. Toxaphene produces central nervous system excitation which responds to the barbiturate acid derivatives.

WARNING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pupils, rapid salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT

Atropine is the specific therapeutic antagonist of choice against parasympathetic over-stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 24 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Advise no further exposure until the time for cholinesterase regeneration has been allowed, determined by blood test.

SOLD BY:
STAPLE COTTON SERVICES ASSOCIATION A.A.L.
FARM CHEMICALS DIVISION
GREENWOOD, MISSISSIPPI

OXAPHENE METHYL PARATHION INSECTICIDE

Contains Oxaphene and Methyl Parathion per gallon

CONTROL OF APHIDS, SPIDER MITES, FLEAHOPPERS,
AND BEETLES AND BOLLWORMS ON COTTON

INGREDIENTS:

Water (67-69)	chlorine	68.42
Oxaphene		16.62
Methyl O-p-nitrophenyl phosphorothioate		11.55
Active Ingredients		94.66
INERT INGREDIENTS:		5.34
TOTAL		100.00



Caution: Do not use on plants listed on the label. Do not use on plants listed on the label. Do not use on plants listed on the label.

POISON ANTIDOTE AND FIRST AID TREATMENT

POISON ANTIDOTE AND FIRST AID TREATMENT
POISON ANTIDOTE AND FIRST AID TREATMENT
POISON ANTIDOTE AND FIRST AID TREATMENT

INTERNAL

INTERNAL
INTERNAL
INTERNAL

EXTERNAL

EXTERNAL
EXTERNAL
EXTERNAL

NOTE TO PHYSICIAN

NOTE TO PHYSICIAN
NOTE TO PHYSICIAN
NOTE TO PHYSICIAN

WARNING SYMPTOMS

WARNING SYMPTOMS
WARNING SYMPTOMS
WARNING SYMPTOMS

TREATMENT

TREATMENT
TREATMENT
TREATMENT

SOLD BY
STAPLE COTTON SERVICES ASSOCIATION A.A.L.
FARM CHEMICALS DIVISION
GREENWOOD, MISSISSIPPI

