

DIRECTIONS

Bin Preparation

As with other blends of acids, TENOX P Grain Preservative is corrosive. Bins should be protected by lining with non-toxic plastic sheeting before filling.

Application

TENOX P Grain Preservative is suggested for application as directed below immediately after harvest to prevent fungal growth in stored corn, milo, barley, wheat, and oats:

Moisture Content (%)	Pounds per ton of grain with the following respective percent moisture contents										
	16	18	20	22	24	26	28	30	32	34	36
Pounds of TENOX P Grain Preservative	11	13	15	17	19	21	23	25	27	29	31

[Convert to "fluid oz. per 100 lbs. of grain" by use of the formula: (lbs. product per ton grain) x 0.77 = (fl. oz. product per cwt. grain)]

Apply undiluted, by use of low pressure spray nozzles achieving uniform coverage, as grain passes through applicator. Stop grain flow immediately in event of spray failure or nozzle plugging. Concentrations of untreated grain may develop fungal growth which may spread and spoil all grain in the bin. ONLY GRAIN WHICH IS TO BE USED AS ANIMAL FEED SHOULD BE TREATED since application will reduce grains to Sample Grade and reduce germination. Increasing the suggested rate of application in the Table by 25% for the top 10% of the grain placed in each storage bin will provide additional protection against the effect of normal moisture migration in the grain during storage.

Made in USA

ECP 2404



Marketed by the following companies:

EASTMAN CHEMICAL PRODUCTS INC Kingsport Tenn 37662
 EASTMAN CHEMICAL INTERNATIONAL CO Kingsport Tenn 37662
 EASTMAN CHEMICAL INTER AMERICAN LTD Kingsport Tenn 37662
 EASTMAN CHEMICAL INTERNATIONAL A G Zug Switzerland

Aug. 5 1973

TENOX[®] P

GRAIN PRESERVATIVE

Active ingredient: Pyridoxyl acid 99.5%
 Inert ingredients 0.5%

KEEP OUT OF REACH OF CHILDREN.
DANGER! CORROSIVE, CAUSES EYE AND SKIN DAMAGE — COMBUSTIBLE

Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID:

LOT NUMBER

54.2

GALLONS

450 LBS.

NET WEIGHT

WARRANTY AND LIMITATION OF LIABILITY

TENOX P Grain Preservative is warranted to conform to the chemical description hereon, and to be reasonably fit for the described use when applied strictly in accordance with directions. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE. Factors beyond the control of Eastman Kodak Company and its marketing affiliates prevent them from assuming responsibility for damage to other property, including plants and crops, even when this product is applied according to directions. Buyer and User assume all risks beyond the above warranty. In no event shall the liability of Eastman Kodak Company and its marketing affiliates exceed the purchase price hereof.

DIRECTIONS

Bin Preparation

1. Bin must be clean, dry, and free of mold and insects.

Application

1. Tenox P should be applied to grain at the rate of 1.0 lb. per 1000 bushels.

2. Tenox P should be applied to grain in the bin.

3. Tenox P should be applied to grain in the bin.

4. Tenox P should be applied to grain in the bin.

5. Tenox P should be applied to grain in the bin.

6. Tenox P should be applied to grain in the bin.

7. Tenox P should be applied to grain in the bin.

8. Tenox P should be applied to grain in the bin.

9. Tenox P should be applied to grain in the bin.

10. Tenox P should be applied to grain in the bin.

M466 in USA

ECP 14 4



Marketed by the following affiliates of Eastman Kodak Company
EASTMAN CHEMICAL PRODUCTS, INC., Kingsport, Tenn. 37662
EASTMAN CHEMICAL INTERNATIONAL CO., Kingsport, Tenn. 37662
EASTMAN CHEMICAL INTER-AMERICAN LTD., Kingsport, Tenn. 37662
EASTMAN CHEMICAL INTERNATIONAL A.G., Zug, Switzerland

Tenox P

GRAIN PRESERVATIVE

KEEP OUT OF REACH OF CHILDREN
DANGER!

AVOID CONTACT WITH EYES AND
SKIN. WASH WITH WATER.

DIRECTIONS

Bin Preparation

As with other blends of acids, TENOX P Grain Preservative is corrosive. Bins should be protected by lining with non-toxic plastic sheeting before filling.

Application

TENOX P Grain Preservative is suggested for application as directed below immediately after harvest to prevent fungal growth in stored corn, milo, barley, wheat, and oats:

Moisture Content (%) Pounds of TENOX P Grain Preservative	Pounds per ton of grain with the following respective percent moisture contents										
	16	18	20	22	24	26	28	30	32	34	36
	11	13	15	17	19	21	23	25	27	29	31

[Convert to "fluid oz. per 100 lbs. of grain" by use of the formula: (lbs. product per ton grain) x 0.77 = (fl. oz. product per cwt. grain)]

Apply undiluted, by use of low pressure spray nozzles achieving uniform coverage, as grain passes through applicator. Stop grain flow immediately in event of sprayer failure or nozzle plugging. Concentrations of untreated grain may develop fungal growth which may spread and spoil all grain in the bin. **ONLY GRAIN WHICH IS TO BE USED AS ANIMAL FEED SHOULD BE TREATED** since application will reduce grains to Sample Grade and reduce germination. Increasing the suggested rate of application in the Table by 25% for the top 10% of the grain placed in each storage bin will provide additional protection against the effect of normal moisture migration in the grain during storage.

Made in USA

EOP 2484



EASTMAN CHEMICAL PRODUCTS, INC. Kingsport, Tenn. 37632
EASTMAN CHEMICAL INTERNATIONAL CO. Kingsport, Tenn. 37632
EASTMAN CHEMICAL INTERNATIONAL INC. Kingsport, Tenn. 37632
EASTMAN CHEMICAL INTERNATIONAL A. G. Luzern, Switzerland

Aug. 8, 1973

TENOX® P

GRAIN PRESERVATIVE

Active Ingredient: Propionic acid 99.5%
Inert Ingredients: 86.55% 0.5%

EPA REG. NO. 8655-5

KEEP OUT OF REACH OF CHILDREN.
DANGER! CORROSIVE, CAUSES EYE AND SKIN DAMAGE — COMBUSTIBLE

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Do not get in eyes, on skin or clothing. Rubber gloves, rubber aprons, and rubber footwear and goggles or face shield should be worn.

Avoid breathing vapor; use approved respirator if working near mist or high concentration of vapors.

Keep container closed.

Use with adequate ventilation.

Wash thoroughly after handling.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Spillage should be neutralized with sodium carbonate, sodium bicarbonate, chalk or agricultural lime or washed away with plenty of water.

Do not contaminate water by cleaning of equipment or disposal of wastes.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing clothing and shoes. Call a physician. Wash clothing before reuse.

LOT NUMBER

54.2

GALLONS

450 LBS.

NET WEIGHT

WARRANTY AND LIMITATION OF LIABILITY

TENOX P Grain Preservative is warranted to conform to the chemical description hereon, and to be reasonably fit for the described use when applied strictly in accordance with directions. **THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE.** Factors beyond the control of Eastman Kodak Company and its marketing affiliates prevent them from assuming responsibility for damage to other property, including plants and crops, even when this product is applied according to directions. Buyer and User assume all risks beyond the above warranty. In no event shall the liability of Eastman Kodak Company and its marketing affiliates exceed the purchase price hereof.