

## DIRECTIONS

## Bin Preparation

W. A. W. and J. A. W. 1993. The Preservative is not so safe as it seems. *Journal of the American Veterinary Medical Association* 254: 1467-1468.

### Application

W. H. Greenleaf, Jr., President, American Society of Mechanical Engineers, New York, N. Y.

£ 1000 per ton of grain with the following respective percentage moisture contents:

[illegible]

the results of the present study are in line with the findings of other studies. For example, a study by Smith et al. (2001) found that the use of a decision support system (DSS) in a manufacturing environment led to improved decision-making performance. Similarly, a study by Jones et al. (2003) found that the use of a DSS in a financial services environment led to improved decision-making performance. These findings suggest that the use of a DSS can be a valuable tool for improving decision-making performance in a variety of contexts.

For more information, call 1-800-368-7262. **Call today** to receive information on the new **DO NOT APPLY TO SELF** program. The new **DO NOT APPLY TO SELF** program may develop a new way to improve your business. **DO NOT APPLY TO SELF** is a new program that will help you improve your business. **DO NOT APPLY TO SELF** is a new program that will help you improve your business. **DO NOT APPLY TO SELF** is a new program that will help you improve your business.

Table 1. The effect of the use of additional protection during storage of grain on the loss of grain and the weight of grain during storage



Marketed by the following affiliates of Eastman Chemical Company:

EASTMAN CHEMICAL PRODUCTS, INC.	Kingsport, Tenn.	37662
EASTMAN CHEMICAL INTERNATIONAL CO.	Kingsport, Tenn.	37662
EASTMAN CHEMICAL INTERNATIONAL LTD.	Kingsport, Tenn.	37662
EASTMAN CHEMICAL INTERNATIONAL A.G.	Zug, Switzerland	

Made in USA

July 22, 1975

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 8655-9

# Tenox IBP-2

## GRAIN PRESERVATIVE

Active Ingredients:

Isobutyric Acid 60%

Propionic Acid 40%.

EPA REG. NO. 665-11  
EPA EST. NO. 665-11-1  
665-11-1

**KEEP OUT OF REACH OF CHILDREN.**

**DANGER! CORROSIVE, CAUSES EYE AND SKIN DAMAGE — COMBUSTIBLE**

**Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.**

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

**FIRST AID:**

**54.5**

**440 LBS.**

Yellow Panel


Black Panel

KODAK Logo  
Red on Yellow Field



Black Bar

WARRANTY AND LIMITATION OF LIABILITY

[illegible]



Patented by the following affiliates of Eastman Kodak Company  
Kodak Chemical Products, Inc., Kingsport, Tenn. 37602  
Kodak Chemical International Co., Kingsport, Tenn. 37602  
Kodak Chemical International Ltd., Kingsport, Tenn. 37602  
Kodak Chemical International A.G., Zug, Switzerland



DATA SHEET

TENOX® IBP-2 Grain Preservative

1. Name of Product: TENOX IBP-2 Grain Preservative
2. Registrant: Eastman Chemical Products, Inc.  
P. O. Box 431  
Kingsport, Tennessee 37662  
  
Attention: H. W. Patton, Vice President

3. Active Ingredients (by weight)

Isobutyric Acid	60%
Propionic Acid	40%

Attached is Registrant's printed specification No. 3714-4 for this product. Also attached are Registrant's specifications Nos. 3558-4 and 3569-5 for the isobutyric acid and propionic acid components, respectively. Inert impurities do not reduce the effectiveness of the product and are present at a level of less than one percent. They have therefore been "neglected" in the label ingredients statement pursuant to 40 CFR 162.103(i)(2).

4. No leaflets, circulars or other advertising material will accompany the product.

# LABEL COPY

PRINTING INSTRUCTIONS  
Label size: 7.5" x 16"  
Helvetica type

Freshgard 40

72 point

Fungicide

18 point

Active Ingredient: Sodium dimethyl dithiocarbamate 40.0 %  
Inert Ingredients: 60.0  
100.0 %

12 point

## CAUTION:

Keep out of the reach of children. May be harmful if swallowed. May cause skin irritation. Avoid contact with skin and eyes. In case of contact, flush with plenty of water; for eyes get medical attention.

18 point

12 point

Do not reuse empty drum. Return to ~~drum reconditioner~~

EPA Reg. No. 8764-6-AA  
Net Contents 55 Gallons

12 point

Dec 19, 1974

## Directions For Use

18 point

Cantaloupes (Postharvest): For control of stem scar and surface molds during transit and marketing. Use 1 gallon in 20 gallons (2.0%) of ready-to-use wax emulsion. Apply with spray-brush applicator at the rate of one gallon of emulsion to 8000 lbs. or 100 crates of cantaloupes.

12 point

EPA Est. No. 8764-CA-1, 2; FL-1; TX-1  
Store above 32° F. Lot No.:

12 point

Terms of sale or use: On purchase or use of this product buyer and user agree to the following conditions:

Warranty: FMC Corporation warrants that this product, as of the time of sale by FMC Corporation, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. Except as so warranted the product is sold as is. FMC Corporation makes no other warranty express or implied.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC Corporation within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

6 point

Excuse from non-controllable conditions: Because of certain critical conditions created or incurred by buyer or user over which FMC Corporation has no control, buyer or user, as a condition of purchase or use, assume responsibility for and release FMC Corporation from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

Manufactured in U.S.A. by  
FMC

12 point

12 point

Left Panel  
26 pics

Center Panel  
26 pics

Right Panel  
26 pics