

NOV 2 1995

H. R. McLane
H. R. McLane, Inc.
7210 Red Road, Suite 206
Miami, Florida 33143-5321

Dear Mr. McLane:

SUBJECT: Label Amendment
STA-GREEN WEED & FEED for Warm Season Grasses
EPA Registration No. 8660-7
Your Application Dated September 13, 1995

The labeling referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable with the following provisions:

1. Under the "Statement of Practical Treatment" revise the statements as follows:

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

2. Under the "Precautionary Statement" include the sentence, "Causes eye irritation.", after the second sentence.
3. Under the "Environmental Hazard" section, the following statement should be placed as the first sentence, "This product is toxic to aquatic invertebrates."
4. The WPS exclusionary statement should be moved near the beginning of the "Directions for Use" section.

7505C
Morgan
11/2/95

BEST AVAILABLE COPY

A stamped copy is enclosed for your records. Please submit (one) final printed copy for the above mentioned label before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

STA-GREEN®

Covers
5,000 Sq.Ft.

WEED & FEED

For Warm Season Grasses

Controls Growing Broadleaf Weeds While Feeding Your Lawn.

For Bahia, Bermuda, Centipede, Fescue, St. Augustine*, and Zoysia Grasses.

Do not apply to Improved Varieties of St. Augustine grass in Florida.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	- - -	0.159%
**Dimethylamine Salt of 2,(2-methyl-4-chlorophenoxy) propionic acid	- - -	0.508%
***Dimethylamine Salt of Dicamba (3,6 dichloro-o-anisic) acid	- - -	0.062%
INERT INGREDIENTS:	- - -	99.271%
	Total	100.000%

* 2,4-Dichlorophenoxy acetic acid equivalent 0.132% or 2.64 lbs. per ton
 ** MCPA acid equivalent to 0.420% or 8.40 lbs. per ton.
 *** Dicamba acid equivalent to 0.052% or 1.04 lbs. per ton.
 (Isomers Specific by AOAC 14th Edition #6.321)

Contains Trimec® Herbicide - A Reg. TM of PBI Gordon Corp.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention.

See Back Panel For Additional Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear, long sleeved shirt, long pants, socks and shoes. After using this product remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARD

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation water. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until dust have settled. Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides or seeds. **PESTICIDE DISPOSAL:** To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse empty bag. Fold empty bag and discard in trash. (8660-7.pms vmdmt. 11-28-94)

CONTROLS SUCH WEEDS AS

Black Medic	Dock	Oxalis	Ragweed
Chickweed	Florida Pusley	Peppergrass	Sida, Prickly
Clover	Henbit	Pigweed	Spurge
Cocklebur	Knotweed	Plantains	Wild Lettuce
Creeping Charlie	Lambsquarter	Poison Ivy	Wild Onion
Dandelion	Mustard	Purslane	

TIME TO APPLY

Apply any time broadleaf weeds are present, except to avoid treating St. Augustinegrass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control will be slow and more than one application may be needed. Moisture from dew or watering on weed foliage at time of application aids control. Do not water for 24 to 48 hours after application.

HOW MUCH TO APPLY

Use 20 lbs. on 5,000 sq.ft. for Bermuda, St. Augustine (Do not apply to improved varieties of St. Augustine grass in Florida), Centipede, Bahia, Zoysia, and Fescue grasses. Over-application may cause temporary discoloration. Do not use where desirable clovers are present or on dichondra, lippia or similar ground covers. Do not apply in areas underlain by roots of desirable trees and shrubs. Avoid application on garden plants, flowers and shrubs. Do not use on newly seeded lawns. The maximum rate for turf is 0.23 pounds of 2,4-D acid equivalent per acre, per application, per site. The maximum number of broadcast applications per treatment site is 2 per year.

SUGGESTED SPREADER SETTINGS TO APPLY 20 LBS. / 5,000 SQ.FT.

SPREADER	SETTING
Sta-Green Broadcast (round hopper)	3.5
Sta-Green Broadcast (square hopper)	6.0
Central Broadcast	3.5
Central Drop	6.0
Scotts Drop	4.5
Scotts Rotary	H
Imperial Mark IV	3.5
Cyclone	4.25
Imperial Mark III	6.0
Sears Broadcast	3.5
Sears Drop	6.0
Ortho Broadcast	2.5
Ortho Drop	4.5
Greenview Broadcast	3.5
Greenview Drop	6.0

GUARANTEED ANALYSIS

Nitrogen (N)	21 %
2.7% Ammonical Nitrogen	
18.3% Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	7 %
Soluble Potash (K ₂ O)	14 %
Iron (Fe)	1.0%

Primary Plant Food Sources: Polymer Coated Urea, Urea, Diammonium Phosphate and Munate of Potash. Secondary Plant Food Sources: Iron Sulfate and Iron Oxide. 4.4% Slowly Available Nitrogen from Polymer Coated Urea. Chlorine (Cl), not more than 11.2%

CONDITIONS OF SALE AND WARRANTY

The directions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application all of which are beyond the control of Pursell Industries, Inc. or the Seller. All such risk shall be assumed by the Buyer. Pursell Industries, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. Pursell Industries, Inc. makes no other express or implied warranty of Fitness for Merchantability or consequential, special, or indirect damages resulting from the use or handling of this product. Pursell Industries, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Pursell Industries, Inc.

EPA REG. NO. 8660-7 EPA EST. NO. 8660-AL-1

Net Weight 20 Pounds

PURSELL
P.O. Box 540 - Sylacauga, AL 35150 U.S.A.