



**PARKER
FERTILIZER
COMPANY, INC.**
INCORPORATED 1904

P.O. Box 540
201 West Fourth Street
Sylacauga, Alabama 35150
(205) 245-5282

1 of 3
Pm 25
(Front Panel) 8660-12

**STA-GREEN
TREATS 5,000 SQ. FT.
Green Plus
LAWN FERTILIZER PLUS WEED CONTROL
25-3-3**

**CONTROLS WEEDS WHILE
FEEDING YOUR LAWN WITH A
QUICK GREENING LONG-LASTING
FERTILIZER**

For use on St. Augustine, Zoysia,
Centipede and Carpetgrass lawns only.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENT

Hazard to Humans and Domestic Animals;

Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if Irritation persists.

Environmental Hazards:

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Not for use on or under trees, shrubs, bedding plants, flowers or garden plants.

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

All crops - This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACTIVE INGREDIENT:

Atrazine (2-chloro-4-ethylamino-s-triazine)..... 1.1027
Related Compounds..... 0.0587

INERT INGREDIENTS:..... 98.840%


TOTAL: 100.000%

EPA Reg. No. 8660-12

EPA EST. No. 8660-AI-1

NET WT. 20 LBS. (9.07 kg)

**STA-GREEN PLANT FOOD COMPANY
SYLACAUGA, ALABAMA 35150**



PARKER FERTILIZER COMPANY, INC.

(Back Panel)

STA-GREEN Green Plus LAWN FERTILIZER PLUS WEED CONTROL

25-3-3

GUARANTEED ANALYSIS	
Total Nitrogen (N).....	25%
1.2% Ammoniacal Nitrogen	
23.8% Urea Nitrogen*	
Available Phosphoric Acid (P2O5).....	3%
Soluble Potash (K2O).....	3%
	701-1091

Primary Plant Food Sources:

Urea, Sulfur-Coated Urea, Diammonium Phosphate, and Muriate of Potash.
*Part of the nitrogen in this product has been sulfur coated to provide 6.5% coated slow-release nitrogen.

Chlorine (Cl), not more than 2.4%

WHAT THIS PRODUCT DOSE

STA-GREEN Green Plus controls growing weeds such as dandelions, black medic, buckhorn, burclover, Carolina geranium, chickweed, purslane, Florida betony, Florida pusley, rabbit-to'acco, henbit, matchweed, oxalis, red sorrel, rescuegrass, shepherdspurse, wild mustard, and many others. This product also contains a high quality, slow-release fertilizer. This product will green your lawn in a few days and will continue feeding for 3-4 months.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply in January, February or early March to prevent germination of crabgrass, bull paspalum, sedges (from seed), and spotted spurge.

Apply anytime broadleaf weeds are growing to get control.

Apply in the fall to control henbit, chickweed and other winter weeds.

If complete controls is not obtained, a second application may be necessary 2 months after the first.

For best results apply with a fertilizer spreader at the setting listed below. Apply to newly sprigged St. Augustine or Zoysia lawns to help prevent competition from other weeds. Apply when grass blades are dry. On hot days (above 80°) water the lawn to rinse particles off the grass.

		SPREADER SETTINGS		
STA-GREEN BROADCAST		IMPERIAL MARK IV	3.5	
(ROUND HOPPER)	3.5	IMPERIAL MARK 111	6.0	
(SQUARE HOPPER-MODEL EB 84)	6	SEARS BROADCAST	3.5	•••••
CYCLONE	4.25	SEARS DROP	6.0	•••••
CENTRAL BROADCAST	3.5	ORTHO BROADCAST	2.5	•••••
CENTRAL DROP	6.0	ORTHO DROP	4.0	•••••
SCOTT'S PRECISION FLOW	4.5	GREENVIEW BROADCAST	3.5	•••••
SCOTT'S ROTARY	H	GREENVIEW DROP	6.0	•••••
			(S/G GE)	•••••

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

**PARKER
FERTILIZER
COMPANY, INC.**

Page 2
(Back Panel)

PRECAUTIONS:

Do not apply under the branches (rootzone area) of shrubs, trees, flowers etc.

Do not apply to newly seeded Zoysia, centipede, or carpetgrass lawns. Wait until they have required at least 2 mowing.


Don't apply to flowers, bedding plants, ornamental trees or shrubs.

NET WT. 20 LBS. (9.07 kg)

STA-GREEN PLANT FOOD COMPANY

SYLACAUGA, ALABAMA 35150

(anc



STA-GREEN Green Plus Lawn Fertilizer Plus Weed Control 25-3-3

Treats 5,000 Sq. Ft. 1-4-88

CONTROLS WEEDS WHILE FEEDING YOUR LAWN WITH A QUICK GREENING LONG-LASTING FERTILIZER

For use on St. Augustine, Zoysia, Centipede and Carpetgrass lawns only

KEEP OUT OF REACH OF CHILDREN

CAUTION

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal wastes. Not for use on or under trees, shrubs, bedding plants, flowers or garden plants.

Atrazine can travel (seep or leak) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

ALL CROPS - This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACTIVE INGREDIENT

Atrazine (2-chloro-4-ethylamino s triazine)	1.102%
Related Compounds	0.058%
INERT INGREDIENTS	98.840%

TOTAL 100.000%

EPA Reg. No. 8660-12

EPA EST. No. 8660-AL-1

**NET WT. 20 LBS. (9.07 kg)
STA-GREEN PLANT FOOD COMPANY
SYLACAUGA, ALABAMA 35150**

GREEN PLUS LAWN FERTILIZER PLUS WEED CONTROL 25-3-3

1-4-84

GUARANTEED ANALYSIS

Total Nitrogen (N)	25%
1.2% Ammoniacal Nitrogen	
23.8% Urea Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	3%
Soluble Potash (K ₂ O)	3%
	701-1091

Primary Plant Food Sources Urea, Sulfur-Coated Urea, Diammonium Phosphate, and Muriate of Potash
*Part of the nitrogen in this product has been sulfur coated to provide 6.5% coated slow-release nitrogen
Chlorine (Cl) not more than 2.4%

WHAT THIS PRODUCT DOES

STA-GREEN Green Plus controls growing weeds such as dandelions, black medic, buckhorn, burclover, Carolina geranium, chickweed, purslane, Florida betony, Florida pusley, rabbit-tobacco, henbit, matchweed, oxalis, red sorrel, rescuegrass, shepherdspurse, wild mustard, and many others. This product also contains a high quality, slow-release fertilizer. This product will green your lawn in a few days and will continue feeding for 3-4 months.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Apply in January, February or early March to prevent germination of crabgrass, bull paspalum, sedges (from seed), and spotted spurge

Apply anytime broadleaf weeds are growing to get control

Apply in the fall to control henbit, chickweed and other winter weeds

If complete control is not obtained, a second application may be necessary 2 months after the first

For best results apply with a fertilizer spreader at the setting listed below. Apply to newly sprigged St. Augustine or Zoysia lawns to help prevent competition from other weeds. Apply when grass blades are dry. On hot days (above 80°) water the lawn to rinse particles off the grass.

SPREADER SETTINGS

STA-GREEN BROADCAST		IMPERIAL MARK IV	35
(ROUND HOPPER)	35	IMPERIAL MARK III	60
(SQUARE HOPPER-MODEL EB 84)	6	SEARS BROADCAST	35
CYCLONE	4.25	SEARS DROP	60
CENTRAL BROADCAST	35	ORTHO BROADCAST	25
CENTRAL DROP	60	ORTHO DROP	40
SCOTTS PRECISION FLOW	45	GREENVIEW BROADCAST	35
SCOTTS ROTARY	H	GREENVIEW DROP	60
			(S/G GP)

STORAGE AND DISPOSAL

STORAGE Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers or near herbicides, insecticides, fungicides or seeds.

PRODUCT DISPOSAL To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL Do not reuse empty bag. Fold empty bag and discard in trash.

PRECAUTIONS

Do not apply under the branches (rootzone area) of shrubs, trees, flowers, etc.

Do not apply to newly seeded Zoysia, centipede, or carpetgrass lawns. Wait until they have required at least 2 mowings.

Do not apply to flowers, bedding plants, ornamental trees or shrubs.

NET WT. 20 LBS. (9.07 kg)
STA. GREEN PLANT FOOD COMPANY
SYLACAUGA, ALABAMA 35150