Front Panel:

Page -1-

Revised 2/3/84

TURF INSECT CONTROL W/FERTILIZER

with COMMENTS
In EPA Letter Dated:

32-2-8

Contains 1.5% ® OFTANOL

Covers 16,667 square feet

Under the Constitution of the Pondial State of the Constitution of

ACTIVE INGREDIENT:

GUARANTEED ANALYSIS 32-3-8

TOTAL NITROGEN (N) 32%

Primary Plant Food Sources: Urea, Sulfur-Coated Urea, Diammonium
Phosphate and Muriate of Potash

*Fart of the Nitrogen in this product has been sulfur-coated to provide 6.7% pared slow release nitrogen.

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN, wash with soap and water.

IF SWALLOWED, call a physician or Poison Center. Give a glass or two of water and induce vomiting by couching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

Get medical attention if irritation persists.

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

EPA Reg. No. 8660-XX

EPA Est. No. 8660-AL-1

NET WT 50 LBS (22.68 kg.)

STA-GREEN PLANT FOOD COMPANY

Sylacauga, AL 35150

866.0-115

BACK PANEL:

Page (2)

Turf Insect Control w/Fertilizer

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read this entire label before using. This product is recommended for use on golf courses, lawns and other ornamental and recreational turfgrass areas.

CONTROLS WHITE GRUB LARVAE (such as Japanese beetle, black turfgrass ataenius, chafers, Phyllophaga spp., green June beetle, oriental beetle and Asiatic garden beetle), BILLBUG (larval stage), HYPERODES WEEVIL (larval stage) and MOLE CRICKETS

For WHITE GRUB and BULLBUG larval control apply product at a rate of 3 lbs/1000sq. ft. Water in immediately following application of this product to wet the soil 1 to 1½ inches deep.

For HYPERODES WEEVIL larval control apply product at a rate of 3 lbs/1000 sq. ft. between full bloom periods of forsythia and flowering dogwood (usually April 15 - May 15). Water-in immediately following application of this product to wet soil 1 to $1\frac{1}{2}$ inches deep.

For MOLE CRICKET control apply product at a rate of 3 lbs/1000 sq. ft. and water-in immediately following application of this product to wet the soil 2 to 1 inch deep.

CONTROLS SOD WEBWORM and CHINCH BUG

For <u>SOD WEBWORM</u> larvae or <u>CHINCH BUG</u> control apply product at a rate of $1\frac{1}{2}$ or 3 lbs/1000 sq. ft. Apply $\frac{1}{4} - \frac{1}{2}$ inch of water immediately after treatment. Reapply as necessary for pest re-infestations. See LIMITATIONS below for reapplication timing.

Consult your local turf, State Agricultural Experiment Station or State Extension Service Specialists for more specific information regarding timing of application.

2660 -15

Back Panel: (Cont'd)

Page 3

Turf Insect Control w/Fertilizer ;

SPREADER SETTINGS

Apply this product uniformly over the turf area with suitable equipment. Check frequently to be sure the applicator is calibrated properly and is distributing the product granules uniformly.

SPREADER	RECOMMENDED SETTINGS	
	1.5 1b/1000 sq. ft.	3 lbs/1000 sq. ft.
Spyker	3.5	4.6
Cyclone	3.5	4.6
Scott R-7X	F	J
Lesco	F	J

REMINDER

Do not apply more than 6 lbs. of product per 1000 sq. ft. per year.

Minimum interval between applications is 15 days for the 1.5 lb. rate and 30 days for the 3 lb. rate.

For most effective insect control follow the watering instructions as noted in the "DIRECTIONS FOR USE" section. Children and pets are to be kept off treated areas until dry.

Do not mow a treated turf area before rainfall or irrigation has been applied per the instructions.

Avoid the use of an applicator which would apply the material in narrow, concentrated bands.

Be sure the applicator is properly calibrated before use.

STORAGE AND DISPOSAL STATEMENTS

Do not contaminate water, food or feed by storage or disposal.

Do not reuse smpty container. Wrap and put in trash collection.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of reach of children, preferably in a locked storage area.

Handle an open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. If material cannot be used as directed, dispose of by wrapping in paper and put in trash collection.

Back Panel:

Page 4)

NOTICE: The Seller makes no warranty, expressed or implied, concerning the use of this product other than that indicated on this label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

OFTANOL is a Registered Trademark of the Parent Company of Farbenfabriken Bayer GmbH Leverkusen.

NET WT. 50 LBS. (22.68 Kg.)

STA-GREEN PLANT FOOD COMPANY

Sylacauga, AL 35150

U.S. ENVIRONMENTA PROTE TON FILES	The state of the s
	- A.
NOTICE OF PESTICIDE	1.44
, , .	
:	1
NAME AND A COLOR OF HER CHARLES TO THE	16 116 Odd
	10/ 1/600
	191
	10
L.	J
	·
NOTE: Changes in labeling to reada. Littering in substance to substituted to and accepted by the Registration Division propoductalways refer to the above U.S. EPA registration numbers.	rom that accepted in connection with this registration must be a to use of the label in commerce. In any correspondence on this her.
On the basis of information turns hed by the registrant, the the Fe feral Insectionle, Fungicide, and R. denticide Act.	above named posticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is returned herewith.
health and the environment, the Administrator, on his motioned in accordance with the Act. The acceptance of any na	t or approval of this product by this Agency. In order to protect in, may at any time suspend or cancel the registration of a pestage in connection with the registration of a roduct under this are fusive use of the name or to its us. If it has been covered
Signat by a specific to be	ÜÄTE

.

EPA Form 857 / Re. 5 1/

A storage and disposal study must be submitted within one (1) year of the date of registration.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller Product Manager (16)

Insecticide—Rodenticide Branch Registration Division (TS-767)